SMT PLANAR TRANSFORMER AND PLANAR INDUCTOR For use with Linear Technology's LT1681 and LTC1698 PLAN





PLANAR TRANSFORMER – PA0191

- Power Rating: 60-100W
- Height: 8.3 mm Max
- Footprint: 27.7 mm x 21.8 mm Max

PLANAR INDUCTOR – P1977

- Energy Storage: 420 μJ (2.1 μH/20A)
- Height: 8.3 mm Max
- Footprint: 21.7 mm x 20.3 mm Max

Electrical Specifications @ 25°C — Operating Temperature -40°C to 125°C								
Part Number	Power Rating ¹	Turns Ratio (with 7T Pri. Aux.)	Primary Secondary Isolation	Primary Inductance (µH MIN)	Leakage Inductance (µH MAX)	DCR		
						Primary (mΩ MAX)	Primary Aux. (mΩ MAX)	Secondary (m Ω MAX)
PA0191	60-100 W	9:2	1500 Vdc Basic	100	1.5	85	800	2.5

Electrical Specifications @ 25°C — Operating Temperature -40°C to 125°C								
Part Number	Inductance @Irated (μH ±5%)	Irated ² (A _{DC})	DCR (mΩ)		Inductance @ 0 ADC	Saturation Current ³ (A)		Heating Current ⁴
			ТҮР	MAX	(µH ±5%)	@ 25°C	@ 125°C	(A)
P1977	2.1	20	1.00	1.25	2.1	27.0	22.5	31



Schematics







	PA0191	P1977
Weight	11.0 grams	10.8 grams
Tape & Reel	150/reel	150/reel
Tray	55/tray	48/tray
Dimensions:	mm	
Unless otherw	vise specified, all toleranc	es are $\pm \frac{.010}{0.25}$

US 619 674 8100 • UK 44 1483 401 700 • France 33 3 84 35 04 04 • Singapore 65 287 8998 • Taiwan 886 2 2698 0228 • Hong Kong 852 2788 6588 • http://www.pulseeng.com

P553.A (7/02)

SMT PLANAR TRANSFORMER AND INDUCTOR



For use with Linear Technology's LT1681 and LTC1698

Notes from Tables

For PA0191: Basic Insulated Planar Transformer

1. To determine if the transformer is suitable for your application it is necessary to ensure that the temperature rise of the component (ambient plus temp. rise) does not exceed its operating temperature. To determine the temperature rise of the component it is necessary to calculate the total power losses (copper and core) in the application.

Total Copper Losses

CopperTotal (W) = sum of the losses in each winding The losses in each winding can be calculated by: CopperWindingX (W) = $.001 * DCR(m\Omega) * (Irms^2)$

Core Losses

To calculate the core loss, use the following formula: CoreLoss (W) = 2.5E-8 * (Freq kHz)^{1.7} * (∆B/2000)^{2.5} where:

 $\Delta B/2000 = 1.01 * (Voltage Min * Dutycycle Max/Freq kHz)$ **Temperature Rise**

TempRise (°C) = .603 * CopperTotal (W) * (50.6 * CoreLoss (W)/CopperTotal (W) + 88.1)

For P1977: Planar Inductor

- 2. The rated current as listed is either the saturation current or the heating current depending on which value is lower.
- 3. The saturation current is the current which causes the inductance to drop by 10% at the stated ambient temperatures (25°C, 125°C). This current is determined by placing the component in

APPLICATION NOTES

The **PA0191** transformer and **P1977** inductor were designed for use with Linear Technology's LT1681 and LTC1698 IC's and are featured in Linear Technology's Design note 261 which details the solution for a low cost, discrete component alternative to telecom power modules.

The PA0191 transformer and P1977 inductor were designed for (but not limited to) the following application:

Topology - Two-switch forward

Frequency - 230 kHz

Pri./Sec. Isolation - Basic Insulation (1500 Vdc)

Input Voltage - 36-72 v telecom input

Output Voltage(s) - 3.3 v / 20 A output (with an auxilary primary side control winding - 12 v/100 mA)

the specified ambient environment and applying a short duration pulse current (to eliminate self-heating effects) to the component.

- 4. The heating current is the dc current which causes the temperature of the part to increase by approximately 40°C. This current is determined by mounting the component on a PCB with a .25" wide (2 ounce equivalent copper traces) and applying the current to the device for 30 minutes.
- 5. In high volt*time applications additional heating in the component can occur due to core losses in the inductor which may neccessitate derating the current in order to limit the temperature rise of the component. In order to determine the approximate total losses (or temperature rise) for a given application both copper and core losses should be taken into account.

Total Copper Losses

CopperTotal (W) = .001* DCR(m Ω) * (Irms²) where:

Irms = $(IDC^2 + (\Delta I/2)^2)^{.5}$

Core Losses

To calculate the core loss, use the following formula:

CoreLoss (W) = 2.5E-8 * (Freq kHz)^{1.7} * (.0635 * ∆I)^{2.5}

Temperature Rise

TempRise (°C) = .603 * CopperTotal (W) * (50.6 * CoreLoss (W)/CopperTotal (W) + 88.1)



For More Information :

UNITED KINGDOM **UNITED STATES** (Worldwide) 12220 World Trade Drive 1 & 2 Huxley Road San Diego, CA 92128 U.S.A. http://www.pulseeng.com United Kingdom TEL: 858 674 8100 FAX: 858 674 8262

(Northern Europe) The Surrey Research Park Guildford, Surrey GU2 5RE TEL: 44 1483 401700 FAX: 44 1483 401701

FRANCE (Southern Europe) Zone Industrielle F-39270 Orgelet France TEL: 33 3 84 35 04 04

SINGAPORE (Southern Asia) 150 Kampong Ampat #07-01/02 KA Centre Singapore 368324 TEL: 65 287 8998 FAX: 33 3 84 25 46 41 FAX: 65 280 0080

TAIWAN, R.O.C. (Northern Asia) 3F-4, No. 81, Sec. 1 HsinTai Wu Road Hsi-Chih, Taipei Hsien Taiwan, R.O.C. Tel: 886 2 2698 0228 FAX: 886 2 2698 0948 FAX: 852 2776 1055

HONG KONG (China/Hong Kong) 19/F, China United Plaza 1008 Tai Nan West Street Cheung Sha Wan, Kowloon Hong Kong, China TEL: 852 2788 6588

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners.

Printed on recycled paper. ©2002, Pulse Engineering, Inc.

P553.A (7/02)

DISTRIBUTOR