OSRAM LE UW S2WP **Datasheet**






OSRAM OSTAR® Stage

LE UW S2WP

Outstanding brightness and luminance due to surface emission and low Rth





Applications

- Entertainment

Features

- Package: compact lightsource in multi chip SMT technology with glass window on top

- Chip technology: UX:3

- Typ. Radiation: 120°

- Color: Cx = 0.321, Cy = 0.327 acc. to CIE 1931 (white)

- Corrosion Robustness Class: 3B

Ordering Information

Luminous Flux 1) Type Ordering Code $I_{c} = 1400 \text{ mA}$

LE UW S2WP-RBSB-BQ 1400 ... 2800 lm Q65112A7618



Maximum Ratings			
Parameter	Symbol		Values
Operating Temperature	T _{op}	min.	-40 °C
	ор	max.	125 °C
Storage Temperature	T_{stg}	min.	-40 °C
	3.9	max.	125 °C
Junction Temperature	T_{j}	max.	150 °C
Forward Current	I _E	min.	100 mA
T _S = 25 °C; per chip	'	max.	5000 mA
Reverse current 2)	I _D	max.	200 mA



Characteristics

 I_F = 1400 mA; T_S = 25 °C; per chip

Parameter	Symbol		Values
Chromaticity Coordinate 3)	Сх	typ.	0.321
	Су	typ.	0.327
Viewing angle at 50% $\rm I_{_{\rm V}}$	2φ	typ.	130 °
Radiating surface	A_{color}	typ.	2.5 x 3.2 mm ²
Partial Flux acc. CIE 127:2007 4) I _F = 1400 mA	Φ _{E/V, 120°}	typ.	0.77
Forward Voltage 5)	V _F	min.	2.80 V
I _F = 1400 mA; per Chip	'	typ.	2.95 V
		max.	3.50 V
Reverse voltage (ESD device)	$V_{_{ m RESD}}$	min.	45 V
Reverse voltage ²⁾ I _R = 20 mA	V_R	max.	1.2 V
Real thermal resistance junction/solderpoint ⁶⁾	R _{thJS real}	typ.	0.70 K / W
	thoe real	max.	0.80 K / W
Electrical thermal resistance junction/solderpoint ⁶⁾	R _{thJS elec.}	typ.	0.50 K / W
with efficiency η_e = 29 %		max.	0.57 K / W

LE UW S2WP DATASHEET




Brightness Groups

Group	Luminous Flux $^{1)}$ $I_F = 1400 \text{ mA}$ min.	Luminous Flux $^{1)}$ $I_F = 1400 \text{ mA}$ max.	
	Φ_{V}	$\Phi_{\sf v}$	
RB	1400 lm	1800 lm	
SA	1800 lm	2240 lm	
SB	2240 lm	2800 lm	



Chromaticity Coordinate Groups



Chromaticity Coordinate Groups 3)

Group	Сх	Су
BQ	0.3037	0.3151
	0.3206	0.3478
	0.3291	0.3328
	0.3132	0.3004

Group Name on Label

Example: RB-BQ


Brightness Color Chromaticity

RB	BQ




Relative Spectral Emission 4)

 Φ_{rel} = f (λ); I $_{F}$ = 1400 mA; T $_{J}$ = 25 °C; per Chip



Radiation Characteristics 4)


 $I_{rel} = f (\phi); T_J = 25 °C$





Relative Partial Flux 4)


 $\Phi_{_{\boldsymbol{v}}}(2\phi)/\Phi_{_{\boldsymbol{v}}}(180^{\circ}) = f(\phi); T_{_{\boldsymbol{J}}} = 25~^{\circ}C$



OSRAM


Forward current 4), 7)

 $I_F = f(V_F); T_J = 25 °C; per Chip$




Relative Luminous Flux 4), 7)

 $\Phi_{V}/\Phi_{V}(1400 \text{ mA}) = f(I_{E}); T_{V} = 25 \text{ °C}; per Chip}$



Chromaticity Coordinate Shift 4)


 ΔCx , $\Delta Cy = f(I_F)$; $T_J = 25$ °C; per Chip



OSRAM


Forward Voltage 4)

 $\Delta V_F = V_F - V_F (25 \ ^{\circ}C) = f(T_i); I_F = 1400 \ mA; per Chip$




Relative Luminous Flux 4)

 $\Phi/\Phi_v(25~^{\circ}C) = f(T_i)$; $I_F = 1400~mA$; per Chip




Chromaticity Coordinate Shift 4)

 ΔCx , $\Delta Cy = f(T_i)$; $I_F = 1400$ mA; per Chip





Dimensional Drawing 8)



C67062-A0252-A2-03

Further Information:

Approximate Weight: 127.0 mg

Corrosion test: Class: 3B

Test condition: 40°C / 90 % RH / 15 ppm H₂S / 14 days (stricter than IEC

60068-2-43)

ESD advice: The device is protected by ESD device which is connected in parallel to the

Chip.




Electrical Internal Circuit


		n	r		

P5 Anode die 3 P1 Anode die 1 P2 Cathode die 1 P6 Cathode die 3

P3 Cathode die 2 P7 Cathode die 4 P4 Anode die 2 Anode die 4 P8



Recommended Solder Pad 8)




For superior solder joint connectivity results we recommend soldering under standard nitrogen atmosphere. Package not suitable for any kind of wet cleaning or ultrasonic cleaning.



Reflow Soldering Profile

Product complies to MSL Level 2 acc. to JEDEC J-STD-020E




Profile Feature	Symbol	Pb	sembly	Unit	
		Minimum	Recommendation	Maximum	
Ramp-up rate to preheat*)			2	3	K/s
25 °C to 150 °C					
Time t _s	t_s	60	100	120	S
T_{Smin} to T_{Smax}					
Ramp-up rate to peak*)			2	3	K/s
T_{Smax} to T_{P}					
Liquidus temperature	T_L		217		°C
Time above liquidus temperature	$t_{\scriptscriptstyle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$		80	100	S
Peak temperature	T _P		245	260	°C
Time within 5 °C of the specified peak temperature T _p - 5 K	t _P	10	20	30	S
Ramp-down rate* T _p to 100 °C			3	6	K/s
Time 25 °C to T _P				480	S

All temperatures refer to the center of the package, measured on the top of the component

^{*} slope calculation DT/Dt: Dt max. 5 s; fulfillment for the whole T-range




Taping 8)



C63062-A4255-B5 -03



Tape and Reel 9)




Reel Dimensions


Α	W	N_{\min}	W_1	$W_{2 \text{max}}$	Pieces per PU
180 mm	12 + 0.3 / - 0.1 mm	60 mm	12.4 + 2 mm	18.4 mm	500



Barcode-Product-Label (BPL)



Dry Packing Process and Materials 8)



Moisture-sensitive product is packed in a dry bag containing desiccant and a humidity card according JEDEC-STD-033.

LE UW S2WP **DATASHEET**



Notes

The evaluation of eye safety occurs according to the standard IEC 62471:2006 (photo biological safety of lamps and lamp systems). Within the risk grouping system of this IEC standard, the device specified in this data sheet fall into the class moderate risk (exposure time 0.25 s). Under real circumstances (for exposure time, conditions of the eye pupils, observation distance), it is assumed that no endangerment to the eye exists from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect. When looking at bright light sources (e.g. headlights), temporary reduction in visual acuity and afterimages can occur, leading to irritation, annoyance, visual impairment, and even accidents, depending on the situation.

Subcomponents of this device contain, in addition to other substances, metal filled materials including silver. Metal filled materials can be affected by environments that contain traces of aggressive substances. Therefore, we recommend that customers minimize device exposure to aggressive substances during storage, production, and use. Devices that showed visible discoloration when tested using the described tests above did show no performance deviations within failure limits during the stated test duration. Respective failure limits are described in the IEC60810.

For further application related information please visit https://ams-osram.com/support/application-notes



Disclaimer

Attention please!

The information describes the type of component and shall not be considered as assured characteristics. Terms of delivery and rights to change design reserved. Due to technical requirements components may contain dangerous substances.

For information on the types in question please contact our Sales Organization.

If printed or downloaded, please find the latest version on our website.

Packing

Please use the recycling operators known to you. We can also help you – get in touch with your nearest sales office. By agreement we will take packing material back, if it is sorted. You must bear the costs of transport. For packing material that is returned to us unsorted or which we are not obliged to accept, we shall have to invoice you for any costs incurred.

Product and functional safety devices/applications or medical devices/applications

Our components are not developed, constructed or tested for the application as safety relevant component or for the application in medical devices.

Our products are not qualified at module and system level for such application.

In case buyer – or customer supplied by buyer – considers using our components in product safety devices/ applications or medical devices/applications, buyer and/or customer has to inform our local sales partner immediately and we and buyer and /or customer will analyze and coordinate the customer-specific request between us and buyer and/or customer.



Glossary

- Brightness: Brightness values are measured during a current pulse of typically 25 ms, with an internal reproducibility of ±8 % and an expanded uncertainty of ±11 % (acc. to GUM with a coverage factor of k = 3).
- Reverse Operation: This product is intended to be operated applying a forward current within the specified range. Applying any continuous reverse bias or forward bias below the voltage range of light emission shall be avoided because it may cause migration which can change the electro-optical characteristics or damage the LED.
- Chromaticity coordinate groups: Chromaticity coordinates are measured during a current pulse of typically 25 ms, with an internal reproducibility of ±0.005 and an expanded uncertainty of ±0.01 (acc. to GUM with a coverage factor of k = 3).
- Typical Values: Due to the special conditions of the manufacturing processes of semiconductor devices, the typical data or calculated correlations of technical parameters can only reflect statistical figures. These do not necessarily correspond to the actual parameters of each single product, which could differ from the typical data and calculated correlations or the typical characteristic line. If requested, e.g. because of technical improvements, these typ. data will be changed without any further notice.
- Forward Voltage: The forward voltage is measured during a current pulse of typically 8 ms, with an internal reproducibility of ±0.05 V and an expanded uncertainty of ±0.1 V (acc. to GUM with a coverage factor of k = 3).
- 6) Thermal Resistance: Rth max is based on statistic values (6 σ) used for Derating.
- 7) Characteristic curve: In the range where the line of the graph is broken, you must expect higher differences between single devices within one packing unit.
- Tolerance of Measure: Unless otherwise noted in drawing, tolerances are specified with ±0.1 and dimensions are specified in mm.
- 9) Tape and Reel: All dimensions and tolerances are specified acc. IEC 60286-3 and specified in mm.

LE UW S2WP DATASHEET

1.4

2023-08-22



Revision History						
Version	Date	Change				
1.2	2020-06-09	Schematic Transportation Box Dimensions of Transportation Box				
1.3	2021-07-14	Dimensional Drawing				

Chromaticity Coordinate Groups

New Layout

Applications



EU RoHS and China RoHS compliant product 此产品符合欧盟 RoHS 指令的要求; 按照中国的相关法规和标准, 不含有毒有害物质或元素。

Published by ams-OSRAM AG

Tobelbader Strasse 30, 8141 Premstaetten, Austria Phone +43 3136 500-0 ams-osram.com © All rights reserved





X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Power LEDs - White category:

Click to view products by Osram manufacturer:

Other Similar products are found below:

LTW-K140SZR30 LTPL-P00DWS57 LTW-K140SZR30 LZP-D0WW00-0000 JK2835AWT-00-0000-000B0HL227E-BLK LTW-K140SZR57 LTW-K140SZR27 BXRC-35E10K0-D-73 MP-5050-6100-65-80 KW CSLPM2.CC-8L8M-4L8N KW CSLPM2.CC-8L8M-4O9Q KW DPLS32.SB-6H6J-E5P7-EG-Z264 L1V1-507003V500000 BXRE-27E1000-C-83 BXRE-27G0800-D-83 BXRE-27G2000-B-83 BXRE-50C2001-C-84 BXRH-35S1001-B-73 BXRH-30E0300-B-83 BXRH-30E1000-G-83 115780 LM1311D4W-12B4C12(Ra4)-DS ELJU(9)-K40M3-0LTHE-R4000 ELJU(9)-K40M3-0LTHE-R3000 LM1311D4W-12B2C24(Ra4)-DS KW2 CFLNM2.TK-D2D9-4L07M0-SC6B XEGAWT-H2-0000-000000UT122G XHP35B-H0-0000-0D0ZA230G XHP35B-H0-0000-0D0ZA440G XHP35B-H0-0000-0D0ZA227G XHP35B-H0-0000-0D0ZA235G CTM-9-4018-90-36-TWD6-F3-3 CVM-32-56-95-54-AC00-F2-2 SST-12-W65S-A120-H4652 CXM-4-24-90-18-AC40-F5-2 CXM-4-22-90-18-AC40-F5-2 LM002H384W-7B3C12(Ra5)(ANSI-2700K) LM002H384W-9B4C12(Ra2)(ANSI-3000K) LM002H384W-9B4C12(Ra2)(ANSI-3500K) LM002H384W-9B4C12(Ra3)(ANSI-3500K) LM002H384W-7B3C12(Ra65)(ANSI-3500K) LM002H384W-7B3C12(Ra65)(ANSI-3500K) LM002H384W-7B3C12(Ra65)(ANSI-3500K) LM002H384W-7B3C12(Ra64)(ANSI-3000K) LM002H384W-7B3C12(Ra64)(ANSI-3000K) LM002H384W-7B3C12(Ra65)(ANSI-3500K) HL-LM002H384W-5B2C5(Ra4)(ANSI-3000K) HL-LM002H384W-5B2C5(Ra4)(ANSI-3000K) HL-LM002H384W-5B2C5(Ra4)(ANSI-4000K) HL-LM002H384W-5B2C5(Ra4)(ANSI-4000K)