# SPECIFICATIONS

Product Name		Wire Wound Chip Ceramic Inductor						
Sunlord Part Number		MWSD1608C						
Customer Part	Number							
⊠New Release	d □Revis	edl			SPEC	No · M\	WSD0119	921000
This SPEC is to	· —	•	dina speci	fications				
ROHS, Halogen-			• •					
	Approved	I By	Check	ed By	Issue	d By		
Shenzhe	en Sur	nlo	rd El	ectr	onic	s Co	) o., Lt	d.
ddress:Sunlord In	dustrial Park,	,Dafuy	uan Indus	trial Zon	e,Guanlan	,Shenzh	en,China	518110
ddress:Sunlord In	dustrial Park,	,Dafuy		trial Zon	e,Guanlan	,Shenzh		518110
ddress:Sunlord In	dustrial Park,	,Dafuy	uan Indus	trial Zon	e,Guanlan	,Shenzh	en,China	518110
ddress:Sunlord Indel: 0086-755-2983	dustrial Park, 2333 Fax	,Dafuy	uan Indus	trial Zon 69029	e,Guanlan	,Shenzh	en,China	518110
ddress:Sunlord Incel: 0086-755-2983	dustrial Park, 2333 Fax	,Dafuy x:0086	uan Indus	trial Zon 39029	e,Guanlan E-Mail:s	,Shenzh sunlord@	en,China	518110
ddress:Sunlord Incel: 0086-755-2983	dustrial Park, 2333 Fax Toval Only I ☐ Full	,Dafuy x:0086	uan Indus -755-8226	trial Zon 39029	e,Guanlan E-Mail:s Date: Rejecte	,Shenzh sunlord@	en,China	518110
ddress:Sunlord Incel: 0086-755-2983  or Customer application Status:	dustrial Park, 2333 Fax Toval Only I ☐ Full	,Dafuy x:0086	uan Indus -755-8226	trial Zon 69029 ed	e,Guanlan E-Mail:s Date: Rejecte	,Shenzh sunlord@	en,China :	518110
ddress:Sunlord Incel: 0086-755-2983  or Customer application Status:	dustrial Park, 2333 Fax Toval Only I ☐ Full	,Dafuy x:0086	uan Indus -755-8226	trial Zon 69029 ed	e,Guanlan E-Mail:s Date: Rejecte	,Shenzh sunlord@	en,China :	518110
ddress:Sunlord Incel: 0086-755-2983  or Customer application Status:	dustrial Park, 2333 Fax Toval Only I ☐ Full	,Dafuy x:0086	uan Indus -755-8226	trial Zon 69029 ed	e,Guanlan E-Mail:s Date: Rejecte	,Shenzh sunlord@	en,China :	518110
ddress:Sunlord Incel: 0086-755-2983  or Customer application Status:	dustrial Park, 2333 Fax Toval Only I ☐ Full	,Dafuy x:0086	uan Indus -755-8226	trial Zon 69029 ed	e,Guanlan E-Mail:s Date: Rejecte	,Shenzh sunlord@	en,China :	518110

## **Sunlord** Business categories: Level 0 (general confidential) Specifications for Wire Wound Chip Ceramic Inductor Page 2 of 14 Rev.01

## 【Version change history】

Rev	Effective Date	Changed Contents	Change reasons	Approved By
01	/	New release	1	Qintian Hou

## Sunlord Business categories: Level 0 (general confidential) Specifications for Wire Wound Chip Ceramic Inductor Page 3 of 14 Rev.01

#### Caution

All products listed in this specification are developed, designed and intended for use in general electronics equipment. The products are not designed or warranted to meet the requirements of the applications listed below, whose performance and/or quality require especially high reliability, or whose failure, malfunction or trouble might directly cause damage to society, person, or property. Please understand that we are not responsible for any damage or liability caused by use of the products in any of the applications below. Please contact us for more details if you intend to use our products in the following applications.

- 1. Aircraft equipment
- 2. Aerospace equipment
- 3. Undersea equipment
- 4. nuclear control equipment
- 5. military equipment
- 6. Power plant equipment
- 7. Medical equipment
- 8. Transportation equipment (automobiles, trains, ships, etc.)
- 9. Traffic signal equipment
- 10. Disaster prevention / crime prevention equipment
- 11. Data-processing equipment
- 12. Applications of similar complexity or with reliability requirements comparable to the applications listed in the above

#### 1 Scone

This specification applies to the MWSD1608C  $\square$   $\square$  T of Wire Wound Chip Ceramic Inductor.

## 2. Product Description and Identification (Part Number)

1) Description

Wire Wound Chip Ceramic Inductor, 1608, XXX nH± X% @XXXMHz, XXXΩ, XXX mA

2) Product Identification (Part Number)

<u>MWS</u>	<u>D</u>	<u>1608</u>	<u>C</u>			I
1	2	3	4	(5)	6	7

① Type	
MWS	Wire Wound Chip Radio Frequency
WWS	Inductor

③External Dimensions [L X W] (mm)		
1608	1.6 X 0.8	

⑤ Nominal Inductance (nH)				
1N0	1.0			
10N	10			
R10	100			

⑦ Packin	g
В	Bulk Package
Т	Tape & Reel

②Process	
D	Dip

④ Material Code			
Example	Nominal Value		
С	Ceramic		

⑥ Inductance Tolerance			
С	±0.2nH		
D	±0.5nH		
G	±2%		
J	±5%		


## 3. Electrical Characteristics

Please refer to Appendix A.

- 1) Operating and storage temperature range (individual chip without packing): -40 ℃ to +125 ℃

## 4. Shape and Dimensions


1) Dimensions: See the following.



Α	В	C	<b>D</b> REF.	<b>E</b> REF	<b>H</b> REF.	l REF.	<b>J</b> REF.
1.60±0.20	0.90±0.20	0.90±0.20	0.85	0.30	1.02	0.64	0.64

2) Electrode Coplanarity:0.1mm Max.

3) Structure: See the following.



No.	Components	Material
Α	Coating	Ultraviolet epoxy resin
В	Core	Ceramic
С	Wire	Polyurethane system enameled copper wire
D	Electrodes	Ag/ Ag-Pd/Mo-Mn with Ni and Sn plating

#### 5. Test and Measurement Procedures

#### 5.1 Test Conditions

Unless otherwise specified, the standard atmospheric conditions for measurement/test as:

a. Ambient Temperature: 20±15℃
b. Relative Humidity: 65%±20%
c. Air Pressure: 86KPa to 106KPa

If any doubt on the results, measurements/tests should be made within the following limits:

a. Ambient Temperature: 20±2℃
b. Relative Humidity: 65%±5%
c. Air Pressure: 86KPa to 106KPa

#### 5.2 Visual Examination

a. Inspection Equipment: 30 X magnifier

#### 5.3 Electrical Test

- 5.3.1 DC Resistance (DCR)
  - a. Refer to Appendix A
  - b. Test equipment: HIOKI3540 or equivalent

## 5.3.2 Inductance (L)

- a. Refer to Appendix A.
- b. Test equipment: Agilent 4287A +Agilent 16197A or equivalent
- c. Test signal: -13dBm or 10mA
- d. Test frequency refers to Appendix A

## 5.3.3 Q Factor (Q)

- a. Refer to Appendix A
- b. Test equipment: Agilent 4287A +Agilent 16197A or equivalent
- c. Test signal: -13dBm or 10mA
- d. Test frequency refers to **Appendix A**.

#### 5.3.4 Self-Resonant Frequency (SRF)

- a. Refer to Appendix A.
- b. Test equipment: Agilent E4991A+Agilent 16197A and HP 8753E or equivalent.
- c. Test signal: -20dBm or 50 mV

## 5.3.5 Rated Current

- a. Refer to Appendix A
- b. Test equipment (see Fig.5.3.5-1): Electric Power, Electric current meter, Thermometer.
- c. Measurement method (see Fig. 5.3.5-1):
  - 1. Set test current to be 0mA.
  - 2. Measure initial temperature of chip surface.
  - 3. Gradually increase voltage and measure chip temperature for corresponding current.
- d. Definition of Rated Current (Ir): Ir is direct electric current as chip surface temperature rose just 20 ℃ against chip initial surface temperature (Ta) (see Fig. 5.3.5-2).




Fig.5.3.5-1




Fig. 5.3.5-2

## 5.4 Reliability Test

Items	Requirements	Test Methods and Remarks
5.4.1 Terminal Strength	No removal or split of the termination or other defects shall occur.  Chip  Mounting Pad  Glass Epoxy Board	<ol> <li>Solder the inductor to the testing jig (glass epoxy board) using eutectic solder. Then apply a force in the direction of the arrow.</li> <li>7N force.</li> <li>Keep time: 10±1s</li> <li>Speed: 1.0 mm/s.</li> </ol>
5.4.2 Resistance to Flexure	No visible mechanical damage.  R10  Unit: mm  Flexure	Solder the inductor to the test jig. Using a eutectic solder. Then apply a force in the direction shown as left.     Flexure: 2mm     Pressurizing Speed: 0.5mm/sec.     Keep time: 5sec.
5.4.3 Vibration	No visible mechanical damage.  Inductance change: within ±5%  Q factor change: within ±20%  Cu pad Solder mask  Glass Epoxy Board	<ol> <li>Solder the inductor to the testing jig (glass epoxy board )using eutectic solder.</li> <li>The inductor shall be subjected to a simple harmonic motion having total amplitude of 1.5mm, the frequency being varied uniformly between the approximate limits of 10 and 55 Hz.</li> <li>The frequency range from 10 to 55 Hz and return to 10 Hz shall be traversed in approximately 1 minute. This motion shall be applied for a period of 2 hours in each 3 mutually perpendicular directions (total of 6 hours)</li> </ol>
5.4.4 Dropping	<ol> <li>No visible mechanical damage.</li> <li>Inductance change: within ±5%</li> <li>Q factor change: within ±20%</li> </ol>	Drop chip inductor 10 times on a concrete floor from a height of 100 cm.
5.4.5 Solderability	90% or more of electrode area shall be Coated by new solder.	<ol> <li>Electrode of the coil shall be immersed in flux for 5 to 10 Seconds.</li> <li>The coil shall be immersed in solder bath at a temperature of 240±5°C, Duration for 3±0.5 seconds.</li> <li>Solder: Sn/3.0Ag/0.5Cu</li> <li>Flux: 25% Resin and 75% ethanol in weight.</li> </ol>
5.4.6 Resistance to Soldering Heat	<ul> <li>No visible mechanical damage.</li> <li>Inductance change: within ±5%</li> <li>Q factor change: within ±20%</li> </ul>	Re-flowing Profile:  260°C Peak 260°C max  217°C Max Ramp Up Rate=3°C/sec.  200 60~120sec.  25°C Time 25°C to Peak= 8 min Max

5.4.7	No visible mechanical demage	(1)	Tomporaturo Timo:
5.4.7 Thermal Shock	<ol> <li>No visible mechanical damage.</li> <li>Inductance change: within ±5%</li> </ol>	1)	Temperature, Time: -40 ℃ for 30±3 min→+125 ℃ for 30±3min
mermai Snock	3	<u></u>	
	③ Q factor change: within ±20%	2	Transforming interval: 20s (max.)
		3	Tested cycle: 100 cycles
		4	The chip shall be stabilized at normal condition for 1~2
			hours before measuring.
	+125℃ 30 min. 30 min.		
	Ambient		
	Temperature 30 min		
	-40°C 30 min.		
	20s (max.)		
5.4.8	No visible mechanical damage.	1	Temperature: -40±2℃
Resistance to	② Inductance change: within ±5%	2	Duration: 1000 <sup>+24</sup> hours
Low	③ Q factor change: within ±20%	3	The chip shall be stabilized at normal condition for 1~2
Temperature			hours before measuring.
5.4.9	① No mechanical damage.	1	Temperature: 125±2℃
Resistance to	② Inductance change: within ±5%	2	Duration: 1000 <sup>+24</sup> hours
High	③ Q factor change: within ±20%	3	The chip shall be stabilized at normal condition for 1~2
Temperature			hours before measuring.
5 4 40			T 00 0% 11 11 000/ 1 050/ DI
5.4.10	No mechanical damage.	1	Temperature: 60±2°C, Humidity: 90% to 95% RH
Damp Heat	② Inductance change: within ±5%	2	Duration: 1000 <sup>+24</sup> hours
(Steady	③ Q factor change: within ±20%	3	The chip shall be stabilized at normal condition for 1~2
States)			hours before measuring.
5.4.11	No mechanical damage.	(1)	Temperature: 60±2℃ ,Humidity: 90% to 95% RH
Loading Under	② Inductance change: within ±5%	2	Duration: 1000 <sup>+24</sup> hours
Damp Heat	3 Q factor change: within ±20%	3	Applied current: Rated current.
	-	4	The chip shall be stabilized at normal condition for 1~2
			hours before measuring.
5.4.12	No mechanical damage.	1	Temperature: 125±2°C
Loading at	② Inductance change: within ±5%	2	Duration: 1000 <sup>+24</sup> hours
High	③ Q factor change: within ±20%	3	Applied current: Rated current.
Temperature	_	4	The chip shall be stabilized at normal condition for 1~2
(Life Test)			hours before measuring.
<u>'</u>			· ·

## Packaging and Storage

## 6.1 Packaging

There are two types of packaging for the chip inductors. Please specify the packing code when ordering.


Tape Carrier Packaging:

Packaging code: T

- a. Tape carrier packaging are specified in attached figure Fig.6.1-1~4
- Tape carrier packaging quantity please see the following table:

Туре	1608
Tape	Paper Tape
Quantity	зк

(1) Taping Drawings (Unit: mm)



Remark: The sprocket holes are to the right as the tape is pulled toward the user.

(2) Taping Dimensions (Unit: mm)






Fig. 6.1-2


Туре	Α	В	Р	K	Т
1608	1.10±0.10	1.90±0.10	4.0±0.10	1.00±0.10	1.03±0.10

## (3) Leader and blank portion





(5) Peeling off force: 10gf to 70gf in the direction show below.



#### 6.2 Storage

- The solderability of the external electrode may be deteriorated if packages are stored where they are exposed to high humidity. Package must be stored at 40 °C or less and 70% RH or less.
- The solderability of the external electrode may be deteriorated if packages are stored where they are exposed to dust of harmful gas (e.g. HCl, sulfurous gas of H<sub>2</sub>S)
- Packaging material may be deformed if package are stored where they are exposed to heat of direct sunlight.
- Minimum packages, such as polyvinyl heat-seal packages shall not be opened until they are used. If opened, use the reels as soon as possible.
- e. Solderability shall be guaranteed for 12 months from the date of delivery on condition that they are stored at the environment specified in specification. For those parts, which passed more than 12 months shall be checked solder-ability before use.

#### 7. Warning and Attentions


#### 7.1 Precautions on Use

- Always wear static control bands to protect against ESD.
- Any devices used (soldering iron, measuring instruments) should be properly grounded.
- Use non-magnetic tweezers when handing the chips.
- Pre-heating when soldering, and refer to the recommended condition specified in specification.
- Don't apply current in excess of the rated current value. It may cause damage to components due to over-current.
- Keep clear of anything that may generate magnetic fields such as speakers, coils. f.
- When soldering, the electrical characteristics may be varied due to hot energy and mechanical stress.
- When coating products with resin, the relatively high resin curing stress may change the electrical characteristics. For exterior coating, select resin carefully so that electrical and mechanical performance of the product is not affected. Before using, please evaluate reliability with the product mounted in your application set.
- When mount chips with adhesive in preliminary assembly, do appropriate check before the soldering stage, i.e., the size of land pattern, type of adhesive, amount applied, hardening of the adhesive on proper usage and amounts of adhesive to use.
- Mounting density: Add special attention to radiating heat of products when mounting other components nearby. The excessive heat by other products may cause deterioration at joint of this product with substrate.
- Since some products are constructed like an open magnetic circuit, narrow spacing between components may cause magnetic coupling.
- I. Please do not give the product any excessive mechanical shocks in transportation.
- m. Please do not touch wires by sharp terminals such as tweezers to avoid causing any damage to wires.
- Please do not add any shock and power to the soldered product to avoid causing any damage to chip body.
- Please do not touch the electrodes by naked hand as the solderability of the external electrodes may deteriorate by grease or oil on the skin.


## 7.2 PCB Bending Design

The following shall be considered when designing and laying out PCB's.

PCB shall be designed so that products are not subjected to the mechanical stress from board warp or deflection.



Products location on PCB separation.



Product shall be located carefully because they may be subjected to the mechanical stress in order of A>C=B>D. c. When splitting the PCB board, or insert (remove) connector, or fasten thread after mounting components, care is required so as not to give any stress of deflection or twisting to the board. Because mechanical force may cause deterioration of the bonding strength of electrode and solder, even crack of product body. Board separation should not be done manually, but by using appropriate devices.

#### 7.3 Recommended PCB Design for SMT Land-Patterns

When chips are mounted on a PCB, the amount of solder used (size of fillet) and the size of PCB Land-Patterns can directly affect chip performance (such as Q). And they can also cause other soldering question (such as offset and side lap). Therefore, the following items must be carefully considered in the design of solder land patterns.

- a. Please use the PCB pad and solder paste we recommend, and contact us in advance if they need to be changed.
- b. Please use flux contained with resin since the highly acidic (Chlorine content more than 0.2 wt%) or water-soluble one could damage the insulation film of wires, then causing short circuit of parts.
- c. The amount of solder applied can affect the ability of chips to withstand mechanical stresses which may lead to breaking or cracking. Therefore, when designing land-patterns it is necessary to consider the appropriate size and configuration of the solder pads which in turn determines the amount of solder necessary to form the fillets.
- d. When more than one part is jointly soldered onto the same land or pad, the pad must be designed that each component's soldering point is separated by solder-resist.

Recommended land dimensions please refer to product specification.

#### 8. Recommended Soldering Technologies

This product is only for reflow soldering and iron soldering.

#### 8.1 Re-flowing Profile

△ Preheat condition: 150~200°C/60~120sec.


△ Allowed time above 217C: 60~90sec.

△ Max temp: 260°C

 $\triangle$  Max time at max temp: 10sec.

△ Solder paste: Sn/3.0Ag/0.5Cu

△ Allowed Reflow time: 2 times max.



[Note: The reflow profile in the above table is only for qualification and is not meant to specify board assembly profiles. Actual board assembly profiles must be based on the customer's specific board design, solder paste and process, and should not exceed the parameters as the Reflow profile shows.]


#### 8.2 Iron Soldering Profile

△ Iron soldering power: 30W Max.

 $\triangle$  Preheat condition: 150  $^{\circ}$ C/60sec.

△ Soldering tip temperature: 350°C Max.

△ Soldering time: 3sec. Max.
 △ Solder paste: Sn/3.0Ag/0.5Cu
 △ Iron Soldering time: 1 time max.



[Note: Take care not to apply the tip of the soldering iron to the terminal electrodes.]

## 8.3 Maintenance of heat gun (for your reference)


△ Power output: 30W

△ Temperature: 350°C Max

 $\triangle$  Heat time: More than 5 seconds heating may cause short circuit of parts.

## 9. Solder Volume

Solder shall be used not to exceed as shown below.



#### Sunlord Business categories: Level 0 (general confidential) Specifications for Wire Wound Chip Ceramic Inductor Page 11 of 14 Rev.01

- a. Accordingly increasing the solder volume, the mechanical stress to chip is also increased. Exceeding solder volume may cause the failure of mechanical or electrical performance.
- b. Before soldering, please ensure that the solder should not adhere to the wire part of chip.
- c. Please pay particular attention to whether there is flux remaining on surface of the wire part of chip after subjected to reflow soldering since this may causing short circuit of parts.

#### 10. Cleaning

Products shall be cleaned on the following conditions:

- Cleaning temperature shall be limited to 60°C Max. (40°C Max. for fluoride and alcohol type cleaner.)
- Ultrasonic cleaning shall comply with the following conditions, avoiding the resonance phenomenon at the mounted products and PCB.

Power: 20W/I Max.

Frequency: 28 KHz to 40 KHz

Time: 5 minutes Max

- c. Cleaner
  - i. Alternative cleaner
    - Isopropyl alcohol (IPA)
    - HCFC-225
  - ii. Aqueous agent
    - Surface Active Agent Type (Clean through-750H)
    - Hydrocarbon Type (Techno Cleaner-335)
    - Higher Alcohol Type (Pine Alpha ST-100S)
    - Alkali saponifier Type (X Aqua Cleaner 240)
    - X Alkali saponification shall be diluted to 20% volume with de-ionized water.
    - \* Please contact our technical service department before using other cleaner.
- d. There shall be no residual flux and residual cleaner after cleaning. In the case of using aqueous agent, product shall be dried completely after rinse with de-ionized water in order to remove the cleaner.
- e. Some products may become slightly whitened. However, product performance or usage is not affected.
- f. Please take care of winding part while cleaning.
- g. After cleaning, parts could be subjected to the next reflow soldering till the solvent remaining on surface of parts being volatilized.

Appendix A: Electrical Characteristics

TMV	VSD16080	$\cdot$	ТП	Sarias
I IVIV	ขอบ เ อบอเ	اا اا اد	II I <b>I</b>	oenes.


Part Number	Inductance	Tolerance	Min. Quality Factor	L/Q Test Freq.	Max. DC Resistance	Max. Rated Current	Min. Self- resonant Frequency
Units	nH	-	_	MHz	Ω	mA	MHz
Symbol	L	-	Q	Freq.	DCR	lr	S.R.F
MWSD1608C1N6□T	1.6	C,D,K	22	250/250	0.035	1150	6000
MWSD1608C2N7□T	2.7	C,D, J,K	25	250/250	0.043	1000	6000
MWSD1608C3N3□T	3.3	C,D, J,K	25	250/250	0.059	850	6000
MWSD1608C3N6□T	3.6	C,D, J,K	25	250/250	0.059	850	6000
MWSD1608C4N7□T	4.7	C,D, J,K	25	250/250	0.065	800	6000
MWSD1608C5N1□T	5.1	C,D, J,K	21	250/250	0.130	600	6000
MWSD1608C6N2□T	6.2	C,D, J,K	29	250/250	0.095	700	6000
MWSD1608C6N8□T	6.8	C,D, J,K	29	250/250	0.095	700	6000
MWSD1608C7N5□T	7.5	C,D, J,K	33	250/250	0.095	700	6000
MWSD1608C8N2□T	8.2	C,D, J,K	31	250/250	0.095	700	6000
MWSD1608C8N7□T	8.7	C,D, J,K	31	250/250	0.095	700	6000
MWSD1608C9N1□T	9.1	C,D, J,K	30	250/250	0.120	620	6000
MWSD1608C9N5□T	9.5	C,D, J,K	26	250/250	0.160	540	6000
MWSD1608C10N□T	10	G,H,J,K	30	250/250	0.130	600	5700
MWSD1608C11N□T	11	G,H,J,K	35	250/250	0.130	600	6000
MWSD1608C12N□T	12	G,H,J,K	35	250/250	0.130	600	6000
MWSD1608C13N□T	13	G,H,J,K	35	250/250	0.130	600	5300
MWSD1608C15N□T	15	G,H,J,K	37	250/250	0.150	550	5700
MWSD1608C16N□T	16	G,H,J,K	37	250/250	0.150	550	4700
MWSD1608C17N□T	17	G,H,J,K	37	250/250	0.150	550	4700
MWSD1608C18N□T	18	G,H,J,K	37	250/250	0.150	550	4550
MWSD1608C20N□T	20	G,H,J,K	37	250/250	0.150	550	4550
MWSD1608C22N□T	22	G,H,J,K	38	250/250	0.190	490	4000
MWSD1608C23N□T	23	G,H,J,K	40	250/250	0.190	490	3800
MWSD1608C24N□T	24	G,H,J,K	40	250/250	0.190	490	3800
MWSD1608C25N□T	25	G,H,J,K	40	250/250	0.190	490	3700
MWSD1608C27N□T	27	G,H,J,K	38	250/250	0.190	490	3700
MWSD1608C30N□T	30	G,H,J,K	38	250/250	0.210	470	3300
MWSD1608C33N□T	33	G,H,J,K	40	250/250	0.210	470	3200
MWSD1608C36N□T	36	G,H,J,K	40	250/250	0.220	460	2900
MWSD1608C39N□T	39	G,H,J,K	40	250/250	0.220	460	2800
MWSD1608C43N□T	43	G,H,J,K	40	250/250	0.270	400	2700
MWSD1608C47N□T	47	G,H,J,K	36	200/200	0.270	400	2600
MWSD1608C51N□T	51	G,H,J,K	35	200/200	0.300	390	2400
MWSD1608C56N□T	56	G,H,J,K	38	200/200	0.350	360	2400
MWSD1608C62N□T	62	G,H,J,K	36	200/200	0.380	350	2300
MWSD1608C68N□T	68	G,H,J,K	36	200/200	0.380	350	2200
MWSD1608C72N□T	72	G,H,J,K	34	150/150	0.430	320	2100
MWSD1608C82N□T	82	G,H,J,K	34	150/150	0.500	300	2000
MWSD1608C90N□T	90	G,H,J,K	34	150/150	0.520	300	1900
MWSD1608C91N□T	91	G,H,J,K	34	150/150	0.520	300	1900
MWSD1608CR10□T	100	G,H,J,K	31	150/150	0.660	260	1800
MWSD1608CR11□T	110	G,H,J,K	32	150/150	0.730	250	1700
MWSD1608CR12□T	120	G,H,J,K	32	150/150	0.750	240	1600
MWSD1608CR13□T	130	G,H,J,K	32	150/150	0.750	240	1500
MWSD1608CR14□T	140	G,H,J,K	32	150/150	1.100	200	1400
MWSD1608CR15□T	150	G,H,J,K	32	150/150	1.120	200	1400
MWSD1608CR16□T  MWSD1608CR18□T	160 180	G,H,J,K	32 25	150/150	1.120	200 180	1400 1300
MWSD1608CR18□1  MWSD1608CR20□T	200	G,H,J,K G,H,J,K	25 25	100/100	1.380 1.900	150	1250
MWSD1608CR20□1  MWSD1608CR21□T	210	G,H,J,K G,H,J,K	25	100/100	1.900	150	1250
IVIVVOD TOUOURZ I 🗆 I	210	J,⊓,J,N	20	100/100	1.900	100	1200

**Sunlord** Business categories: Level 0 (general confidential) Specifications for Wire Wound Chip Ceramic Inductor Page 13 of 14 Rev.01


MWSD1608CR22□T	220	G,H,J,K	25	100/100	2.100	140	1200
MWSD1608CR24□T	240	G,H,J,K	25	100/100	2.750	120	1100
MWSD1608CR25□T	250	G,H,J,K	25	100/100	2.800	120	1100
MWSD1608CR27□T	270	G,H,J,K	26	100/100	3.000	120	960
MWSD1608CR30□T	300	G,H,J,K	26	100/100	4.050	110	900
MWSD1608CR33□T	330	G,H,J,K	26	100/100	4.200	100	800
MWSD1608CR36□T	360	G,H,J,K	27	100/100	4.300	100	800
MWSD1608CR39□T	390	G,H,J,K	27	100/100	4.500	100	800
MWSD1608CR42□T	420	G,H,J,K	27	100/100	5.400	90	800
MWSD1608CR47□T	470	G,H,J,K	27	100/100	5.700	90	700
MWSD1608CR56□T	560	G,H,J,K	27	100/100	8.100	70	650

## **II. Typical Electrical Characteristics**

## Inductance vs. Frequency Characteristics



Q vs. Frequency Characteristics



Appendix B: Appearance standard

File No:		Applied to Wire Wayned Conser's Industry Coning					
Effective date:		Applied to Wire Wound Ceramic Inductor Series					
No.	Defect Item Item	Graphic Schematic Drawing	Rejection identification Criteria				
1	Wire off/ Welding Spot Off		The solder joint Welding Spot of wire break away from electrodes, or over the electrodes.				
2	Solder misplace		Solder joints are not at electrode side but at the coating side or flank.				
.3	Coating		Coating at flank				
	misplace		Coating at electrodes side				

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fixed Inductors category:

Click to view products by Sunlord manufacturer:

Other Similar products are found below:

CR43NP-680KC CR54NP-470LC CR54NP-820KC CR54NP-8R5MC 70F224AI MGDQ4-00004-P MHL1ECTTP18NJ MHQ1005P10NJ MHQ1005P1N0S MHQ1005P2N4S MHQ1005P3N6S MHQ1005P5N1S MHQ1005P8N2J PE-51506NL PE-53601NL PE-53602NL PE-53630NL PE-53824SNLT PE-92100NL PG0434.801NLT PG0936.113NLT 9220-20 9310-16 PM06-2N7 PM06-39NJ A01TK 1206CS-471XJ HC2LP-R47-R HC2-R47-R HC3-2R2-R HC3-R50-R HC8-1R2-R HCF1305-3R3-R 1206CS-151XG RCH664NP-140L RCH664NP-4R7M RCH8011NP-221L RCP1317NP-332L RCP1317NP-391L RCR1010NP-470M RCR110DNP-331L DH2280-4R7M DS1608C-106 ASPI-4020HI-R10M-T B10TJ B82498B3101J000 B82498B3680J000 ELJ-RE27NJF2 1812CS-153XJ 1812CS-183XJ