SPECIFICATIONS

Customer	
Product Name	Wire Wound Chip Ceramic Inductor
Sunlord Part Number	SDWL1608C
Customer Part Number	

 $[\square New Released, \square Revised]$

SPEC No.: SDWL06150000

This SPEC is total 16 pages including specifications and appendix. RoHS Compliant Parts

Approved By	Checked By	Issued By

Shenzhen Sunlord Electronics Co., Ltd.

Address:Sunlord Industrial Park,Dafuyuan Industrial Zone,Guanlan,Shenzhen,China 518110Tel: 0086-755-82400574Fax:0086-755-82269029E-Mail:sunlord@sunlordinc.com

For Customer appro	oval Only	Date:	
Qualification Status:	🗌 Full		Rejected
Approved By	Verified By	Re-checked By	Checked By
Comments:			

Version change history

Rev.	Effective Date	Changed Contents	Change reasons	Approved By
01	1	New release	1	Jingxin Huang

Precautions

- 1. Magnetic materials shall be far away from parts to avoid impacts on their electrical characteristics.
- 2. Parts could be damaged by external mechanical pressure or stacked heavy objects, as well as strong shaking & dropping.
- 3. Please do not store parts in bulk to prevent coils and parts being damaged.
- 4. Oversized external force to parts on PCB may lead to parts being damaged or slipped off.
- 5. Please do not use parts on edge or top of PCB board in your design to avoid parts being damaged during PCB is moved.
- 6. Please use flux contained with resin since the highly acidic (Chlorine content more than 0.2 wt%) or water-soluble one could damage the insulation film of wires, then causing short circuit of parts.
- 7. Please do not use the brush to clean product or its surroundings. If you use the brush to clean product or its surroundings on PCB,copper wire may be broke, causing the product open .



Caution

All products listed in this specification are developed, designed and intended for use in general electronics equipment. The products are not designed or warranted to meet the requirements of the applications listed below, whose performance and/or quality require especially high reliability, or whose failure, malfunction or trouble might directly cause damage to society, person, or property. Please understand that we are not responsible for any damage or liability caused by use of the products in any of the applications below. Please contact us for more details if you intend to use our products in the following applications.

- 1. Aircraft equipment
- 2. Aerospace equipment
- 3. Undersea equipment
- 4. nuclear control equipment
- 5. military equipment
- 6. Power plant equipment
- 7. Medical equipment
- 8. Transportation equipment (automobiles, trains, ships, etc.)
- 9. Traffic signal equipment
- 10. Disaster prevention / crime prevention equipment
- 11. Data-processing equipment
- 12. Applications of similar complexity or with reliability requirements comparable to the applications listed in the above

1. Scope

This specification applies to the SDWL1608C

2. Product Description and Identification (Part Number)

1) Description

Wire Wound Chip Ceramic Inductor, 1608, XXX nH± X% @XXXMHz, XXX Ω , XXX mA

2) Product Identification (Part Number)

<u>SDWL 1608 C DDD S T F MDD</u>

Туре	
SDWL	Wire Wound Chip Inductor

Material	Code
С	Ceramic

Inductar	nce Tolerance
С	±0.2nH
D	±0.5nH
G	±2%
J	±5%

Packin	g
В	Bulk Package
Т	Tape & Reel

External Dimensions [L X W] (mm)		
1608	1.6 X 0.8	

Nominal	I Inductance (nH)
Example	Nominal Value
1N0	1.0
10N	10
R10	100

Product Classification Code		
S	Sn Plating	
	Five-faces Coating	

HSF Products	
Hazardous Substance Free Products	

Internal Code		
M01	Normal	
M11	High Q & Low DCR	

3. Electrical Characteristics

Please refer to Item 5.

- 1) Operating and storage temperature range (individual chip without packing): -40 to +125
- 2) Storage temperature range (packaging conditions): -10 ~+40 and RH 70% (Max.)

4. Shape and Dimensions

1) Dimensions: See the following.



Α	В	С	D REF.	E	F	H REF.	I REF.	J REF.
1.6±0.2	0.9±0.2	0.8±0.2	0.38	0.8±0.15	0.3±0.1	1.02	0.64	0.64

2) Electrode Coplanarity:0.1mm Max.



No.	Components	Material
А	Coating	Ultraviolet epoxy resin
В	Core	Ceramic
С	Wire	Polyurethane system enameled copper wire
D	Electrodes	Ag-Pd with Ni and Sn plating

5. Electrical Characteristics

SDWL1608C STFM Series 5.1. SDWL1608C STFM01 Series

Part Number	Inductance	Tolerance	Min. Quality Factor	L/Q Test Freq.	Max. DC Resistance	Max. Rated Current	Min. Self- resonant Frequency
Units	nH	-		MHz	Ω	mA	MHz
Symbol	L	-	Q	Freq.	DCR	Ir	S.R.F
SDWL1608C2N2 STFM01	2.2	C, D	16	100/250	0.049	700	6000
SDWL1608C3N6 STFM01	3.6	C, D	25	100/250	0.059	850	6000
SDWL1608C3N9 STFM01	3.9	C, D	35	100/250	0.059	850	6000
SDWL1608C4N3 STFM01	4.3	C, D	35	100/250	0.059	850	6000
SDWL1608C4N5 STFM01	4.5	C, D	35	100/250	0.059	850	6000
SDWL1608C4N7 STFM01	4.7	C, D	35	100/250	0.059	850	6000
SDWL1608C5N6 STFM01	5.6	C, D	35	100/250	0.082	750	6000
SDWL1608C6N2 STFM01	6.2	C, D	35	100/250	0.082	750	6000
SDWL1608C6N8 STFM01	6.8	C, D	35	100/250	0.082	750	6000
SDWL1608C7N5 STFM01	7.5	C, D	35	100/250	0.082	750	6000
SDWL1608C8N2 STFM01	8.2	C, D	35	100/250	0.11	650	6000
SDWL1608C8N7 STFM01	8.7	C, D	35	100/250	0.11	650	6000
SDWL1608C9N1 STFM01	9.1	C, D	35	100/250	0.11	650	6000
SDWL1608C9N5 STFM01	9.5	C, D	35	100/250	0.11	650	6000
SDWL1608C10N STFM01	10	G, J	35	100/250	0.11	650	6000
SDWL1608C11N STFM01	11	G, J	35	100/250	0.11	650	6000
SDWL1608C12N STFM01	12	G, J	35	100/250	0.13	600	6000
SDWL1608C13N STFM01	13	G, J	35	100/250	0.13	600	6000
SDWL1608C15N STFM01	15	G, J	40	100/250	0.13	600	6000
SDWL1608C16N STFM01	16	G, J	40	100/250	0.16	550	5500
SDWL1608C18N STFM01	18	G, J	40	100/250	0.16	550	5500
SDWL1608C20N STFM01	20	G, J	40	100/250	0.16	550	4900
SDWL1608C22N STFM01	22	G, J	40	100/250	0.17	500	4600
SDWL1608C24N STFM01	24	G, J	40	100/250	0.21	500	3800
SDWL1608C27N STFM01	27	G, J	40	100/250	0.21	440	3700
SDWL1608C30N STFM01	30	G, J	40	100/250	0.23	420	3300
SDWL1608C33N STFM01	33	G, J	40	100/250	0.23	420	3200
SDWL1608C36N STFM01	36	G, J	40	100/250	0.26	400	2900
SDWL1608C39N STFM01	39	G, J	40	100/250	0.26	400	2800
SDWL1608C43N STFM01	43	G, J	40	100/200	0.29	380	2700
SDWL1608C47N STFM01	47	G, J	38	100/200	0.29	380	2600
SDWL1608C51N STFM01	51	G, J	38	100/200	0.33	370	2500
SDWL1608C56N STFM01	56	G, J	38	100/200	0.35	360	2400
SDWL1608C62N STFM01	62	G, J	38	100/200	0.51	280	2300
SDWL1608C68N STFM01	68	G, J	38	100/200	0.38	340	2200
SDWL1608C72N STFM01	72	G, J	34	100/150	0.56	270	2100

Wire Wound Chip Ceramic Inductor

Page 7 of 16

SDWL1608C75N STFM01	75	G, J	34	100/150	0.56	270	2050
SDWL1608C82N STFM01	82	G, J	34	100/150	0.60	250	2000
SDWL1608C91N STFM01	91	G, J	34	100/150	0.64	230	1900
SDWL1608CR10 STFM01	100	G, J	34	100/150	0.68	220	1800
SDWL1608CR11 STFM01	110	G, J	32	100/150	1.2	200	1700
SDWL1608CR12 STFM01	120	G, J	32	100/150	1.3	180	1600
SDWL1608CR13 STFM01	130	G, J	32	100/150	1.4	170	1450
SDWL1608CR15 STFM01	150	G, J	32	100/150	1.5	160	1400
SDWL1608CR16 STFM01	160	G, J	32	100/150	2.1	150	1350
SDWL1608CR18 STFM01	180	G, J	25	100/100	2.2	140	1300
SDWL1608CR20 STFM01	200	G, J	25	100/100	2.4	120	1250
SDWL1608CR22 STFM01	220	G, J	25	100/100	2.5	120	1200
SDWL1608CR27 STFM01	270	G, J	30	100/100	3.4	110	960
SDWL1608CR33 STFM01	330	G, J	30	100/100	5.5	85	800
SDWL1608CR39 STFM01	390	G, J	30	100/100	6.2	80	800
SDWL1608CR47 STFM01	470	G, J	30	100/100	7.0	75	700

5.2. SDWL1608C

Part Number	Inductance	Tolerance	Min. Quality Factor	L/Q Test Freq.	Max. DC Resistance	Max. Rated Current	Min. Self- resonant Frequency
Units	nH	-		MHz	Ω	mA	MHz
Symbol	L	-	Q	Freq.	DCR	lr	S.R.F
SDWL1608C2N2 STFM11	2.2	C, D	25	100/250	0.018	1400	>6000
SDWL1608C3N9 STFM11	3.9	C, D	38	100/250	0.032	1000	>6000
SDWL1608C5N6 STFM11	5.6	C, D	38	100/250	0.045	900	>6000
SDWL1608C6N8 STFM11	6.8	C, D	38	100/250	0.045	900	>6000
SDWL1608C8N2 STFM11	8.2	C, D	38	100/250	0.058	800	>6000
SDWL1608C10N STFM11	10	G, J	38	100/250	0.058	800	5000
SDWL1608C12N STFM11	12	G, J	38	100/250	0.071	750	5000
SDWL1608C15N STFM11	15	G, J	42	100/250	0.085	700	4500
SDWL1608C18N STFM11	18	G, J	42	100/250	0.085	700	3500
SDWL1608C22N STFM11	22	G, J	42	100/250	0.099	640	3200
SDWL1608C27N STFM11	27	G, J	42	100/250	0.116	590	2800
SDWL1608C33N STFM11	33	G, J	42	100/250	0.132	550	2500

II. Typical Electrical Characteristics



Inductance vs. Frequency Characteristics

6. Test and Measurement Procedures

6.1 Test Conditions

Unless otherwise specified, the standard atmospheric conditions for measurement/test as:

- a. Ambient Temperature: 20±15
- Relative Humidity: 65%±20% b.
- Air Pressure: 86KPa to 106KPa c.

If any doubt on the results, measurements/tests should be made within the following limits:

- a. Ambient Temperature: 20±2
- b. Relative Humidity: 65%±5%
- c. Air Pressure: 86KPa to 106KPa

6.2 Visual Examination

a. Inspection Equipment: 30 X magnifier

6.3 Electrical Test

- 6.3.1 DC Resistance (DCR)
 - a. Refer to Item 3.
 - b. Test equipment: Agilent34420A or equivalent
- 6.3.2 Inductance (L)
 - a. Refer to Item 3.
 - b. Test equipment: Agilent 4287A +Agilent 16197A or equivalent
 - c. Test signal: -13dBm or 10mA
 - d. Test frequency refers to Item 3.
- 6.3.3 Q Factor (Q)
 - a. Refer to Item 3.
 - b. Test equipment: Agilent 4287A +Agilent 16197A or equivalent
 - c. Test signal: -13dBm or 10mA
 - d. Test frequency refers to Item 3.
- 6.3.4 Self-Resonant Frequency (SRF)
 - a. Refer to Item 3.
 - b. Test equipment: Agilent E4991A+Agilent 16197A and HP 8753E or equivalent.
 - c. Test signal: -20dBm or 50 mV
- 6.3.5 Rated Current
 - a. Refer to Item 3.
 - b. Test equipment (see Fig.6.3.5-1): Electric Power, Electric current meter, Thermometer.
 - c. Measurement method (see Fig. 6.3.5-1):
 - 1. Set test current to be 0mA.
 - 2. Measure initial temperature of chip surface.
 - 3. Gradually increase voltage and measure chip temperature for corresponding current.
 - d. Definition of Rated Current (Ir): Ir is direct electric current as chip surface temperature rose just 20 against chip initial surface temperature (Ta) (see Fig. 6.3.5-2).



Fig.6.3.5-1



6.4 Reliability Test

Items	Requirements	Test Methods and Remarks
6.4.1 Terminal Strength	No removal or split of the termination or other defects shall occur. Chip F Mounting Pad Glass Epoxy Board	Solder the inductor to the testing jig (glass epoxy board) using eutectic solder. Then apply a force in the direction of the arrow. 7N force. Keep time: 10±1s Speed: 1.0 mm/s.
6.4.2 Resistance to Flexure	No visible mechanical damage.	Solder the inductor to the test jig. Using a eutectic solder. Then apply a force in the direction shown as left. Flexure: 2mm Pressurizing Speed: 0.5mm/sec. Keep time: 5sec.
6.4.3 Vibration	No visible mechanical damage. Inductance change: within ±5% Q factor change: within ±20% Cu pad Solder mask	Solder the inductor to the testing jig (glass epoxy board)using eutectic solder. The inductor shall be subjected to a simple harmonic motion having total amplitude of 1.5mm, the frequency being varied uniformly between the approximate limits of 10 and 55 Hz. The frequency range from 10 to 55 Hz and return to 10 Hz shall be traversed in approximately 1 minute. This motion shall be applied for a period of 2 hours in each 3 mutually perpendicular directions (total of 6 hours)
6.4.4 Dropping	No visible mechanical damage. Inductance change: within ±5% Q factor change: within ±20%	Drop chip inductor 10 times on a concrete floor from a height of 100 cm.
6.4.5 Temperature coefficient	+50±100ppm/	Between -40 and +125 With a reference value of +20
6.4.6 Solderability	90% or more of electrode area shall be Coated by new solder.	Electrode of the coil shall be immersed in flux for 5 to 10 Seconds. The coil shall be immersed in solder bath at a temperature of 240±5 , Duration for 3±0.5 seconds. Solder: Sn/3.0Ag/0.5Cu Flux: 25% Resin and 75% ethanol in weight.
6.4.7 Resistance to Soldering Heat	No visible mechanical damage. Inductance change: within ±5% Q factor change: within ±20%	Re-flowing Profile: 260 200 190 150 90 30sec Re-flowing Profile: Max: 260 260 20~40sec Gradual Cooling

6.4.8	No visible mechanical damage.	Temperature, Time:
Thermal Shock	Inductance change: within ±5%	-40 for 30±3 min +125 for 30±3min
	Q factor change: within ±20%	Transforming interval: 20s (max.)
		Tested cycle: 100 cycles
		The chip shall be stabilized at normal condition for 1~2
		hours before measuring.
	30 min. 30 min.	
	Ambient	
	Temperature 30 min.	
	-40 -40	
	20s (max.)	
6.4.9	No visible mechanical damage.	Temperature: -40±2
Resistance to	Inductance change: within ±5%	Duration: 1000 ⁺²⁴ hours
Low	Q factor change: within ±20%	The chip shall be stabilized at normal condition for 1~2
Temperature		hours before measuring.
6.4.10	No mechanical damage.	Temperature: 125±2
Resistance to	Inductance change: within ±5%	Duration: 1000 ⁺²⁴ hours
High	Q factor change: within ±20%	The chip shall be stabilized at normal condition for 1~2
Temperature	Ŭ	hours before measuring.
		Jan State St
6.4.11	No mechanical damage.	Temperature: 60±2 , Humidity: 90% to 95% RH
Damp Heat	Inductance change: within ±5%	Duration: 1000 ⁺²⁴ hours
(Steady	Q factor change: within ±20%	The chip shall be stabilized at normal condition for 1~2
States)		hours before measuring.
,		
6.4.12	No mechanical damage.	Temperature: 60±2 ,Humidity: 90% to 95% RH
Loading Under	Inductance change: within ±5%	Duration: 1000^{+24} hours
Damp Heat	Q factor change: within ±20%	Applied current: Rated current.
,		The chip shall be stabilized at normal condition for $1 \sim 2$
		hours before measuring.
6.4.13	No mechanical damage	Temperature: 125±2
	No mechanical damage.	Duration: 1000 ⁺²⁴ hours
Loading at	Inductance change: within ±5%	
High	Q factor change: within ±20%	Applied current: Rated current.
Temperature		The chip shall be stabilized at normal condition for 1~2
(Life Test)		hours before measuring.

7. Packaging and Storage

7.1 Packaging

There are two types of packaging for the chip inductors. Please specify the packing code when ordering. Tape Carrier Packaging:

- Packaging code: T
- a. Tape carrier packaging are specified in attached figure Fig.7.1-1~4
- b. Tape carrier packaging quantity please see the following table:

Туре	1608
Таре	Paper Tape
Quantity	ЗК

(1) Taping Drawings (Unit: mm)



Remark: The sprocket holes are to the right as the tape is pulled toward the user.

(2) Taping Dimensions (Unit: mm)



Туре	Α	В	Р	к	Т
1608	1.17±0.06	1.80±0.06	4.0±0.1	1.03±0.10	1.07±0.10

(3) Leader and blank portion





Direction of Feed

(4) Reel Dimensions (Unit: mm)





(5) Peeling off force: 10gf to 70gf in the direction show below.



7.2 Storage

- a. The solderability of the external electrode may be deteriorated if packages are stored where they are exposed to high humidity. Package must be stored at 40 or less and 70% RH or less.
- b. The solderability of the external electrode may be deteriorated if packages are stored where they are exposed to dust of harmful gas (e.g. HCl, sulfurous gas of H₂S)
- c. Packaging material may be deformed if package are stored where they are exposed to heat of direct sunlight.
- d. Minimum packages, such as polyvinyl heat-seal packages shall not be opened until they are used. If opened, use the reels as soon as possible.
- e. Solderability shall be guaranteed for 12 months from the date of delivery on condition that they are stored at the environment specified in specification. For those parts, which passed more than 12 months shall be checked solder-ability before use.

8. Warning and Attentions

8.1 Precautions on Use

- a. Always wear static control bands to protect against ESD.
- b. Any devices used (soldering iron, measuring instruments) should be properly grounded.
- c. Use non-magnetic tweezers when handing the chips.
- d. Pre-heating when soldering, and refer to the recommended condition specified in specification.
- e. Don't apply current in excess of the rated current value. It may cause damage to components due to over-current.
- f. Keep clear of anything that may generate magnetic fields such as speakers, coils.
- g. When soldering, the electrical characteristics may be varied due to hot energy and mechanical stress.
- h. When coating products with resin, the relatively high resin curing stress may change the electrical characteristics. For exterior coating, select resin carefully so that electrical and mechanical performance of the product is not affected. Before using, please evaluate reliability with the product mounted in your application set.
- i. When mount chips with adhesive in preliminary assembly, do appropriate check before the soldering stage, i.e., the size of land pattern, type of adhesive, amount applied, hardening of the adhesive on proper usage and amounts of adhesive to use.
- j. Mounting density: Add special attention to radiating heat of products when mounting other components nearby. The excessive heat by other products may cause deterioration at joint of this product with substrate.
- k. Since some products are constructed like an open magnetic circuit, narrow spacing between components may cause magnetic coupling.
- I. Please do not give the product any excessive mechanical shocks in transportation.
- m. Please do not touch wires by sharp terminals such as tweezers to avoid causing any damage to wires.
- n. Please do not add any shock and power to the soldered product to avoid causing any damage to chip body.
- o. Please do not touch the electrodes by naked hand as the solderability of the external electrodes may deteriorate by grease or oil on the skin.

8.2 PCB Bending Design

- The following shall be considered when designing and laying out PCB's.
- a. PCB shall be designed so that products are not subjected to the mechanical stress from board warp or deflection.



Products shall be located in the sideways direction to the mechanical stress.

b. Products location on PCB separation.



Product shall be located carefully because they may be subjected to the mechanical stress in order of A>C=B>D.

Wire Wound Chip Ceramic Inductor

c. When splitting the PCB board, or insert (remove) connector, or fasten thread after mounting components, care is required so as not to give any stress of deflection or twisting to the board. Because mechanical force may cause deterioration of the bonding strength of electrode and solder, even crack of product body. Board separation should not be done manually, but by using appropriate devices.

8.3 Recommended PCB Design for SMT Land-Patterns

When chips are mounted on a PCB, the amount of solder used (size of fillet) and the size of PCB Land-Patterns can directly affect chip performance (such as Q). And they can also cause other soldering question (such as offset and side lap). Therefore, the following items must be carefully considered in the design of solder land patterns.

- a. Please use the PCB pad and solder paste we recommend, and contact us in advance if they need to be changed.
- b. Please use flux contained with resin since the highly acidic (Chlorine content more than 0.2 wt%) or water-soluble one could damage the insulation film of wires, then causing short circuit of parts.
- c. The amount of solder applied can affect the ability of chips to withstand mechanical stresses which may lead to breaking or cracking. Therefore, when designing land-patterns it is necessary to consider the appropriate size and configuration of the solder pads which in turn determines the amount of solder necessary to form the fillets.
- d. When more than one part is jointly soldered onto the same land or pad, the pad must be designed that each component's soldering point is separated by solder-resist.

Recommended land dimensions please refer to product specification.

9. Recommended Soldering Technologies



[Note: The reflow profile in the above table is only for qualification and is not meant to specify board assembly profiles. Actual board assembly profiles must be based on the customer's specific board design, solder paste and process, and should not exceed the parameters as the Reflow profile shows.]

9.2 Iron Soldering Profile

Iron soldering power: 30W Max. Preheat condition: 150 /60sec. Soldering tip temperature: 350 Max. Soldering time: 3sec. Max. Solder paste: Sn/3.0Ag/0.5Cu Iron Soldering time: 1 time max. Tc

[Note: Take care not to apply the tip of the soldering iron to the terminal electrodes.]

9.3 Maintenance of heat gun (for your reference)

Power output: 30W

Temperature: 350 Max

Heat time: More than 5 seconds heating may cause short circuit of parts.

10. Solder Volume

Solder shall be used not to exceed as shown below.



Wire Wound Chip Ceramic Inductor

- a. anical stress to chip is also increased. Exceeding solder volume may cause the failure of mechanical or electrical performance.
- b. Before soldering, please ensure that the solder should not adhere to the wire part of chip.
- c. Please pay particular attention to whether there is flux remaining on surface of the wire part of chip after subjected to reflow soldering since this may causing short circuit of parts.

11 Cleaning

- Products shall be cleaned on the following conditions:
- a. Cleaning temperature shall be limited to 60 Max. (40 Max. for fluoride and alcohol type cleaner.)
- b. Ultrasonic cleaning shall comply with the following conditions, avoiding the resonance phenomenon at the mounted products and PCB.
 - Power: 20W/I Max.
 - Frequency: 28 KHz to 40 KHz
 - Time: 5 minutes Max
- c. Cleaner
 - i. Alternative cleaner
 - Isopropyl alcohol (IPA)
 - HCFC-225
 - ii. Aqueous agent
 - Surface Active Agent Type (Clean through-750H)
 - Hydrocarbon Type (Techno Cleaner-335)
 - Higher Alcohol Type (Pine Alpha ST-100S)
 - Alkali saponifier Type (Aqua Cleaner 240)
 Alkali saponification shall be diluted to 20% volume with de-ionized water.
 Please contact our technical service department before using other cleaner.
- d. There shall be no residual flux and residual cleaner after cleaning. In the case of using aqueous agent, product shall be dried completely after rinse with de-ionized water in order to remove the cleaner.
- e. Some products may become slightly whitened. However, product performance or usage is not affected.
- f. Please take care of winding part while cleaning.
- g. After cleaning, parts could be subjected to the next reflow soldering till the solvent remaining on surface of parts being volatilized.

12. Supplier Information

- a. Supplier:
 - Shenzhen Sunlord Electronics Co., Ltd.
- b. Manufacturer: Shenzhen Sunlord Electronics Co., Ltd.
- Manufacturing Address:
 Sunlord Industrial Park, Dafuyuan Industrial Zone, Guanlan, Shenzhen, China Zip: 518110

13. Measuring Method of Inductance

a. Residual elements and stray elements of test fixture can be described by F-parameter as shown in the following:



Measured value: $Zxm=V_1/I_1$

Impedance of DUT: Zx=V₂/I₂

b. The relation between Zx and Zom, Zsm, Zxm is shown in the following:

$$Zx = \frac{V_2}{I_2} = \frac{D}{A} * \frac{\frac{V_1}{I_1} - \frac{B}{D}}{1 - \frac{V_1}{I_1} * \frac{C}{A}} = \frac{D}{A} * \frac{Zxm - \frac{B}{D}}{1 - Zxm * \frac{C}{A}} = \frac{D}{A} * \frac{Zxm - Zsm}{1 - Zxm / Zom}$$

c. Lx should be calculated with the following equation:

$$Lx = \frac{\mathrm{Im}(Zx)}{2\pi f} = \frac{\mathrm{Im}(Zxm + Zsc)}{2\pi f} = \frac{\mathrm{Im}(Zxm)}{2\pi f} + \frac{\mathrm{Im}(Zsc)}{2\pi f} = Lxm + Lsc$$

Lxm measured chip inductor inductance

Lsc measured short chip inductance Lx Inductance of chip inductor

d. Compensation Value Lsc of short chip

Series	Compensation Value
SDWL1608C-M	0.9nH

File No: Effective date:		Applied to	Wire Wound Ceramic Inductor Series		
No. Defect Item		Graphic Schematic Drawing	Rejection identification Criteria		
1	Wire off/ Welding Spot Off		The solder joint Welding Spot of wire break away free electrodes, or over the electrodes.		
2 Solder			Solder joints are not at electrode side but at the coat		
۷	misplace		side or flank.		
	Starvation	A B	Coating side(Non-A region): if B 0.20mm, NG. B: Resin starved diameter ; A: electrode region, A=0.48mm		
3			Flank: don't control.		
4	Coating		Coating at flank		
4	misplace		Coating at electrodes side		

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fixed Inductors category:

Click to view products by Sunlord manufacturer:

Other Similar products are found below :

MLZ1608M6R8WTD25 MLZ1608N6R8LT000 MLZ1608N3R3LTD25 MLZ1608N3R3LT000 MLZ1608N150LT000 MLZ1608M150WTD25 MLZ1608M3R3WTD25 MLZ1608M3R3WT000 MLZ1608M150WT000 MLZ1608A1R5WT000 MLZ1608N1R5LT000 B82432C1333K000 PCMB053T-1R0MS PCMB053T-1R5MS PCMB104T-1R5MS CR32NP-100KC CR32NP-151KC CR32NP-180KC CR32NP-181KC CR32NP-1R5MC CR32NP-390KC CR32NP-3R9MC CR32NP-680KC CR32NP-820KC CR32NP-8R2MC CR43NP-390KC CR43NP-560KC CR43NP-680KC CR54NP-181KC CR54NP-470LC CR54NP-820KC CR54NP-8R5MC MGDQ4-00004-P MGDU1-00016-P MHL1ECTTP18NJ MHL1JCTTD12NJ PE-51506NL PE-53601NL PE-53630NL PE-53824SNLT PE-62892NL PE-92100NL PG0434.801NLT PG0936.113NLT PM06-2N7 PM06-39NJ HC2LP-R47-R HC2-R47-R HC3-2R2-R HC8-1R2-R