




LEK-501







MOUNTING HOLE

MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 5
 NUMBER OF ASSEMBLING LED : 1

To weld $\phi 5$ 3PIN LED on board 90 degrees, with same height, and indexing pins, but avoid crooked.

LEK-503





MOUNTING HOLE


FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 5
 NUMBER OF ASSEMBLING LED : 1

To weld $\phi 5$ 3PIN LED on board 90 degrees, with same height, and indexing pins, but avoid crooked.

FIX-LEK-503-7





MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 5
 NUMBER OF ASSEMBLING LED : 1




To weld $\phi 5$ 3PIN LED on board 90 degrees, with same height, and indexing pins, but avoid crooked.

FIX-LEK-503-18



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 5
 NUMBER OF ASSEMBLING LED : 1






To weld $\phi 5$ 3PIN LED on board 90 degrees, with same height, and indexing pins, but avoid crooked.

FIX-LEK-505



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 5
 NUMBER OF ASSEMBLING LED : 1






MOUNTING HOLE

To weld $\phi 5$ 3PIN LED on board 90 degrees, with same height, and indexing pins, but avoid crooked.

FIX-LEK-508



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 5
 NUMBER OF ASSEMBLING LED : 1






MOUNTING HOLE

To weld $\phi 5$ 3PIN LED on board 90 degrees, with same height, and indexing pins, but avoid crooked.

FIX-LEK-506



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 5
 NUMBER OF ASSEMBLING LED : 1



MOUNTING HOLE

To weld $\phi 5$ LED on board 90 degrees, with same height, and indexing pins, but avoid crooked.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Lamps category](#):

Click to view products by [Fix & Fasten manufacturer](#):

Other Similar products are found below :

[5911-086-13](#) [5AB](#) [6180](#) [7009](#) [8623](#) [909](#) [912](#) [1224](#) [1230](#) [DE603](#) [DNW21-DW10/BLA](#) [BF20100-11B](#) [1892](#) [NL177WL2A](#) [NL276C2A](#)
[IFL-LX2162-16T](#) [C2A-T](#) [C9A](#) [301](#) [303](#) [SM2440L](#) [A1C](#) [A2B](#) [19](#) [268](#) [GT-NE6H1225T](#) [CM1820](#) [CM5004WW](#) [303](#) [32-2211T](#) [36EN-2113](#)
[407](#) [4916S1](#) [521-7332](#) [5314N1](#) [5314N2](#) [311](#) [WWT1-EW10/GRN](#) [4925H1](#) [DW07](#) [MS25231-313](#) [5603437](#) [5603851](#) [CM2](#) [7683EBP](#) [8553](#)
[XE135B](#) [WWT2-EW34BLA](#) [5705H7](#) [NL2951WL2G](#)