NSYCVF38M24DPF

ClimaSys forced vent. IP54, 38m3/h, 24V DC, with outlet grille and filter G2





Main

Range	ClimaSys CV
Category	Fan
Type of filter	Standard
Flow rate	Free flow rate with standard filter : 58 m3/h at 50 Hz
[Us] rated supply voltage	1027.6 V
Input voltage	24 V DC 50/60 Hz

Complementary

Complementary	
Absorbed power	3.6 W 50 Hz
[In] rated current	0.18 A 50 Hz
Noise level < at	4041 dB
Bearing type	Ball
Height	External : 137 mm
Width	External : 117 mm
Depth	External : 49 mm
Cut-out dimensions	92 x 92 mm
Product weight	0.23 kg
Material	Injected thermoplastic (ASA PC) for outlet grille
Colour	Outlet grille : grey RAL 7035
Ambient air temperature for operation	-1070 °C
Ambient air temperature for storage	-4070 °C
Maximum pressure	29 Pa flow rate 0 m³/h
Connections - terminals	Cable
IP degree of protection	IP54
Device composition	1 cut-out template 1 outlet grille front 1 filter front of axial motor 2 protective grille on the front and rear surfaces 1 axial motor
Condition of use	Outside temperature must be 5 °C lower than inside temperature Filter must be cleaned and replaced regularly Surrounding environment must be relatively clean Overfrequent filter replacement should be avoided Flow rates depends on the work point, see ProClima software

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0940 - Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
Product environmental profile	Available Download Product Environmental
Product end of life instructions	Need no specific recycling operations

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for schneider manufacturer:

Other Similar products are found below:

LU9M1 7D 7S 7XA1 FNQR2 8501RS44V24 8501RSD14P14V51 8501XO20V03Y414 9001KXRK 9001SKR9P35RH25 9001SKT35L31 9003K2C003GA 9007AA1 9007BA1 9007C54D 9007C62A2 9007CA11 9007FA3 9007HA4 9007HA6 9007KA1 9007KB11 9007MS01S0206 9007MS02S0300 9012GAR4 9012GAW2 9012GBW1 9012GDW5E3 9012GFW1 9012GNG1 9012GNG3 9012GNG6 9013FHG39J69 9013GHG2J30 9050JCK2F30V14 GV2ME04 GV2ME10 GV2ME14 GV2ME20 GV2ME32 GV2P06 GV2P08 GV2P10 GV2P16 GV2P20 GV2P21 GV2RT07 GV2RT21 GVAD1001 GVAN11