Material Handling Productivity Solutions

Store Organize &Transport Innovative **NEW** Products

InSight[™] **Ultra-Clear Bins** – page 11

ShelfMax[™] – page 13

Indicator[™] **Bins** – page 21

AkroDrawers[™] – pages 16-20

Wire & Steel Shelving Packages – pages 36-42





Akro-Mils® Productivity Solutions

store, organize, transport & more!







Ready, Set, Organize[™] . . . & Save!

Akro-Mils is all about storage, organization and transport solutions that increase material handling efficiency and reduce costs in virtually any industry. Our broad range of products are used to shorten assembly times, maintain accurate inventories, optimize storage space and improve parts protection - all in support of Lean practices and other initiatives to increase productivity and profitability in any setting, from industrial to commercial to retail.



Simplify Organization

Storage Bins – Replace the mess and expense of cardboard boxes with our wide selection of reusable bins. Simplify organization and maintain quality to improve efficiency in any operation.





Improve Handling Efficiency

Hand-Held Containers - Reusable containers deliver flexibility and savings. From Attached Lid to Straight Wall styles, our selection matches your needs in any industry - industrial, distribution, healthcare and more!



Maximize Space Usage

Bin Systems - Take back valuable floor space and improve storage efficiency with bin systems, including shelving, cabinets, racks, rails, carts and louvered panels.



Custom Products

You can order a variety of custom products, **OEM solutions and unique merchandising** systems — all from Akro-Mils!



Our unrivaled production resources, dependable quality and dedicated customer service support provide custom solutions to meet your exact needs. With five thermoplastic molding processes, extensive metal and

wood fabrication and quality powder-coating, Akro-Mils can match your custom project to the most effective process for optimal performance and cost-efficiency. From product concept to final product design, your project will be guided in an efficient process that incorporates quality at every stage.



Move With Efficiency

Transport Systems - We offer a broad selection of work centers, carts, platform trucks and dollies to complement any warehouse or workflow system. We can customize to fit your unique needs.

Clean & Safe Work Environments

Waste Handling Systems - Durable, cost-effective carts provide years of dependable service for industrial waste collection and handling systems.





Quality You Can Trust



Manufactured under rigorous ISO 9001 standards, Akro-Mils products are quality tested to ensure they continuously meet your performance expectations. In doing so, they optimize productivity and, ultimately, customer satisfaction throughout the supply chain. Akro-Mils is proud of the quality and service awards from our customers, and we apply the recognition we receive to work toward continuous improvement.

To learn more, **call 800-253-2467** or visit www.akro-mils.com





Storage Bins, Racks & Hanging Systems

- AkroBins®
- EarthSaver AkroBins®
- ProHANGER®
- Rail Hanging Systems
- Louvered Hanging Systems
- ReadySpace™ Storage System
- InSight[™] Bins
- Shelf Bins
- ShelfMax[™] Bins
- EarthSaver[™] Shelf Bins

- Pick Rack Systems
- AkroDrawers[™]
- Indicator[™] Bins
- VantageBins™
- 1800 Series AkroBins®
- ESD Containers
- Economy Bins
- System Bins[™]
- Easy Flow Gravity Hopper

Heavy Duty Bins, Totes, Containers & Small Parts Storage

- Super-Size AkroBins®
- Stak-N-Store Bins
- Nest & Stack Totes
- Akro-Grids
- Attached Lid Containers
- Straight Wall Containers
- Cross-Stack Akro-Tubs
- Akro-Tubs
- Storage Cabinets
- Storage-Go-Round
- Storage Cases
- · Roto-Shelf
- Tote Caddy

Shelving Systems & Cabinets

- Wire Shelving Systems
- Steel Shelving Systems
- Heavy-Duty Cabinets
- Standard Cabinets

36-44

45-59

26-35

4-25

Mobile Systems & Work Centers

- $\bullet \operatorname{ProCart}^{\scriptscriptstyle{\mathsf{T}}}$
- Louvered Carts
- Multi-Shelf Carts
- Trav Service Cart
- Box Trucks
- High-End Narrow Aisle Trucks
- Dollies
- Hand Trucks

- Specialty Hand Trucks
- Drum Handling Equipment
- VERSA/Deck™
- Platform Trucks
- Skids (Semi-Live)
- Portable Tables & Carts
- Mobile Work Tables
- Heavy-Duty Work Benches

Waste Transport Systems

- Akro-Tilt Trucks
- Akro-Carts
- MegaKart®
- 60

Materials/Casters & Wheels

- Materials Definitions
 & Benefits
- Casters & Wheels Selection Information

61

Product Index

62-63



storage bins, racks & hanging systems



- Control inventories, shorten assembly times and minimize parts handling
- Heavy-duty bins securely stack atop each other, sit on shelving and hang from Akro-Mils racks, panels, rails and carts
- Molded of high-impact polypropylene, AkroBins are unaffected by weak acids and alkalis
- Products made of polypropylene block copolymer are autoclavable up to 250° F
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Guaranteed not to crack or break under normal load conditions as stated in our 1-year limited warranty
- Available in 14 sizes and 7 colors: Red, Yellow, Blue, Stone, Green, Semi-Clear and Black

accessories Ories



"See-through" Crystal Styrene Lids keep contents dust-free and protected



Lengthwise Dividers keep items separated in the bin



30320 Wide AkroBins: **Dividers** available in two sizes







33" Wide AkroBin

Great Lengths to Organize More Efficiently

- 1 to 8 compartments, depending on divider placement
- Optional lid sold separately
- 2½" and 4" dividers available (comes with two 4" dividers)
- Fits on standard Akro-Mils rail, louvered and 36" shelf systems
- · Reinforced sides for secure stacking



30320 33" Wide AkroBin with Optional Lid

features I'es



Anti-slide stop prevents stacked bins from shifting forward



Full-width hanger lip supports bin on hanging system



Reinforced side ribs add strength and prevent spreading when stacked



Extra-wide stacking ledge saves space and prevents spills



Large front label area for easy coding and scanning




Curved-bottom hopper front makes it easy to retrieve small parts



Dividers allow you to create customizable compartment sizes







AkroBins			Outsi	de Dimen Inches	sions	E	Bottom D Inc	imensior hes	15				Acce	ssories	
		Model No.	L	W	Н	L	W	Н	Х	Bin Load Capacity On Rack	Bin Ctn. Qty.	Dividers**	Divider Pkg. Qty.	Bin Lids***	Lid Pkg. Qty.
		30210	5%	41/8	3	4¾	37/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24
	A	30220	73/8	41/8	3	6¾	37/16	2 ¹³ ⁄16	6	10 lbs.	24	40220 (1)	6	30221	24
		30224	10%	41/8	4	101/4	3¾16	3¾	9	30 lbs.	12	-	-	-	-
	В	30230	10%	5½	5	101/4	43/8	4¾	9	30 lbs.	12	40230 (1)	6	30231	12
	ь	30234	14¾	51/2	5	141/16	43/8	43/4	1213/16	50 lbs.	12	-	-	-	-
		30239	10¾	81/4	7	10	6%6	6¾	8	50 lbs.	6	40239 (1)	6	-	-
	c	30240	14¾	81/4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	6	-	-
		30265	18	81/4	9	171/8	6¾	81/4	14½	60 lbs.	6	40265 (1)	6	-	-
	D	30235	10%	11	5	101/4	10	4¾	9	50 lbs.	6	40230 (3)	6	30236	6
	ע	30260	18	11	10	17	91/2	9¾	143/16	60 lbs.	6	40260 (3)	6	-	-
		30255	10%	16½	5	9¾	15	43/4	9	60 lbs.	6	40230 (3)	6	_	_
	E	30250	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-
		30270	18	16½	11	171/8	14¾	101/4	14	100 lbs.*	3	40270 (3)	6	-	-
	F	30320	85%	33	5	7	31½	43/16	6	80 lbs.	4	40321 & 40220 (7)	7	30321	4

One color per carton: Specify Red, Blue, Yellow, Stone, Semi-Clear, Green or Black. Order in carton quantities. *Note 30265 & 30270 are not designed for use with hanging systems. CAUTION: When using bins with hanging systems, do not exceed the weight capacity for the rack, which may be less than the total sum of bin capacities. **() = Max. # of dividers per bin. ***Assembly required - hinge pins included.



related products

Create the perfect storage system - mix and match your selection of AkroBins with compatible products including:

- Rail Hanging Systems......pg. 8
- Louvered Hanging Systems pg. 9
- ReadySpace Storage Systems pg. 10
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Bin Cabinetspgs. 43-44
- ProCart.....pg. 45





EarthSaver™ Series: AkroBins®

storage bins, racks & hanging systems



Go Green

the environment!





With 100% Recycled Bins –

Boost Productivity, Reduce Waste!

Feeling the need to "Go Green"? Akro-Mils

introduces the **EarthSaver Series** – AkroBins



- AkroBins now made from 100% recycled material
- Three color options Hunter Green, Sandstone and Terra Cotta
- Optional dividers keep items neatly separated
- An eco-friendly choice in storage and organization products



related products

Create the perfect storage system – mix and match your selection of AkroBins with compatible products including:

- Rail Hanging Systems.....pg. 8
- Louvered Hanging Systems pg. 9
- ReadySpace Storage Systems pg. 10
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Bin Cabinets......pgs. 43-44
- ProCart......pg. 45

accessories Ories



"See-through" **Crystal Styrene Lids** keep contents dust-free and protected




Lengthwise Dividers keep items separated in the bin

AkroBins		Outsid	le Dime Inches	nsions	h	nside Dii Inc	mension hes	ıs				Acce	ssories	
	Model No.	L	W	Н	L	W	Н	X	Bin Load Capacity On Rack	Bin Ctn. Qty.	Dividers**	Divider Pkg. Qty.	Bin Lids***	Lid Pkg. Qty.
- 25 B	30210RECYSS	5%	41/8	3	4¾	31/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24
	30210RECYTC	5%	41/8	3	4¾	31/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24
	30210RECYHG	5%	41/8	3	4¾	31/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24
	30220RECYSS	73/8	41/8	3	6¾	31/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24
	30220RECYTC	73/8	41/8	3	6¾	31/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24
	30220RECYHG	73/8	41/8	3	6¾	37/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24
	30230RECYSS	10%	51/2	5	101/4	43/8	4¾	9	30 lbs.	12	40230 (1)	6	30231	12
	30230RECYTC	10%	51/2	5	101/4	43/8	4¾	9	30 lbs.	12	40230 (1)	6	30231	12
	30230RECYHG	10%	51/2	5	101/4	43/8	4¾	9	30 lbs.	12	40230 (1)	6	30231	12
22 m	30240RECYSS	14¾	81/4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	6	_	-
	30240RECYTC	14¾	81/4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	6	-	-
	30240RECYHG	14¾	81/4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	6	-	-
2	30250RECYSS	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-
	30250RECYTC	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-
	30250RECYHG	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-
One color per carton:	SS = Sandstone, TC = To	erra Cotta	and HG =	Hunter G	reen. Orde	r in cartor	n quantitie	es. CAUTI	ON: When using bins witl	n hanging sys	tems, do not exc	eed the weight	capacity for the ra	ck, which may

be less than the total sum of bin capacities.

() = Max. # of dividers per bin. *Assembly required – hinge pins included.



ProHANGER°

storage bins, racks & hanging systems

- ProHANGERs can be placed side-by-side on walls, rail rack or panel systems to support extra-long parts, supplies or materials
- Unique "J-hook design" cradles various shapes and sizes of contents
- · Available End Cap inserts keep items from sliding out
- One-piece construction; molded of high-impact plastic for durability
- Each ProHANGER is capable of supporting up to 75 lbs.

Easy Long Parts Storage Wherever You Need It!

- ProHANGER can be used alone or with a variety of Akro-Mils products, including a wide range of AkroBins®
- ProHANGER can even be mounted (using Louvered Hanging System) in service trucks for maintenance workers, plumbers, electricians, carpenters or other tradespeople

















related products

Use your ProHANGER with:

- AkroBins.....pgs. 4-6
- Rail Hanging Systems.....pg. 8
- Louvered Hanging Systems pg. 9









Full-width hanger lip supports ProHANGER on hanging systems



Notches provided in hanger lip for mounting to wall surface with screws



Substantial ribbing in base gives added strength to support heavier items

^{*} US patent pending.

Rail Hanging Systems

storage bins, racks & hanging systems







- Rail Hanging Systems allow for fast, easy organization and parts retrieval
- Single-sided rail units are ideal for placement against a wall to save space
- Double-sided rail units can "float" in any room environment and be picked from both sides
- Mobile Kit available to mobilize two-sided racks
- Steel rail is ideal for workstations
- AkroBins sold separately





features 1125



Rails securely support AkroBins



Heavy-duty steel for strength and durability



Attractive, durable powder-coated finish stands up to heavy-duty use



- 1-Sided, can be assembled as
 12 or 16 Rail
- 250 lb. capacity



- 2-Sided, can be assembled as 12 or 16 Rail
- 500 lb. capacity



- 14-gauge steel worktop
- 250 lb. capacity



30148 Steel Rail

Wall-mountable unit accepts 7 sizes of AkroBins. 110 lb. capacity

Rail Hanging Systems				Dimensions Inches						AkroBins Model No. (Bin Weight Capacity)						
	Model No.	Description	Ctn. Qty.	L	w	Н	30210 (10 lbs.)	30220 (10 lbs.)	30224 (30 lbs.)	30230 (30 lbs.)	30234 (50 lbs.)	30235 (60 lbs.)	30239 (50 lbs.)	30240 (60 lbs.)	30250 (75 lbs.)	30255 (60 lbs.)
	30008*	Rack, 1-Sided	1	36	141/8	53	96	96	48	48	48	24	24	24	12	16
	30016*	Rack, 2-Sided	1	36	20	53	192	192	96	96	96	48	48	48	24	32
	30148	Steel Rail	1	4713/16	5/8	3	11	11	11	8	6	3	-	-	-	3
	30812	Bin Cart	1	381/2	24	36½	96	96	64	48	48	24	24	24	12	16

*Can be assembled as a 12 or 16 rail rack.

Mohile Kit

Model No.	Description	Ctn. Qty.	Fits Hanging System No.	Casters
30424	Mobile Kit - Casters & Handle	1	30016	4″ Polyolefin



Two-Sided Racks can be mobilized with the Mobile Kit

Louvered Hanging Systems

storage bins, racks & hanging systems

- Louvered Hanging Systems allow for easy placement and configuration of AkroBins*
- Wall-mounted units keep items out of the way, off the floor and off the work table
- Floor standing racks can be placed near work areas to improve productivity
- Single-sided floor racks can be placed against wall to save floor space
- · Double-sided units allow for picking from both sides
- Bench racks are used on work tables to keep parts within easy reach
- 11 different models available accommodates up to 288 AkroBins

• Easy, one-person assembly

related products

Use the following products with Louvered Hanging Systems:

- AkroBins.....pgs. 4-6
- 33" Wide AkroBins......pgs. 4-5
- ProHANGER Pg. 7

30636 Louvered Panel

Shown with 33" Wide AkroBins (see pg. 4 for details)











*AkroBins sold separately, see pg. 4-6



Louvered Hanging	ouvered Hanging Systems			Dimensions (Inches)							AkroBins Model No. (Bin Weight Capacity)							
	Model No.	Description	Ctn. Qty	L			Rack Wt. Cap.(lbs.)	30210 (10 lbs.)	30220 (10 lbs.)	30224 (30 lbs.)	30230 (30 lbs.)	30234 (50 lbs.)	30235 (60 lbs.)	30239 (50 lbs.)	30240 (60 lbs.)	30250 (75 lbs.)	30255 (60 lbs.)	30320 (80 lbs.)
	30618*	Louvered Panel	4	18	5/16	19	160	16	16	12	9	9	3	4	4	2	3	-
000000000000000000000000000000000000000	30636*	Louvered Panel	4	35¾	5/16	19	160	32	32	24	18	18	9	8	8	4	6	3
00000000000		2 Panels		35¾	5/16	37		72	72	36	36	36	18	16	16	8	12	5
000000000000000000000000000000000000000		3 Panels		35¾	5/16	55		104	104	54	54	54	27	28	28	14	18	8
		4 Panels		35¾	5/16	73		144	144	72	72	72	36	36	36	18	24	11
	98600*	Bench Rack	1	2715/16	8%	19%	120	30	30	18	12	12	6	6	6	-	-	0
	98636	Bench Rack	1	36	8	20	120	40	40	24	18	18	9	8	8	4	6	3
	30161	Louvered Panel	1	36	5/16	61	120	96	96	72	60	60	28	24	24	12	18	10
	30118	Louvered Panel	1	18	5/16	61	160	48	48	36	30	30	14	12	12	6	9	-
	30653	Louvered Floor Rack	1	35¾	32	75%	2000	288	288	192	144	144	72	72	72	36	48	0
000000	30661	Louvered Rack Single-Sided	1	36¾6	13½	66%	500	96	96	72	54	54	28	24	24	12	18	10
0000000	30638	Louvered Rack Single-Sided	1	18	13½	66%	250	48	48	36	30	30	14	12	12	6	9	-
	30676	Louvered Rack Double-Sided	1	36¾6	25	66%	1000	192	192	144	108	108	56	48	48	24	36	20
_ *	30651	Heavy Duty Louvered Rack Single-Sided	1	35¾	17	75%	1000	144	144	98	72	72	36	36	36	18	24	11
*Also available in Bei	ae.																	

*Also available in Beige

features I'es



Formed from 16-gauge cold-rolled steel for strength and durability



Attractive, durable powder-coated finish stands up to heavy-duty use



Horizontal ribs provide added strength



Louvers securely support AkroBins

Bin Retainer Clip

Hold bins safely on louvered panels

- Made of durable engineering grade plastic
- Easy to use
- Will work with any size AkroBin or ProHANGER
- Perfect for service vans; maintenance workers, plumbers, electricians or other tradesmen who store and transport supplies and materials



ReadySpace™ Storage System

storage bins, racks & hanging systems

- Wall, Bench or Mobile Floor Units can be purchased alone or with AkroBins
- Create a neat, attractive storage space in any environment customer-friendly appearance
- Frees up valuable workspace
- Pre-configured packages with Stone color AkroBins are available or create your own custom system - see pg. 4-6 for more AkroBins!

Ideal For the Industry!

Healthcare

Ready, Set, Organize!™

- Quickly create organized storage space virtually anywhere!
- Designed for use with a wide variety of Akro-Mils AkroBins®
- Clean, sleek look with a durable white, powder-coated finish
- Set up and installation are quick and easy
- ReadySpace Bench or Mobile Floor Units can double as a privacy wall!







98536 **Bench Unit**

 Can be assembled single- or double-sided







standard with the Mobile Floor Unit



Wall Unit is shipped complete with its own mounting bracket for easy installation



Bench Unit has a twopiece base for placement against or away from wall for assembly as single- or double-sided



Durable white. powder-coated finish



Accommodates multiple sizes of AkroBins



Mobile Floor Unit

Quickly transports supplies

ReadySpace™ Wall Unit

Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
30536	37½" x 1¾" x 25%", Panel	1	35	N/A
305362105	Unit with 30210STONE Bins	3	45	48
305362205	Unit with 30220STONE Bins	3	51	48
305362305	Unit with 30230STONE Bins	3	55	24
 305362355	Unit with 30235STONE Bins	3	55	12
305363205	Unit with 30320STONE Bins	2	47	4

ReadySpace™ Mobile Floor Unit

	Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
000000	30553	24%" x 23" x 52"	1	82	N/A
0000000	305532105	Unit with 30210STONE Bins	6	117	120
0000000	305532205	Unit with 30220STONE Bins	6	122	120
000000000000000000000000000000000000000	305532305	Unit with 30230STONE Bins	6	142	60
000000000000000000000000000000000000000	305532355	Unit with 30235STONE Bins	6	127	30
	30553LF	Leveling Feet for Floor Unit	-	1	-

ReadySpace™ Bench Unit (Assemble as Single or Double-Sided)

Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
98536	37¾" x 12" x 26¾" (Single)	1	51	N/A
	37¾" x 22½" x 26¾" (Double)	1	51	N/A

ReadySpace™ Single-Sided Bench Unit Kits

	Model No.	Description	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
	98536210SS	Unit with 30210STONE Bins	3	61	48
	98536220SS	Unit with 30220STONE Bins	3	67	48
	98536230SS	Unit with 30230STONE Bins	3	71	24
*	98536235SS	Unit with 30235STONE Bins	3	71	12
	98536320SS	Unit with 30320STONE Bins	2	63	4

ReadySpace™ Double-Sided Bench Unit Kits

	Model No.	Description	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
	98536210SD	Unit with 30210STONE Bins	5	71	96
	98536220SD	Unit with 30220STONE Bins	5	83	96
	98536230SD	Unit with 30230STONE Bins	5	91	48
**	98536235SD	Unit with 30235STONE Bins	5	91	24
	98536320SD	Unit with 30320STONE Bins	3	75	8



storage bins, racks & hanging systems









Wall Unit (30536A3 shown)

- Frees up valuable workspace
- Clean, sleek look with a white powder-coated finish
- Four bin size packages available



Mobile Floor Unit (30553B1 shown)

- Organizes, shares and transports supplies and products
- Perfect for "high-demand" items
- Panel easily locks into posts on base without tools
- Four bin size packages available



Louvered Panel Unit (30636BEIGE Louvered Panel shown with 305A3 bins)

- Louvers securely support $\mathsf{InSight}^{\scriptscriptstyle{\mathsf{T}}}$ bins
- Use alone or side-by-side with additional louvered panels
- Easy one-person assembly

• Provide easy and maximum visibility to users in a sleek, modern design

- · Can be stacked, sit on shelving or hang on Akro-Mils rails and louvered panels or ReadySpace™ Storage System
- Optional lids protect contents from dust will stack with lids in place
- Patent Pending: No tip feature when bins are stacked

Clear length and width dividers available

• Large label area for part identification and bar code scanning

- Autoclavable
- Available in 4 sizes



A Visible Difference in Storage & Organization!

- Bins made of durable polycarbonate material



Bins stack with lids in place



Rear lip supports bin on hanging systems



Lids protect bin contents from dust




Dividers allow you to create customizable compartment sizes

Outside Dimensions Inside Dimensions

Model No.				L			Capacity (lbs.)	Width Divider	Length Divider	
305A1	5%	41/8	31⁄4	41/4	31/8	2%	10	415A1 (1)	405A1 (1)	305A2
305A3	7¾	41/8	31⁄4	61/4	31/8	25/8	10	415A1 (2)	405A3 (1)	305A4
305A5	10%	41/8	31/4	91/4	31/8	2%	15	415A1 (3)	405A5 (1)	305A6
305B1	10%	51/2	51/4	97/16	41/8	47/16	25	415B1 (3)	405B1 (1)	305B2

in () represents divider slots per bin



Louvered Panel and Bin Combinations

Model No.	305A1	305A3	305A5	305B1
30618BEIGE	16	16	16	9
30636BEIGE	32	32	32	18
98600BEIGE	30	30	30	12

Bins sold separately

ReadySpace™ Packages

Model No.	Description
30536A1	ReadySpace Wall Unit with 48ea. 305A1
30536A3	ReadySpace Wall Unit with 48ea. 305A3
30536A5	ReadySpace Wall Unit with 48ea. 305A5
30536B1	ReadySpace Wall Unit with 24ea. 305B1
30553A1	ReadySpace Mobile Floor Unit with 120ea. 305A1
30553A3	ReadySpace Mobile Floor Unit with 120ea. 305A3
30553A5	ReadySpace Mobile Floor Unit with 120ea. 305A5
30553B1	ReadySpace Mobile Floor Unit with 64ea. 305B1

Shelf Bins

storage bins, racks & hanging systems











Built-in rear hanglock allows bin to tilt out for complete access



Molded-in label area identifies contents

accessories Ories



Dividers create additional storage compartments. Each Bin accepts up to 7 dividers (except 30110)



Extended Label Holders are designed for larger bar code scanning



Bin Cups lift out easily for parts retrieval (see chart)

- Shelf Bins outlast corrugated bins paying for themselves in reduced replacement costs
- Superior construction allows Shelf Bins to be fully loaded without spreading or cracking
- Durable polypropylene bins provide an attractive, neat appearance
- Works with 12", 18" and 24" deep shelving or vertical storage and retrieval units
- One-piece construction is waterproof and unaffected by grease or oil
- Available in 13 sizes and 5 colors: Red, Yellow, Blue, Green and White





related products

Expand your sorting options with:

- Pick Rack Systems.....pg. 15
- Wire Shelving Systems......pgs. 36-39
- Steel Shelving Systemspgs. 40-42





storage bins, racks & hanging systems

- Go deep! Expand your storage capacity up to 85% over traditional 4" bins
- Holding capacity is up to 25% more than comparable 6" bins
- Front opening is .75" higher than comparable products
- Superior, durable construction compared to corrugated bins
- Seven sizes and five color options: Red, Blue, Yellow, Green and White
- Optional width dividers keep items neatly separated
- Rolled ridge for added strength when filled to maximum capacity



racks or pick racks



ShelfMax can be used with steel shelving, wire shelving, bench



30080

Maximize Your **Storage Capacity!**

you the versatility you need to make the most of your storage space

• Easy to label for quick inventory identification







with 30040 ShelfMax Bins See pg. 15

ShelfMax™		Outsid	le Dimer Inches	nsions	Botto	m Dime Inches		Storage Capacity			
	Model No.	L	W	н	L	w	Н	Cubic Inches	Ctn. Qty.	Optional Dividers	Divider Pkg. Qty.
	30040	11%	41/8	6	9¾	21/2	5 ¹⁵ / ₁₆	175	16	40020	12
	30048	17%	41/8	6	16	21/2	5 ¹⁵ ⁄16	280	8	40020	12
	30080	11%	83/8	6	9¾	6%	5 ¹⁵ / ₁₆	398	8	40040	12
	30088	17%	8%	6	16	6%	5 ¹⁵ / ₁₆	648	8	40040	12
We will be a second	30090	11%	65/8	6	9¾	5	5 ¹⁵ / ₁₆	310	10	40030	12
	30094	23%	65/8	6	21¾	5	5 ¹⁵ / ₁₆	686 10		40030	12
	30098	17%	6%	6	16	5	5 ¹⁵ / ₁₆	505	10	40030	12



related products

Use your ShelfMax bins with:

- Bench Pick Rack Systems pg. 15
- Pick Rack Systems.....pg. 15
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42

EarthSaver™ Series: Shelf Bins

storage bins, racks & hanging systems



Go Green With 100% Recycled Bins -**Boost Productivity, Reduce Waste!**

Feeling the need to "Go Green"? Akro-Mils introduces the EarthSaver Series -Shelf Bins and AkroBins (see pg. 6) made from 100% recycled plastic. Make a positive impact on the environment!




- Shelf Bins now made from 100% recycled material
- Three color options Hunter Green, Sandstone and Terra Cotta
- Optional dividers keep items neatly separated
- · An eco-friendly choice in storage and organization products

Create the perfect storage system – mix and match your selection of bins with compatible products including:


- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Bin Cabinetspgs. 43-44

Shelf Bins & Access	sories	Outsid	le Dime Inches		Insid	e Dimei Inches			Cups	Access er Bin	sories	
	Model No.	L	w	Н	L	W	Н	Ctn. Qty.	Small 30101	Large 30102	Optional Dividers*	Divider Pkg. Qty.
	30120RECYSS	11%	41/8	4	101/4	3	4	24	5	2	40120	24
	30120RECYTC	11%	41/8	4	101/4	3	4	24	5	2	40120	24
	30120RECYHG	11%	41/8	4	101/4	3	4	24	5	2	40120	24
	30130RECYSS	11%	6%	4	101/4	51/2	4	12	9	4	40130	24
42″51 16	30130RECYTC	115/8	6%	4	101/4	51/2	4	12	9	4	40130	24
12″ Shelf Bins	30130RECYHG	11%	6%	4	101/4	51/2	4	12	9	4	40130	24
	30128RECYSS	17%	41/8	4	161/2	3	4	12	8	3	40120	24
	30128RECYTC	17%	41/8	4	16½	3	4	12	8	3	40120	24
	30128RECYHG	17%	41/8	4	16½	3	4	12	8	3	40120	24
	30138RECYSS	17%	6%	4	16½	5½	4	12	15	6	40130	24
10"51 15	30138RECYTC	17%	6%	4	16½	5½	4	12	15	6	40130	24
18″ Shelf Bins	30138RECYHG	17%	6%	4	16½	51/2	4	12	15	6	40130	24
	30124RECYSS	23%	41/8	4	221/8	3	4	12	11	4	40120	24
	30124RECYTC	23%	41/8	4	22%	3	4	12	11	4	40120	24
	30124RECYHG	23%	41/8	4	22%	3	4	12	11	4	40120	24
	30164RECYSS	23%	6%	4	22%	5½	4	6	21	8	40130	24
	30164RECYTC	23%	6%	4	22%	5½	4	6	21	8	40130	24
24" Shelf		1						 	i			



	nded el Holder	w	н	Ctn. Qty.
10°	40410	4	21/4	24
45°	40445	4	21/4	24






30164RECYHG 235% 65% 4 22% 5½ 4

One color per carton: SS = Sandstone, TC = Terra Cotta and HG = Hunter Green. Order in carton quantitie

- Improve workspace organization and efficiency with rack and bin systems
- Angled shelves keep parts at the front of bins for easy access
- Convenient, high-density storage with up to 192 bins
- Easy to assemble
- Choose from 3 styles available separately or with bin packages
- 16-gauge steel construction
- Compatible with:







ShelfMax[™], pg. 13 Indicator[™] Bins, pg. 21



Angled shelves keep parts at front of bin







Single-Sided Pick Rack

- Model No. APRS36442BLU
- Holds up to 64 Indicator Bins on 8 shelves
- Holds up to 64 ShelfMax Bins
- Maximum 400 lb. weight capacity






- Model No. APRD120Y
- Creates a mobile, double-sided pick rack with APRDMOBILE
- Holds up to 192 Shelf Bins
- Holds up to 128 ShelfMax Bins
- Maximum 800 lb. weight capacity for Double-Sided Pick Rack, 500 lb. weight capacity when used with Mobile Kit



Bench Pick Rack

- Model No. APRBENCH040
- 12" D x 36¾" W x 25" H
- Holds up to 24 Shelf Bins or ShelfMax Bins
- Holds up to (3) 30312 System Bins





36462BLUE

*Due to case pack, Bonus Bins are included at no extra charge. **Specify color of bins when ordering: Red, Blue, Yellow, Green or White

Rack with Indicator Bins

APRS36462B

111/8

	Model No.	Description	Bin Model No.				Bin Qty.	Bonus Bins*
	APRD	Double-Sided Pick Rack (no bins)	=	-	-	-	-	-
	APRD110Y	Rack with Shelf Bins	30110YELLO	11%	2¾	4	192	=
	APRD120Y	Rack with Shelf Bins	30120YELLO	11%	41/8	4	128	16
	APRD130Y	Rack with Shelf Bins	30130YELLO	11%	6%	4	80	4
	APRD150Y	Rack with Shelf Bins	30150YELLO	11%	83/8	4	64	8
	APRD170Y	Rack with Shelf Bins	30170YELLO	11%	11%	4	48	-
	APRD040**	Rack with ShelfMax	30040	11%	41/8	6	128	-
	APRD080**	Rack with ShelfMax	30080	11%	83/8	6	64	-
	APRD090**	Rack with ShelfMax	30090	11%	6%	6	80	-
	APRDAST00**	Rack with ShelfMax	30040 / 30090	5	ee abov	e	64 / 40	-
r	APRD36442B	Rack with Indicator Bins	36442BLUE	11%	41/4	4	128	16
1	APRD36462B	Rack with Indicator Bins	36462BLUE	11%	6¾	4	80	4
	APRDMOBILE	Mobil	e Kit (Handle & D	olly) for	Double-	Sided Pi	ck Rack	

*Due to case pack, Bonus Bins are included at no extra charge. **Specify color of bins when ordering: Red, Blue, Yellow, Green or White. When using the mobile kit weight capacity is 500 lbs.



APRDMOBILE Mobile Kit For double-sided Pick Rack 4" x 2" Phenolic Casters

c 36¾″W x 25″H	l .		Bin Di	mensions	(Inches)	
Model No.	Description	Bin Model No.	L	W	Н	Bin Qty.
APRBENCH	Bench Pick Rack, No Bins	-	-	-	-	-
APRBENCH120	Bench Pick Rack with Shelf Bins	30120YELLO	11%	41/8	4	24
APRBENCH150	Bench Pick Rack with Shelf Bins	30150YELLO	11%	83/8	4	12
APRBENCH040*	Bench Pick Rack with ShelfMax	30040	11%	41/8	6	24
APRBENCH090*	Bench Pick Rack with ShelfMax	30090	11%	65%	6	15
	Model No. APRBENCH APRBENCH120 APRBENCH150 APRBENCH040*	APRBENCH Bench Pick Rack, No Bins APRBENCH120 Bench Pick Rack with Shelf Bins APRBENCH150 Bench Pick Rack with Shelf Bins APRBENCH040* Bench Pick Rack with ShelfMax	Model No. APRBENCH Bench Pick Rack, No Bins - APRBENCH120 Bench Pick Rack with Shelf Bins 30120YELLO APRBENCH150 Bench Pick Rack with Shelf Bins 30150YELLO APRBENCH040* Bench Pick Rack with ShelfMax 30040	Model No. Description Bin Model No. L APRBENCH Bench Pick Rack, No Bins - - APRBENCH120 Bench Pick Rack with Shelf Bins 30120YELLO 11% APRBENCH150 Bench Pick Rack with Shelf Bins 30150YELLO 11% APRBENCH040* Bench Pick Rack with ShelfMax 30040 11%	Model No. Description Bin Model No. L W APRBENCH Bench Pick Rack, No Bins - - - APRBENCH120 Bench Pick Rack with Shelf Bins 30120YELLO 11% 4% APRBENCH150 Bench Pick Rack with Shelf Bins 30150YELLO 11% 8% APRBENCH040* Bench Pick Rack with ShelfMax 30040 11% 4%	Model No. Description Bin Model No. L W H APRBENCH Bench Pick Rack, No Bins - - - - - APRBENCH120 Bench Pick Rack with Shelf Bins 30120YELLO 11% 4% 4 APRBENCH150 Bench Pick Rack with Shelf Bins 30150YELLO 11% 8% 4 APRBENCH040* Bench Pick Rack with ShelfMax 30040 11% 4% 6

*Specify color of bins when ordering: Red, Blue, Yellow, Green or White.

AkroDrawers

storage bins, racks & hanging systems

- Available in five convenient sizes and five colors including Crystal Clear - which keeps AkroDrawer contents highly visible!
- Colors made of high-impact polystyrene
- Crystal Clear made of durable acrylic blend
- Offered in 12" or 18" depths to work with compatible shelving
- · Easy to label and color code inventory for quick identification of parts and supplies
- Drawers can be stacked to optimize space
- Wide front handle for easy gripping when AkroDrawers are loaded or contain heavy contents
- Dividers available to keep contents neatly separated in drawers
- Colors: Crystal Clear, Red, Blue, Yellow and Gray











AkroDrawers

Cover, Store, Protect & More!

- applications, AkroDrawers will help keep supplies, parts, tools and other materials secure and dust-free.
- Can be used with available shelving, racks, mobile carts or can be used by themselves




Sturdy backstop tab ensurés AkroDrawers can hang securely from shelves



Features a wide front handle for easy gripping when full or filled with heavy contents

AkroDrawers™	Outs	side Dimen Inches	sions	Bott	om Dimen: Inches	sions			
Model No.	L	w	Н	L	w	Н	Weight Capacity	Ctn. Qty.	Dividers
31142	11%	3¾	45/8	101/4	3	47/16	15 lbs.	6	41440
31162	11%	5%16	45%	101/4 47/8 47/16		47/16	20 lbs.	6	41460
31182	11%	8%	45/8	101/4	75/8	47/16	20 lbs.	4	41480
31168	17%	5%16	45/8	16¼	47/8	47/16	25 lbs.	6	41460
31188	17%	8%	45/8	16¼	75/8	47/16	25 lbs.	4	41480
Specify drawer color v	vhen ordering:	Red, Blue, Ye	llow, Gray or C	rystal Clear.					

Dividers			Dimensions			
Mod	lel No.	W	Н	D	Pkg. Qty.	Ctn. Qty.
4	1440	3%6	41/5	13/16	6	30
4	1460	521/64	41/5	13/16	6	26
4	1480	8%4	41/5	1/10	6	26





Super Modular Cabinets

storage bins, racks & hanging systems

- Organize your AkroDrawers on specially designed stackable or wall-mountable cabinets
- Units can be safely stacked up to three high
- AkroDrawers fit snugly on each shelf so open top on each AkroDrawer is protected from dust and debris
- Drawers hang securely in place from shelves by sturdy backstop tab
- Ships fully assembled
- 11" cabinets can be mounted to wall (light assembly required for wall mounting)
- · Durable powder-coated finish
- Weight capacity: 60 lbs. 18" Modular Cabinets
- 75 lbs. 24" Modular Cabinets
- Combined stack weight capacity: 100 lbs.
- · Colors: Textured Charcoal Gray or Textured Putty



Small and Medium Super Modular Cabinets can be mounted on two rails under ProCart. Optional two-rail hanging system (No. 30902) required.





cabinets





AD1817CAST



Super Modular Cabinets 18"W x 11"D x 16-1/2"H					(Inches)	Shelf Dir	mension		
Model Number	Description	Cabinet Color	L	W	Н	D	L	Н	Qty. of Drawers
AD1811C AD1811P	Small Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	17	419/32	-
AD1811C62 AD1811P62	Small Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45/8	11	17	419/32	9
AD1811C82 AD1811P82	Small Cabinet with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83%	4%	11	17	419/32	6
AD1811CAST AD1811PAST	Small Cabinet with 31162 and 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	re	11	17	419/32	6/2

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Super Modular Cabinets 23"W x 11"D x 16-1/2"H Bi					(Inches)	Shelf Di	mensions			
Model Number	Description	Cabinet Color	L		Н	D			Qty. of Drawers	
AD2311C AD2311P	Medium Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	22¾	419/32	-	
AD2311C42 AD2311P42	Medium Cabinet with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45/8	11	22¾	419/32	18	
AD2311C62 AD2311P62	Medium Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45/8	11	22¾	419/32	12	
AD2311CAST AD2311PAST	Medium Cabinet with 31142 and 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	e	11	22¾	419/32	6/8	
Specify drawer color	pecify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.									

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray C	Cabinet. Blue or Crystal Clear available with Putty	Cabinet. Only one color per unit.

Super Modular Cabinets 18"W x 17"D x 16-1/2"H					Bin Dimensions (Inches) Shelf Dimensions (
Model Number	Description	Cabinet Color	L			D			Qty. of Drawers
AD1817C AD1817P	17" Deep Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	17	17	419/32	-
AD1817C68 AD1817P68	17" Deep Cabinet with 31168 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	5%16	4%	17	17	419/32	9
AD1817C88 AD1817P88	17" Deep Cabinet with 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	83%	45/8	17	17	419/32	6
AD1817CAST AD1817PAST	17" Deep Cabinet with 31168 and 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	re	17	17	419/32	6/2

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.




Stackable Cabinets

storage bins, racks & hanging systems

- Increased storage capacity for AkroDrawers by providing more space to organize and color code inventory
- Units can be safely stacked up to three high
- Available in two sizes one for 12" AkroDrawers and one for 18" AkroDrawers
- Optional 8" high Base Stands for each size cabinet available in matching colors for either cabinet - keeps cabinets off the floor for easier clean-up underneath
- · Durable powder-coated finish
- · Cabinets ship fully assembled
- · Weight capacity: 120 lbs.
- Combined stacked weight capacity: 200 lbs.
- Colors for Stackable Cabinets and optional Base Stands: Textured Charcoal Gray or **Textured Putty**







Stackable Cabinet 35"W x 11"D x 22"H	Rin Dimensions (Inches)	Shalf Dimansions (Inches
		Shell billiensions (inches

Statement of the first of the f					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			(
Model Number	Description	Cabinet Color	L	W	H	D	- 1	Н	Qty. of Drawers
AD3511C AD3511P	Stackable Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	34	411/16	-
AD3511C42 AD3511P42	Stackable Cabinet with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45%	11	34	411/16	32
AD3511C62 AD3511P62	Stackable Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45%	11	34	411/16	24
AD3511C82 AD3511P82	Stackable Cabinet with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	8%	45%	11	34	411/16	16
AD3511CAST AD3511PAST	Stackable Cabinet with 31142, 31162 & 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	e	11	34	411/16	8/12/4

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Stackable Cabine	ickable Cabinet 35"W x 17"D x 22"H Bii			ensions	(Inches)	Shelf Dir	mensions		
Model Number	Description	Cabinet Color	L	W	Н	D	L	Н	Qty. of Drawers
AD3517C AD3517P	Stackable Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	17	34	411/16	-
AD3517C68 AD3517P68	Stackable Cabinet with 31168 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	5%16	4%	17	34	411/16	24
AD3517C88 AD3517P88	Stackable Cabinet with 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	83/8	4%	17	34	411/16	16
AD3517CAST AD3517PAST	Stackable Cabinet with 31168 & 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	See Above		17	34	411/16	12/8	

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yellow



Optional Base Stands for Stackable Cabir	nets Dimension
--	----------------

Model No.	Description	Description Base Stand Color			
AD3511BS	Base Stand for 11" Stackable Cabinet	Textured Charcoal Gray or Textured Putty	35¼	111⁄4	8
AD3517BS	Base Stand for 17" Stackable Cabinet	Textured Charcoal Gray or Textured Putty	35¼	171⁄4	8



Secure Mini-Cabinets

storage bins, racks & hanging systems



- · Lockable cabinet provides secure storage for sensitive supplies
- Accommodates 12" AkroDrawers
- Made from 18-gauge steel
- Wall mountable
- Features standard four adjustable shelves with fully louvered panel built into back for hanging AkroBins®
- Available with a quick-view door to keep contents visible
- · Solid door option keeps sensitive contents secure and out of sight
- · Foam gasket around door frame seals out dust
- Welded frame and durable powder-coated finish
- Ships fully assembled
- Weight capacity: 350 lbs.
- Colors: Textured Charcoal Gray or Textured Putty







ACS4C

keeps cabinet contents visible Solid Door option keeps sensitive contents out of sight Lockable latch rotates and recesses into door when closed for flush look Louvered back panel extends organizing options







N	lodel Number	Description	Cabinet Color	L	W	Н
	ACQV4C ACQV4P	Secure Mini-Cabinet, Quick-View Door, no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-
	ACQV4C42 ACQV4P42	Secure Mini-Cabinet, Quick-View Door with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45/8
L	ACQVTI TZ		Textured Futty			

ACQV4P	Secure Mini-Cabinet, Quick-view Door, no Akrobrawers	Textured Putty ´			_	_
ACQV4C42 ACQV4P42	Secure Mini-Cabinet, Quick-View Door with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45/8	16
ACQV4C62 ACQV4P62	Secure Mini-Cabinet, Quick-View Door with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45/8	12
ACQV4C82 ACQV4P82	Secure Mini-Cabinet, Quick-View Door with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83/8	45/8	8
ACQV4CAST ACQV4PAST	Secure Mini-Cabinet, Quick-View Door with 31142, 31162 & 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	e	4/6/2

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Quick-View Mini-Cabinet 19-1/4"W x 13-1/4"D x 38"H

21001 2001 1111111	Capillet 19-1/4 WX 13-1/4 DX30 II					
Model Number	Description	Cabinet Color	L	W	Н	Qty. of Drawers
ACS4C ACS4P	Secure Mini-Cabinet, Steel Door, no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	-
ACS4C42 ACS4P42	Secure Mini-Cabinet, Steel Door with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45/8	16
ACS4C62 ACS4P62	Secure Mini-Cabinet, Steel Door with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45/8	12
ACS4C82 ACS4P82	Secure Mini-Cabinet, Steel Door with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83%	45/8	8
ACS4CAST ACS4PAST	Secure Mini-Cabinet , Steel Door with 31142, 31162 & 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	4/6/2	

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.





" & 18" Enclosed Steel Shelving Systems

storage bins, racks & hanging systems



- Steel shelving will accommodate new 12" and 18" AkroDrawers
- · Manufactured from high-grade, 22-gauge steel with powder-coated finish
- Can be ordered independently or purchased with AkroDrawers for a complete system
- · Closed back and sides keep drawers contained to one side of shelves and further eliminate dust and debris
- Drawers can hang securely in place from shelves by sturdy backstop tab
- Easy to assemble using shelf clips
- Each shelving system can hold up to a maximum of 8,500 lbs.
 - 12" x 36" shelf holds 500 lbs.
 - 18" x 36" shelf holds 550 lbs.
- · Color: Gray



Pick Racks

- Angled shelves keep parts and supplies at the front of AkroDrawers for easy access
- · Improve workspace organization and efficiency
- 16-gauge steel construction
- Durable powder-coated finish
- Weight capacity: 400 lbs. Single-Sided; Up to 800 lbs. Double-Sided
- · Color: Gray








For double-sided Pick Rack





12" Enclosed Shelving Systems (13 Shelves)			Bin Dimensions (Inches) Sho				Shelf Dimensions (Inches)			
Model Number	Description	Drawer Model No.	L	W	Н	D	L	Н	Qty. of Drawers	Drawer Color
ASC1279	Shelving (no AkroDrawers)	=	-	-	-	12	36	79	-	-
ASC1279142	Shelving with AkroDrawers	31142	11%	3¾	45%	12	36	79	96	R,B,Y,GRY,CRY
ASC1279162	Shelving with AkroDrawers	31162	11%	5%6	45%	12	36	79	72	R,B,Y,GRY,CRY
ASC1279182	Shelving with AkroDrawers	31182	11%	8%	45/8	12	36	79	48	R,B,Y,GRY,CRY
ASC1279AST	Shelving with AkroDrawer Mix	31142, 31162, 31182	S	ee Abov	e	12	36	79	27/36/12	R,B,Y,GRY,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

To Efficiosed Silerving Systems (15 Silerves)			bili Dililensions (inches) - Sheri Dililensions (inches)							
Model Number	Description	Drawer Model No.	L.	W	Н	D	L	Н	Qty. of Drawers	Drawer Color
ASC1879	Shelving (no AkroDrawers)	=	-	-	-	18	36	79	-	-
ASC1879168	Shelving with AkroDrawers	31168	17%	5%6	45/8	18	36	79	72	R,B,Y,GRY,CRY
ASC1879188	Shelving with AkroDrawers	31188	175/8	83/8	45%	18	36	79	48	R,B,Y,GRY,CRY
ASC1879AST	Shelving with AkroDrawer Mix	31168, 31188	S	ee Abov	e	18	36	79	36 / 24	R,B,Y,GRY,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

Single-Sided Pick	Rack 12" D x 36-3/4"W x 60-1/4" H (8 Shelves)	Drawer Dimensions							
Model Number	Description	Drawer Model No.	L			Qty. of Drawers	Drawer Color		
APRS142	Rack with AkroDrawers	31142	11%	3¾	45/8	72	R,B,Y,GRY,CRY		
APRS162	Rack with AkroDrawers	31162	11%	5%6	45/8	48	R,B,Y,GRY,CRY		
APRS182	Rack with AkroDrawers	31182	11%	8%	45/8	32	R,B,Y,GRY,CRY		
APRSAST	Rack with AkroDrawer Mix	31142, 31162, 31182	S	ee Abov	e	18/24/8	R,B,Y,GRY,CRY		

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

Double-Sided Pick	Rack 24" D x 36-3/4" W x 60-1/4" H (16 Shelves)	Drawer Dimensions							
Model Number	Description	Drawer Model No.	L			Qty. of Drawers	Drawer Color		
APRD142	Rack with AkroDrawers	31142	11%	3¾	45/8	144	R,B,Y,GRY,CRY		
APRD162	Rack with AkroDrawers	31162	11%	5%6	45/8	96	R,B,Y,GRY,CRY		
APRD182	Rack with AkroDrawers	31182	11%	83/8	45/8	64	R,B,Y,GRY,CRY		
APRDAST	Rack with AkroDrawer Mix	31142, 31162, 31182	S	ee Abov	e	36 / 48 / 16	R,B,Y,GRY,CRY		
Specify drawer color wl	hen ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit. Color code	: B= Blue, CRY= Crystal Clear, GRY=Gray, I	R=Red, Y=\	ellow. Whe	n using the	APRD with the mobil	e kit, weight capacity is !		

BinTelligence™ Series: Indicator™

storage bins, racks & hanging systems









- Easy organization of supplies and work-in-process
- Reduces excess inventory
- Width dividers used for orange reserve to prevent stock-outs and assembly line interruptions
- Works with 14" wire shelving, 12" steel shelving or with pick rack systems

Indicator Stock, Pick, Flip & Replenish

STOCK the Indicator Bin using the divider to designate volume for the inventory reserve.

PICK from the blue side of the bin until you reach the divider.

FLIP the bin to the orange reserve to indicate inventory levels are low.

REPLENISH the bin and repeat!



Indicator™ Bins – Effective inventory control at a glance!

The Indicator Bin simplifies visual recognition when supplies need to be replenished. An innovative, low-cost alternative to high-end inventory control systems!

Pick Rack Systems




- Available as single-sided or double-sided
- Angled shelves keep parts at the front of bins for easy access
- 16-gauge steel construction
- 400-800 lb. weight cap.
- See page 15 for bin quantity



Steel Shelving Systems

- Manufactured from high-grade, 22-gauge steel with a powder-coated finish
- Easy assembly
- Holds (96) 36442BLUE bins and (60) 36462BLUE bins
- 500 lb. weight capacity per shelf, up to 8,500 lbs.



Wire Shelving Systems

- Constructed from steel with a chrome finish for durability and strength
- Open wire design minimizes dust collection and improves visibility
- Holds (88) 36442BLUE bins and (55) 36462BLUE bins
- 2,000 lb. max. weight capacity per unit



Bright orange used in Lean and 5S initiatives



Innovative double hopper bin can be filled or picked from both sides



Large label area on both sides for part identification or bar code scanning



Rolled ridge provides added strength and durability




Width dividers used for orange reserve to prevent stock-outs and assembly line interruptions

related products

Create the perfect storage system - mix and match your selection of Indicator Bins with compatible products including:

- Pick Racks......pg. 15
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42



Indic	ator Bins			Outsi	de Dimen	sions	Inside Bo	ottom Dir	nensions			
		Model No.	Description				L		н	Bin Ctn. Qty.	Divider*	Divider Pkg. Qty.
	O TO	36442BLUE	Indicator Bin (Blue/Orange)	11%″	41⁄4″	4″	9%10″	2%10″	3‰″	24	40120	24
		36462BLUE	Indicator Bin (Blue/Orange)	11%″	6¾″	4″	9%10″	5%″	3‰″	12	40130	24
*Divi	ders Sold Se	parately										













Dividable VantageBin™

- Sturdy bin holds dovetailed dividers to customize compartments
- Fits on standard 24" deep or wide shelving and counters
- Bins nest when empty to conserve storage space
- 24" x 5½" x 7" bin is dividable in up to 10 sections
- Sturdy polypropylene construction
- Available in two colors: White and Gray
- Longer and taller than VantageBin
- 9 divider positions per bin

VantageBin™

- Molded-in V-groove bottom keeps items upright and prevents them from sliding without dividers
- Bins nest when empty to conserve storage space
- Durable, injection-molded polypropylene construction
- Quick, easy access and identification when organizing envelopes, bags, jewel cases, photographs and more
- Ideal for retail and material handling as well as home and office storage applications
- Available in three colors: White, Gray and Yellow

VantageBin			Outs	ide Dimen Inches	sions			mensions hes			
	Model No.	Description	L	W	Н	L	W	Н	X	Ctn. Qty.	Dividers/Pk.
	30420WHI6PK	Dividable Bin	24	51/2	7	22%	31/2	7	223/16	6	40420/12
W.W.W.W.W.W.W.W.W.W.W.W.W.W.W.W.W.W.W.	30420GRY6PK	Dividable Bin	24	51/2	7	22%	31/2	7	223/16	6	40420/12
	30400YEL10PK	Standard Bin	16¾	71⁄4	53/8	15%	67/16	5%	151/16	10	-
The state of the s	30400WHI10PK	Standard Bin	16¾	71⁄4	53/8	15%	67/16	5%	151/16	10	-
	30400GRY10PK	Standard Bin	16¾	71/4	53/8	15%	67/16	5%	151/16	10	-
One color per carton: Specify co	olor when ordering. Ord	Weight capa	Weight capacity per bin is 40 lbs.								



related products

Organize your VantageBin on:

- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42

1800 Series AkroBins®, ESD Containers & Economy Bins

storage bins, racks & hanging systems







1800 Series AkroBins

- Strong, durable copolymer polypropylene construction
- · Storage systems for large, heavy and bulky items
- One black crosswise divider included per bin
- Color: Beige

ESD Containers

- Akro-Mils ESD containers dissipate electrostatic charges, which can severely damage sensitive electronic components
- Grounding Wire 98100 Designed to convert existing Akro-Mils rail and hanging systems (see pgs. 8-9). Conducts static charges away from the storage system

accessories Offes



Economy Bins

- Versatile Economy Bins make full use of shelf depth on 12" or 18" deep shelving and stack to fill space between shelves
- The only small parts bin that can nest and stack
- Molded from copolymer polypropylene
- Generous opening allows easy access to stacked items

1	800 Series		Outside Dimensions Inches					mensions hes					
		Model No.	L	W	Н	L	W	Н	X	Ctn. Qty.	Dividers	Pkg. Qty.	Capacity (lbs.)
	z	30348BEIGE	20½	81⁄4	7	20	73/8	6½	20	6	40348 (3)	6	60
		30358BEIGE	20½	11	7	20	10%	6½	20	6	40358 (3)	6	75

Available in Beige. Order in carton quantities.

ESDs	ESDs			nsions		inside vir Incl	nensions nes			
	Model No.	L	W	Н	L	W	Н	X	Cap. on Rack	Ctn. Qty.
	30210ESD	5%	41/8	3	4¾	37/16	213/16	4	10 lbs.	24
T H	30220ESD	73/8	41/8	3	6¾	37/16	2 ¹³ /16	6	10 lbs.	24
	30230ESD	10%	5½	5	101/4	43/8	4¾	9	30 lbs.	12
	30235ESD	10%	11	5	101/4	10	43/4	9	50 lbs.	6
	30240ESD	14¾	81/4	7	14	6%6	6¾	12	60 lbs.	12

Order in carton quantities.

Economy Bins		Outs	ide Dimen Inches	sions	Insi	de Dimens Inches	sions	
	Model No.	L	W	Н	L	W	Н	Ctn. Qty.
	30796BLACK	8%	6%	5	63/25	4	4%0	10 each
L W-W-W-W-W-W-W-W-W-W-W-W-W-W-W-W-W-W-W-	30716BLACK	11%	6%	5	93⁄25	4	4%0	10 each
A Daniel H	30776BLACK	17%	6%	7	14%	31/5	6‰	10 each
	30718BLACK	11%	83%	5	9	5¾	4%1o	8 each
	30778BLACK	17%	83/8	7	141/5	5½	6‰	8 each
Order in carton quantities								



1800 Series AkroBins



ESD Container



Economy Bins

storage bins, racks & hanging systems







Convenient, **Efficient Organization** in a Single-Piece Six-Bin Unit

- · Configured six across in a single unit, 33" wide x 5" high
- Available in 12" or 18" depths to fit standard shelving
- Separate and sort parts to increase efficiency, shorten assembly times and maintain accurate inventories
- · A cost-efficient alternative to flimsy, individual cardboard boxes
- Can be safely stacked using a 3/8" wood dowel rod
- Available colors: Blue, Red, Yellow and Green





storage areas



System Bins shown on Steel Shelving

related products

System Bins work great with:

- Pick Rack Systems.....pg. 15
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42



for easy content identification



Smooth surfaces. Easy to fill, handle and keep clean



Sturdy interior double wall construction. One-piece, injectionmolded for durability



front allows easy access for quick parts picking

System Bins			Dimensions Bin Compartment Dimensions** Inches Inches							
	Model No.	Description	L	W	Н	L	W	Н	Ctn. Qty.	
	30312	12" System Bin	12	33	5	10%	313/20	447/50	5	
	30318	18" System Bin	18	33	5	16%	313/20	4 ⁹³ /100	5	
	40312*	System Bin Divider (Black only)	1/4	45%	47/8	-	-	-	6 pk.	

· Holds (3) 30312 System Bins

One color per carton: Specify Red, Blue, Yellow or Green. Order in carton quantities. *One divider per compartment, six per unit. **Inside dimension per compartment.

			Inches		
Model No.	Description	L		Н	Bin Qty.
APRBENCH	Bench Pick Rack	36¾	12	25	‡
AS1279312	12" Shelving Unit	36	12	79	10*
AS1879318	18" Shelving Unit	36	18	79	10**

‡Order bins separately. Specify bin color when ordering. *Qty. of 30312 System Bins included. **Qty. of 30318 System Bins included.

Cart Systems


Model No.	Description	L	W	Н	Bin Qty.
R5SYT5HR2436	Multi-Shelf Cart (5 shelves)	36	241/2	40	10*
R5SYT8MR2436	Multi-Shelf Cart (5 shelves)	36	241/2	43	10*
R5SYT5HR3636	Multi-Shelf Cart (5 shelves)	36	361/2	40	10**
R5SYT8MR3636	Multi-Shelf Cart (5 shelves)	36	36½	43	10**

Specify bin color when ordering. *Qty. of 30312 System Bins included. **Qty. of 30318 System Bins included.

accessories Ories



System Bin Divider



Easy Flow Gravity Hopper storage bins, racks & hanging systems

A Unique Way to Improve Workflow!

- · Unique hopper provides exceptional product storage, while saving space through a compact vertical design
- · Large, angled top opening allows easy filling, whether used on the Gravity Hopper Floor Rack or on a work platform
- Generous picking area provides easy access to the loaded product, while keeping it neatly contained and sorted
- Great for: fasteners, assembly areas, kanban, inventory stock, merchandise and work cells
- 31620 50 lb. capacity, 31625 75 lbs. capacity per hopper
- Rotational-molded for strength and durability LLDPE
- Allows for proper lot rotation





31620 -New smaller size option

First-In-First-Out (FIFO) sliding divider shelf[‡] helps eliminate waste and spoilage of product

Load Capacity

1400

1

900 lbs.

75 lbs.



31625RACK



W-W	
111	<i>}//</i> /
₩ /	
15 (6	
11/	

Gravity Hopper

Model No.

31620

30600DOLLY

30600BRACKET

When ordering

Small Easy Flow

Gravity Hopper Large Easy Flow

	31625	Large Easy Flow Gravity Hopper	18	10¾	19½	75	2400	10.39	1			
3	31625 specify color Red or Blue. \$Sliding divider shelf with 31620 hopper only.											
	Model No.		Descri	iption					Wt. Cap.			

Easy Flow Gravity Hopper Dolly with 4" x 1.5" Polyolefin Casters

Easy Flow Gravity Hopper Bracket

81/4

16 50

16

(31625 hopper available in Red or Blue)



hopper to existing louvered panel





- 13-gauge steel
- 900 lb. load capacity
- Adjustable rail heights
- Can be mobilized with optional dolly



30600DOLLY

- Rack can be mobilized with optional dolly
- · Four swivel casters (two with brakes)





31625RACK

Shown with 31620 Easy Flow **Gravity Hopper Bins**



Super-Size AkroBins®

heavy duty bins, totes, containers & small parts storage

- Large-capacity storage to improve organization
- Molded of high-impact polypropylene and unaffected by weak acids or alkalis
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Guaranteed not to crack or break under normal load conditions as stated in the 1-year limited warranty
- Products made of polypropylene block copolymer are autoclavable up to 250° F
- Available in three vibrant colors Red, Yellow and Blue













Window Insert optimizes interior space and keeps contents visible



Lengthwise Dividers keep items separated in the bin

Exclusively from Akro-Mils Width dividers Create Extra Storage!



Widthwise Dividers create extra storage compartments

Super-Size AkroBins

New Ways to **Super-Size & Organize**

- Provide additional options to efficiently organize large items and improve workflow
- Heavy-duty bins securely stack atop each other or can sit on shelving, carts or dollies



Super-Size	Outside Dimensions	Inside Dimensions	Accessories	
AkroBins	Inches	Inches	Dividers*	Windows

Mod	del No.	L	W	Н	L	W	Н	X	Max. Cap. per Bin	Stacking Cap./= Qty. Stacked	Ctn. Qty.	Width	Length	Divider W	Pkg. Qty. L	Windows	Window Pkg. Qty.
30	0280	20	12%	6	16%	1011/16	5%	15½	200 lbs.	40 lb./10	4	-	40280 (3)	-	2	21280	2
30	0281	20	12%	8	16%	1011/16	73/8	15½	200 lbs.	50 lb./7	3	-	40281 (3)	-	3	21281	3
30	0282	20	12%	12	16%	1011/16	11%	15½	200 lbs.	60 lb./5	2	-	40282 (3)	-	1	21282	2
30	0283	20	18%	12	16%	16%	11%	15½	300 lbs.	150 lb./5	1	-	40282 (3)	-	1	21283	1
30	0284	23%	81⁄4	7	20%	63/8	6%	19%	200 lbs.	150 lb./5	4	41284 (2)	40286 (1)	2	4	21284	4
30	0286	23%	11	7	20%	9%	6%	195/16	200 lbs.	150 lb./5	4	41286 (2)	40286 (3)	2	4	21286	4
30	0287	23%	11	10	20¾	9	91/8	195/16	300 lbs.	150 lb./5	4	41287 (2)	40287 (3)	6	6	21287	4
30	0288	23%	16½	11	20¾	14%	101/8	195/16	300 lbs.	150 lb./5	1	41288 (2)	40287 (3)	6	6	21288	1
30	0289	23%	181/4	12	20¾	16	111/8	191/4	300 lbs.	150 lb./5	1	41289 (2)	40289 (3)	2	1	21289	1
30	0290	291/4	18%	12	261/8	16%	11%	24¾	300 lbs.	150 lb./5	1	-	40290 (3)	-	1	21283	1
30	0292	29%	11	10	26¾	9	91/8	255/16	300 lbs.	150 lb./5	4	41287 (2)	40292 (3)	6	6	21287	4
30	0293	29%	16½	11	26¾	14%	101/8	255/16	300 lbs.	150 lb./5	1	41288 (2)	40292 (3)	6	6	21288	1

One color per carton: Specify Red, Blue, or Yellow. Not recommended to hang on rack or panel systems. Order in carton quantities. * () = Max. # of divider slots per bin.

Super-Size AkroBin Carts

Dimensions Inches

Model No.	Descriptions	L	W	Н	Capacity lbs.	No. of Handles	Ctn. Qty.
R214CS1841	Transports six 30283 Bins	41	18	48	900	2	1
R214CS1859	Transports nine 30283 Bins	59	18	48	1350	2	1
R214CS1878	Transports twelve 30283 Bins	78	18	48	1500	2	1
R214CS2841	Transports six 30290 Bins	41	271/2	48	900	2	1
R214CS2859	Transports nine 30290 Bins	59	271/2	48	1350	2	1
R214CS2878	Transports twelve 30290 Bins	78	271/2	48	1500	2	1
R216CS2236	Transports sixteen 30284 Bins, six 30286 Bins, six 30287 Bins, four 30288 Bins	351/2	221/8	35	900	1	1
R216CS2836	Transports six 30292 Bins, four 30293 Bins	351/2	281/8	35	900	1	1
R216CS2239	Transports four 30289 Bins	351/2	221/8	39	900	1	1

Optional security bar available for all sizes. Bins sold separately.

Super-Size AkroBin Dollies

Dimensions Inches

Model No.	Descriptions	L	W	Н	Casters	Capacity lbs.	Ctn. Qty.
RU843HR2018	Compatible with Model 30280, 30281, 30282 & 30283 Bins – Fits 1 wide	1713/16	18¾	411/16	3" Polyolefin	500	1
RU843HR2918	Compatible with Model 30290 Bins – Fits 1 wide	2613/16	18%	411/16	3" Polyolefin	500	1
RU843TP2122	Compatible with Model 30286 & 30287 Bins – Fits 2 wide	20%	21%	411/16	3" Polyolefin	500	1
RU843TP2227	Compatible with Model 30292 Bins – Fits 2 wide	21%	26%	411/16	3" Polyolefin	500	1
RU843TP1721	Compatible with Model 30284 Bins – Fits 2 wide Compatible with Model 30288 Bins – Fits 1 wide	16½	20%	411/16	3" Polyolefin	500	1
RU843TP1727	Compatible with Model 30293 Bins – Fits 1 wide	161/2	26%	411/16	3" Polyolefin	500	1
RU843TP1821	Compatible with Model 30289 Bins – Fits 1 wide	181/2	20%	411/16	3" Polyolefin	500	1

Bins sold separately.

related products

Increase the benefits of your Super-Size AkroBins with:

- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Shelf Cartpg. 47

Window Inserts Optimize interior space and keep contents visible



Carts & Dollies

AkroBin Carts Easy organization of bulky parts in 4, 6, 9, 12 and 16 bin configurations! Super-Size AkroBins (sold separately) store and organize large, bulky items · Heavy-duty frames with capacity from 900 - 1,500 lbs. **AkroBin Solid Steel Dollies** Available for efficient parts transport

Stak-N-Store Bins

heavy duty bins, totes, containers & small parts storage

• The perfect way to organize heavy, bulky items

Bins stack to form tall, stable storage arrangements on floors or standard industrial shelving

• 75 lb. weight capacity

· Color: Gray, Red and Blue

• 13017 is also available in White





Large radius corners and curved upper lip add



Side ribs add stability when stacked



Wide hopper front allows easy access to bulky items



grip handles



related products

Add mobility to your Stak-N-Store Bins with:

- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systems.....pgs. 40-42
- Solid Steel Dollies.....pg. 50
- VERSA/Deckpg. 53
- Platform Trucks.....pgs. 54-57



Secure Stacking


Stack bins together to form vertical storage and picking systems







Available for efficient, easy load transport



Stak-N-Store Bins	i	Outsi	de Dimei Inches	nsions		nside Diı İnc		S		
	Model No.	L	W	Н	L	W	Н	X	Capacity Cu. Ft.	Ctn. Qty.
	13014	171/2	10%	121/2	15% 8 12½		121/4	13½	.98	4
	13017	151/4	19%	121/16	13%	17½	121/4	11½	1.7	3
	171/2	16½	121/2	15%	13¾	121/4	131/2	1.6	2	

One color per carton. Specify Red, Blue or Gray. 13017 also available in White. Order in carton quantities.

- 3	steel Dolly			incnes					
		Model No.	L	W	Н	Ctn. Qty.	Capacity	Casters	Bin Compatibility
		RU843HR1617	16%	15¾	4½	1	900 lbs.	3″ Polyolefin	13018
		RU843HR1519	19¼	14%	41/2	1	900 lbs.	3″ Polyolefin	13017

Nest & Stack Totes

heavy duty bins, totes, containers & small parts storage







- Extremely durable industrial-grade totes
- · Ideal for shipping, transfer and storage applications
- · NSTs stack with or without lids for storage and shipping, nest when empty
- Strong, high impact polypropylene will not rust, corrode or bend out of shape even when fully loaded
- Heavy-duty construction provides a longer service life resulting in lower replacement costs than other "budget-priced" totes
- Easy to clean, smooth surfaces are resistant to most solvents and chemicals
- NSTs are manufactured from FDA-sanctioned materials
- Optional lids protect contents from dust and damage
- Available in 9 sizes and 3 colors: Red, Blue and Gray

features







Textured bottoms provide a no-slip grip on conveyor belts



Ribs under the lip will prevent jamming when nested

related products

Add mobility to your Nest & Stack Totes with:

- Cartspgs. 45-47
- Dollies.....pgs. 49-50
- Wire Shelving Systemspgs. 36-39

Available to transport containers - see pgs. 49-50



accessories



Clear Plastic Label Holders attach easily to NSTs, with or without the lid in place. Holders accommodate labels up to 3¾" x 5



Lids snap tight to protect contents. See lids chart for matching lid size below

Label Haldana

Label Holders		
Model No.	Pkg. Qty.	Label Size (In.)
35010	6	3¾ x 5
35011	6	3 x 5






Nest & Stack Totes (NSTs)	Outs	ide Dimer Inches	nsions		Insid	de Dimen: Inches	sions					
Model No.	L	w	Н	A	В	С	D	E	NST Ctn. Qty.	Cu. Ft.	Lid Model	Ctn. Qty.
35180	18	11	6	10	16	151/4	9%	5%	6	0.5	35181	6
35185	18	11	9	10	16	151/8	9%	8%	6	0.76	35181	6
35190	191/2	151/2	10	141/2	17	16	131/4	9%	6	1.2	35191	6
35195	191/2	151/2	13	141/2	17	15%	13%	12%	6	1.7	35191	6
35200	191/2	131/2	8	12%	171/8	16%	11½	7%	6	0.8	35201	6
35225	231/2	19½	10	181/4	20%	19%	16%	9%	3	2	35231	3
35230	231/2	191/2	13	18%	20%	19½	16%	121/8	3	2.6	35231	3
35240*	231/2	151/2	12	141⁄4	20%	19%	13	117/8	3	1.7	35241	3
35300*	291/2	191/2	15	181⁄4	26%	251/8	16%	147/8	3	3.7	35301	3
One color per carton. Specify color: I	One color per carton. Specify color: Red, Blue or Gray. Order in carton quantities. *Made of HDPE polyethylene.											



heavy duty bins, totes, containers & small parts storage

- Versatile work-in-process transfer containers
- Dividers allow subdivision of the containers down to a 11/8" square compartment size
- Injection-molded from polypropylene block copolymer
- Resists most solvents and chemicals
- Compatible with most racks, shelving and automated material handling equipment











Dividers allow subdivision of the containers down to a 11/8" square compartment size. Color: Black



Clear Plastic Label Holders snap securely on any side of the container




Clear Plastic Covers keep contents clean yet visible. Molded corner guides provide secure stacking





	Outside Dimensions Inside Dimensions Inches Inches									Come	. al de s		Accordan	
Akro-Grids	1.					inches			Ct. 0411	Capa	•	Laura Divident	Accessories	Div. Oter
Model No.	L L	W	Н	A	В	·	D	E	Ctn. Qty.	Cu. Ft.	Lbs.	Long Divider*	Short Divider*	Pkg. Qty.
33105	10%	81/4	5	611/16	95/16	9%	61/2	45/8	20	.16	25	42105 (5)	41105 (7)	6
33164	161/2	10%	4	9%	1415/16	1413/16	93/16	3%	12	.29	20	42164 (7)	41164 (11)	6
33166	161/2	10%	6	95/16	147/8	14¾	91/8	5%6	8	.44	35	42166 (7)	41166 (11)	6
33168	161/2	10%	8	95/16	1415/16	14%	91/16	7%16	6	.59	40	42168 (7)	41168 (11)	6
33220	22%	173/8	10	151/4	201/8	19%	14%	9%	2	1.66	50	42220 (11)	41220 (15)	6
33224	22%	17%	4	151/16	201/16	20	15	3%	6	.61 30		42224 (11)	41224 (15)	6
33226	22%	17%	6	15%	20%	19%	14%	5%	4	.96	40	42226 (11)	41226 (15)	6
33228	22%	173/8	8	151/8	20%	19%	14%	71/16	3	1.30	50	42228 (11)	41228 (15)	6




Class Diageis Cassas

Model No.	Fits Grid No.	Ctn. Qty.
33101	33105	10
33161	33166, 33168, 33164	4
33221	33228, 33220, 33226, 33224	3

Label Holders

Model No.	Description	Pkg. Qty.
35010	Fits all Akro-Grids except 33164 and 33224	6
35011	Fits grids No. 33164, 33224	6





Available to transport containers. See pgs. 49-50



Attached Lid Containers

heavy duty bins, totes, containers & small parts storage











Textured bottoms provide a sure grip on conveyor belts



Strong molded-in handle grips are ergonomically designed for easy lifting and carrying




Padlock eye on both ends accommodates security ties



Reinforced hinge pins for years of smooth lid operation

- ALCs stack and nest for optimal space use
- Reusable shipping, distribution, order picking, and storage containers
- Attached lids snap securely closed to protect contents from dust or damage
- Containers interwork for easy pallet loading
- See chart below for color options



Attached Lid Containers

 Models 39160, 39175 and 39280 are available in gray only

ALCs		Out	side Dimens Inches	ions	Insid	le Dimensio Inches	ns Top	Inside Dimen Inc	sions Bottoi hes	m	Capacity			
Model No.	Available Colors	L	w	Н	L	w	Н	L	w	Cu. Ft.	Gal.	Lbs.	Ctn. Qty.	Stack Cap./ Qty. Stacked
39085	Blue, Gray	21½	15	9	19¾	141/2	8%	187/16	131/4	1.12	8.5	35	6	35 lbs./5
39120	Blue, Green, Red, Gray	21½	15	12½	19¾	14½	12	187/16	131/4	1.62	12	65	6	65 lbs./5
39160	Gray	27	17	12½	25	15½	11	231/2	14	2.25	16.83	100	1	100 lbs./4
39170	Blue, Gray	21½	15	17	19¾	141/2	16%	187/16	131/4	2.28	17	100	3	100 lbs./3
39175	Gray	24	19½	121/2	22	18	11	201/2	16½	2.3	17.20	80	1	80 lbs./5
39280	Gray	28	21	15½	26	19	14	25	18	3.82	28.57	100	1	100 lbs./4

Order in carton quantities. Specify color when ordering.

Dollies

· Plastic, steel and wood dollies available to transport containers. See pgs. 49-50



Straight Wall Containers

heavy duty bins, totes, containers & small parts storage

- SWCs are reusable shipping, storage, and work-in-process containers
- Straight walls provide efficient internal and external space usage
- · Solid-sided containers have smooth inner walls for easy, sanitary cleaning
- Mesh-sided containers allow hot or cold air ventilation
- Injection-molded from high-density polyethylene
- Available in 4 sizes and 3 styles
- · Color: Gray









3 Styles Per Size: Solid, mesh and combinations

features



One-inch wall thickness for secure stacking



Strong, 1" wide, stacking rims and external ribbing provide added strength



Straight walls provide efficient cubing in trucks and on pallets



Open .72 x .90 mesh pattern allows high visibility and good airflow

related products

Add more productivity to your Straight Wall Containers with:

•	Carts	pgs.	45-47
•	Dollies	pgs.	49-50
•	Platform Trucks	pgs.	54-57



Plastic, steel and wood dollies available to transport containers. See pgs. 49-50

Straight Wall Containers (SV	VCs)		Outside Dimensions Inside Dimensions To Inches Inches					ns Top	Stacking Capacity / Qty. Bottom Type			
Model No. Mesh Side & Base	Model No. Mesh Side/Solid Base	Model No. Solid Side & Base	L	W	н	L	W	н	Ctn. Qty.	Solid	Mesh	
37208	37278	37288	15¾	11¾	81/4	141⁄4	101/4	8	12	83 lbs./6	30 lbs./6	
37608	37678	37688	23¾	15¾	81/4	221/4	141/4	8	4	83 lbs./6	45 lbs./6	
37612	37672	37682	23¾	15¾	121/4	221/4	141/4	12	3	125 lbs./5	45 lbs./5	
37616	37676	37686	23¾	15¾	16%	221/4	141/4	16	2	150 lbs./4	45 lbs./4	
Order in carton quantities.	order in carton quantities											



Cross-Stack Akro-Tub

heavy duty bins, totes, containers & small parts storage

- · Ideal for food processing and handling operations or industrial work-in-progress activities
- Industrial-grade 90° nest and stack tub
- Nesting when empty conserves storage space
- Molded-in side handles for comfortable lifting
- Manufactured from FDA-sanctioned materials
- Smooth surface is easy to clean
- Compatible with standard 36" shelving and conveyor systems
- Color: Gray



Akro-Tub & Rack

- · Heavy-duty, industrial-grade nesting tub
- Tub manufactured from FDA-sanctioned materials
- Smooth surface is easy to clean
- Nests when empty to conserve storage space
- Use the Akro-Tub Rack (RA6TR4MR) to provide easy loading and transport of multiple Akro-Tubs
- 75 lb. capacity per tub
- · Color: Gray



akro-tub features



Rounded corner design adds strength to stress points



Rolled top rim forms comfortable handles



Extra-thick walls for superior



Ribs prevent jamming when nested

Outside Dimensions

Cross-Stack Akro-Tub			outsi	Inches	1310113			
	Model No.	L	W	Н	A	В	Capacity Gal.	Ctn. Qty.
L	34301	171⁄4	11	8	131/4	7¾	3.85	6
	34302	171⁄4	11	12	12%	7	5.51	6
	34303	23¾	171⁄4	8	19¾	14	9.81	6
B	34304	23¾	171/4	12	19	131/4	14.38	6

Order in carton quantities.

Double-Sided Cross-Stac		Inches			
Model No.	Description	L	W	н	Rack Weight/lbs.
RACR5MR	Holds 32 (34301) Cross-Stack Akro-Tubs* or 16 (34303) Cross-Stack Akro-Tubs*	53	29	62	1000 lbs.

Order in carton quantities. *Tubs sold separately.

Akro-Tub			Inches				
Model No.	L	W	Н	A	В	Capacity Gal.	Ctn. Qty.
34240	19	241/2	91/2	20½	151/2	14.6	6

Order in carton quantities.

Akro-Tub Rack		Inches		
Model No.	Н	W	D	Casters
RA6TR4MR	73	24	24	4" x 2" Mold-On Rubber: 2 Rigid, 2 Swivel

cross-stack akro-tub features



Stacking grooves allow stable



Molded-in handles for easy lifting



Extra-thick walls and reinforcing ribs provide superior strength









Double-Sided Cross-Stack Tub Rack

· Holds 32 (34301) or 16 (34303) Cross-Stack Akro-Tubs*



Akro-Tub Rack

 Holds 6 Akro-Tubs on angle-iron slides for up to 600 lb. total capacity. Welded steel frame with 12-gauge base and boltedon casters.*

*Akro-Tubs sold separately.

Steel Storage Cabinets

heavy duty bins, totes, containers & small parts storage

19-Series Heavy-Duty Cabinets

- Frame: 17" W x 11" D x 11" H with five different drawer sizes
- 2 dividers per drawer
- Color Code make visual reference simple & guick
- Molded-in label holder
- Transparent window for content identification
- Rear stop tabs prevent spills
- Two cabinets fit side-by-side on 36" wide shelving



19-Series Drawers

- Available separately for a variety of uses
- Now available in 5 colors and 5 sizes!
- Made of high-impact polystyrene
- Drawers can be divided into as many as 8 compartments with dovetailed dividers, for customized storage

Dovetail dividers lock dividers securely in place



19228 - 28 Drawers

- Frame: 17" W x 11" H x 11" D
- Drawer: 23/8" W x 21/4" H x 1015/16" D



19715 - 15 Drawers

- Frame: 17" W x 11" H x 11" D
- Drawer: 35/16" W x 33/16" H x 1015/16" D



19320 - 20 Drawers

- Frame: 17" W x 11" H x 11" D
- Drawer: 35/16" W x 21/4" H x 1015/16" D



19909 - 9 Drawers

- Frame: 17" W x 11" H x 11" D
- Drawer: 5%6" W x 33/16" H x 1015/16" D



19416 - 16 Drawers

- Frame: 17" W x 11" H x 11" D
- Drawer: 43/16" W x 21/4" H x 1015/16" D



9 Drawers Frame: 17"W x 11"H x 11"D Drawer: 5%6" W x 33/6" H x 1015/16" D




98325

Storage Cabinets *Hanging & Rotary Systems*



30638 Louvered Rack



30661 Louvered Rack

- Holds up to 10 cabinets
- Max. 500 lbs.



30016

Double-Sided Rail Rack

- Mix or match up to 12 cabinets
- Optional Mobile Kit available (shown in picture)



Mobile Kit 30424

Rack can be mobilized with the optional mobile kit



Supports up to 500 lbs.

· Holds up to 1,000 lbs. of parts Accommodates models 19228,

Swing diameter 43%"

19320, 19416, 19715 and 19909

Steel Storage Cabinets

heavy duty bins, totes, containers & small parts storage

19-Series Heavy-Duty Steel Cabinets

Inside Drawer

Dividers

Drawers

Mobile Steel Cabinet Rack & Accessories

					. ,					
Model No.	Description	Drawers per Cabinet	w	Н	D	Ctn. Qty.	Drawer Model No.	Dividers 25/ Pkg. Model No.		
19228	Steel Storage Cabinet*	28	23/16	21/16	10%6	1	20228	40228		
19320	Steel Storage Cabinet*	20	3¾6	21/16	10%6	1	20320	40320		
19416	Steel Storage Cabinet*	16	4	21/8	10%	1	20416	40416		
19715	Steel Storage Cabinet*	15	3¾6	31/16	10%6	1	20715	40715		
19909	Steel Storage Cabinet*	9	53/16	31/16	10%6	1	20909	40909		
19109‡	Steel Storage Cabinet w/ Locking Door	9	53/16	31/16	10%6	1	20909	40909		

Model No.	Description						
30016	Double-Sided Rail Rack – 36"W x 24"D x 57"H						
30424	30424 Mobile Kit						
98400	98400 Suspension Straps (Set of 2)**						

Assembly required. Mix or Match 19-Series Steel Cabinet packages. See chart above. **98400 suspension straps required for hanging. Two straps per cabinet needed to secure cabinet to rack.

One drawer color per cabinet: Specify Red, Blue, Yellow, Gray or Black when ordering. Two removable dividers and one label per drawer included.

* Available with a locking door when ordered in quantities of 50 or more. * Not available with colored drawers.

Accam	hla	d Dim	nanci	one l	ln

Model No.	Description	L	w	н	Compatible with Models*
98325	Storage-Go-Round with turntable base	31	31	60	19228, 19320, 19416, 19715, 19909

Assembly required. * 19-Series Cabinets sold separately.

Rack Dimensions (In.) **Louvered Hanging Systems**

Model No.	Description	L	w	Н	Compatible with Models*
30638	Louvered Rack Single-Sided	18	131/2	66¾	19228, 19320, 19416, 19715, 19909, 19109
30661	Louvered Rack Single-Sided	36¾6	13½	66%	19228, 19320, 19416, 19715, 19909, 19109

Easy one-person assembly required. *19-Series Cabinets sold separately. Specify Red, Blue, Yellow, Gray or Black when ordering. **98400 suspension straps required for hanging. Two straps per cabinet needed to secure cabinet to rack.

Light-Duty Steel Storage Cabinets



17-Series Light-Duty Cabinet

- Durable steel frame
- Removable drawers are rust, corrosion and dent-proof

17018 - 18 Drawers

- Frame: 18" W x 6" D x 9½" H
- · Drawer depth 5¾"

17-Series Light-Duty Steel Cabinet

Drawer Dimensions (In.)

Model No.	Description	Drawers Per Cabinet*	W	Н	D	Ctn. Qty.	Drawer Model No.	Dividers 25/Pkg. Model No.
17018	Storage Cabinet*	18	2¾	2½	5¾	1	20902	40901

storage cabinet features

‡ One removable divider and one label per drawer included. * Available with a locking door when ordered in quantities of 50 or more.



Plastic Storage Cabinets

- Strong plastic cabinets organize and protect components
- A variety of drawer configurations provide versatile storage solutions
- Cabinets stack securely and are wall mountable
- · Dividers included

Frame Dimensions (In)

				,	
Model No.	Description	w	Н	D	Ctn. Qty.
10116	16-Drawer Cabinet	10%16	81/2	6%	1
10124	24-Drawer Cabinet	20	15 ¹³ ⁄16	6¾	1
10126	26-Drawer Cabinet	20	1011/32	6%	1
10144	44-Drawer Cabinet	20	1513/16	6¾	1
10164	64-Drawer Cabinet	20	1513/16	6¾	1

16-Drawer Cabinet has 8 dividers. All other cabinets have 8 small and 4 large dividers.

Additional Dividers (Plastic Cabinets)

interlocks into face

ĺ	Model No.	Description
	40716	16-Pack additional dividers for small drawers
	40717	6-Pack additional dividers for large drawers

see-through drawers with

finger grip drawer pulls



10116 - 16 Drawers



10124 - 24 Drawers



10126 - 26 Drawers



10144 - 44 Drawers • Frame: 20" W x 1011/32" H x 63/4" D • Frame: 20" W x 1513/4" H x 63/4" D



10164 - 64 Drawers

Frame: 20" W x 1513/6" H x 63/8" D

Rugged, high-impact

polystyrene frame

Storage Cases

heavy duty bins, totes, containers & small parts storage

- Grid design in lid keeps items from spilling into other compartments
- Cases available in 3 sizes with different divider configurations
- Small and medium cases include 4 front-to-back adjustable dividers
- Large cases include 5 front-to-back adjustable dividers
- Clarified polypropylene for durability










milaii v	S IV	leai	um '	Cas
-	_	_	_	\neg
1		1	- 1	
1		1		
- 1	-	-		\neg
1		1		
1	1	1		
-	_	_	_	\neg
1	1	1		
Fixed Divis	ders			

	Med	diun	ı Ca	ses			
			1		1		
	-		_		_		
	\Box				_		
2 Fixed Dividers							





Portable Organizers



- · Unique design keeps parts and equipment from migrating to other compartments when lids are shut
- Separate lid compartment holds small items
- The main compartment holds larger, bulky items
- Dividers included for both levels
- · Molded-in "feet" allow case to stand upright



Roto-Shelf



- Mobile storage unit can easily be moved to different work areas, ideal for assembly components
- 19%" wide unit takes up very little floor space
- 3 shelves rotate on an independent central metal shaft
- Shelf depth 2½", Shelf diameter 19½", 75 lbs. per shelf, 300 lb. total wt. capacity

Tote Caddy



- Hand-held tool and supply caddy
- Deep compartments hold loose parts, cleaning supplies or tools for easy transport
- Molded of heavy-duty, industrial-grade polypropylene for lasting durability
- Color: Blue

	Storage Cases						
	Model No.	Description		W	Н	Max. Compartments	Ctn. Qty.
	05705	Small Case – 2 Fixed Dividers	8%	51/8	15/8	15	12
	05805	Medium Case – 2 Fixed Dividers	11	7	23/8	15	6
	05905	Large Case – 2 Fixed Dividers	14%	91/2	21/2	18	6
Order in conten quantities							

Order in carton quantities

Portable Organizers			Inches			
Model No.	Description	L	W	н	Max. Compartments	Ctn. Qty.
06115	Lid Storage Organizer	15	115/16	31/4	11 to 46	1
06118	Large Lid Storage Organizer	181/4	13%	3%	12 to 62	1
06217	Flat Bottom Organizer	1115/16	15	3%	9 to 32	6

Order in carton quantities.

Roto-Shelf	hes			
Model No.	Description	D	Н	Ctn. Qty.
02420	Roto Shelf	19%	37½	1

Tote Caddy Inches					
Model No.	Description	L	W	Н	Ctn. Qty.
09185BLUE	Tote Caddy	13%	18¾	9	6

Order in carton quantities





Wire Shelving Systems

shelving systems & cabinets

- More than 50 system options for bin and shelf configurations!
- Six customizable shelf sizes available: 14" x 36", 18" x 36", 24" x 36", 18" x 48", 24" x 48" and 24" x 60"
- Wide variety of heights and styles: 63" upright with casters and 74" upright stand alone to fit all locations
- Open wire design minimizes dust collection and improves visibility for stored contents
- NSF approved
- Stationary units hold a maximum of 2,000 lbs.
- Mobile units with casters have a maximum load capacity of 900 lbs.
- Max. weight capacity per shelf: 48" or shorter = 800 lbs.
 - Longer than 48'' = 600 lbs.









Make organization **Easy** and more **Efficient**

- Build complete work cell systems
- · Constructed from steel with a chrome finish for durability and strength
- Works with a variety of Akro-Mils storage products to organize parts or products and increase workspace efficiency
- Streamlines workflow and order picking



Frames

Lightweight yet strong metal framework secures the shelving in place



Shelves

Adjustable to hold many Akro-Mils storage and organization products



Quick-Adjust Clips

Clips lock into the frame trunk, and unlock to



Screws securely into uprights to level shelf system on uneven surfaces



Easy Set-up

Durable, versatile Wire Shelving allows quick, one-person set-up and installation

Create Easy, Durable Storage & Organization with **Custom Wire Shelving Packages!**

AkroBin® Wire Systems



Shorten Assembly Times

- Three sizes allow for a wide variety of Bin and Shelf configurations
- Durable AkroBins feature a curved-bottom hopper front, making it easy to retrieve small parts
- AkroBins, pgs. 4-6

Indicator[™] Wire Systems



Shorten Assembly Times

- Effective inventory at a alance
- Holds (88) 36442BLUE bins and (55) 36462BLUE bins
- 2,000 lb. max. weight capacity per unit
- · Indicator Bins, pg. 21

System Bin[™] Wire Systems



Speed Set-Up & Organization

- Available with 11 Shelves
- Holds 10 System Bins
- Quickly organize with System Bins: one-piece, six-bin units
- System Bins, pg. 24

Stak-N-Store Wire Systems



Maximize Space Utilization

- Available with 5 Shelves
- Configure for 6, 8, 9 or 12 Bins
- Bins feature a wide hopper front for easy access - ideal for bulky items
- Stak-N-Store Bins, pg. 28

Shelf Bin Wire Systems



Sort Parts to Improve Efficiency

- · Available with 12 Shelves
- · Configure for 36, 48, 60 or 96 Bins
- Strong, polypropylene Shelf Bins outlast corrugated bins
- Shelf Bins, pgs. 12-14

Akro-Grid Wire Systems



Improve Productivity

- Available with 7, 9 or 12 Shelves
- Configure for 24 or 36 Akro-Grids
- Versatile, work-in-process containers with optional dividers for compartments
- Akro-Grids, pg. 30

Nest & Stack Wire Systems



Simplify Workflow

- Available with 4 or 9 Shelves
- Configure for 12 or 36 Nest & Stack Totes
- Industrial-grade totes are ideal for transfer applications. Optional tote lids protect contents from dust. Label Holders allow quick content ID
- · Nest & Stack Totes, pg. 29

Straight Wall Container Wire Systems



Optimize Floor Space

- Configured with 6 Shelves
- Holds 12 Straight Wall Containers
- Containers available with smooth, solid sides or an open mesh pattern for high visibility and airflow
- Straight Wall Containers, pg. 32

VantageBin[™] Wire Systems



Boost Organization

- · Available with 11 Shelves
- Configure for 40 or 42 VantageBins
- · Sturdy, functional bin customizable with up to 10 compartments to fit unique sizes of products
- · VantageBins, pg. 22

Akro-Tub Wire Systems



Improve Inventory Control

- Available with 4 or 7 Shelves
- Configure for 12 or 24 Akro-Tubs
- Akro-Tubs feature extrathick walls for strength. Rolled rims form comfortable handles
- Akro-Tubs, pg. 33

24" Super-Size AkroBin® Wire Systems



Increase Storage Capacity

- Available with 3, 4 or 5 shelves that are 24" deep
- Combine with stackable 24" Super-Size AkroBins to optimize spacing between shelves
- Super-Size AkroBins, pgs. 26-27

ShelfMax[™] Wire Systems



6" Bins Maximize Storage Capacity

- Available with 8 Shelves
- · Configure for 64 or 40 Bins
- 7 Bin Sizes & 5 Colors
- · ShelfMax Bins, pg. 13

shelving systems & cabinets













AkroBin® Wire Systems			Bin	Dimensi (Inches)		Shel	lf Dimens (Inches)	ions		
Model Number	Description	AkroBin Colors	1	W	Н	D	- 1	Н	# of Bins	Shelves
AWS143630320	Wire Shelving w/ 30320 Bins	B, R, Y, G, S, B	85/8	33	6	14	36	74	20	11
AWS143630240	Wire Shelving w/ 30240 Bins	B, R, Y, G, S, B, SC	14¾	81/4	7	14	36	74	36	4
AWS143630250	Wire Shelving w/ 30250 Bins	B, R, Y, G, S, B, SC	14¾	16½	7	14	36	74	18	4
AWS184830260	Wire Shelving w/ 30260 Bins	B, R, Y, G, S, B, SC	18	11	10	18	48	74	24	6
AWS183630265	Wire Shelving w/ 30265 Bins	B, R, Y, G, S, B, SC	18	81/4	9	18	36	74	18	5
AWS183630270	Wire Shelving w/ 30270 Bins	B, R, Y, G, S, B, SC	18	16½	11	18	36	74	9	5
AWS2460M30358	Mobile Wire Shelving w/ 30358 Bins	BEIGE	20½	11	7	24	60	68	30	6

Bin color code: R=Red, B=Blue, Y=Yellow, G=Green, W=White, GRY=Gray, S=Stone, B=Black, SC=Semi-Clear. Specify one bin color when ordering.

		Bin	(Inches)	ons	She				
Description	System Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
Wire Shelving w/ 30312 Bins	B, R, Y, G	33	12	5	14	36	74	10	11
Wire Shelving w/ 30318 Bins	B, R, Y, G	33	18	5	18	36	74	10	11
	Description Wire Shelving w/ 30312 Bins	Description System Bin Colors Wire Shelving w/ 30312 Bins B, R, Y, G	Description System Bin Colors L Wire Shelving w/ 30312 Bins B, R, Y, G 33	(Inches) Description System Bin Colors L W Wire Shelving w/ 30312 Bins B, R, Y, G 33 12	Description System Bin Colors L W H Wire Shelving w/ 30312 Bins B, R, Y, G 33 12 5	(Inches) Description System Bin Colors L W H D Wire Shelving w/ 30312 Bins B, R, Y, G 33 12 5 14	(Inches) (Inches) (Inches) Description System Bin Colors L W H D L Wire Shelving w/ 30312 Bins B, R, Y, G 33 12 5 14 36	(Inches) (Inches) Description System Bin Colors L W H D L H Wire Shelving w/ 30312 Bins B, R, Y, G 33 12 5 14 36 74	(Inches) (Inches) (Inches) Description System Bin Colors L W H D L H # of Bins Wire Shelving w/ 30312 Bins B, R, Y, G 33 12 5 14 36 74 10

Bin color code: R=Red, B=Blue, Y=Yellow, G=Green. Specify one bin color when ordering.

Stak-N-Store Wire Syste	Bii	n Dimensi (Inches)		Shel	f Dimens (Inches)					
Model Number	Description	Stak-N-Store Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS184813017	Wire Shelving w/ 13017 Bins	GRY, R, B, W	15½	19%	121/16	18	48	74	9	5
AWS183613014	Wire Shelving w/ 13014 Bins	GRY, R, B	171/2	10%	12½	18	36	74	12	5
AWS183613018	Wire Shelving w/ 13018 Bins	GRY, R, B	171/2	16½	121/2	18	36	74	8	5
AWS1836SNS Wire Shelving w/ 13014 GRY, R, B & 13017* Bins GRY, R, B		S	ee Abov	e	18	36	74	6/6	5	

^{*13017} also available in White. Bin color code: R=Red, B=Blue, W=White, GRY=Gray. Specify one bin color when ordering.

Shelf Bin Wire Systems			Bin	Dimensi (Inches)	ons	Shel	f Dimens (Inches)	ions		
Model Number	Description	Shelf Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS143630120	Wire Shelving w/ 30120 Bins	B, R, Y, G, W	11%	41/8	4	14	36	74	96	12
AWS143630130	Wire Shelving w/ 30130 Bins	B, R, Y, G, W	11%	6%	4	14	36	74	60	12
AWS143630150	Wire Shelving w/ 30150 Bins	B, R, Y, G, W	11%	83/8	4	14	36	74	48	12
AWS143630170	Wire Shelving w/ 30170 Bins	B, R, Y, G, W	11%	11%	4	14	36	74	36	12
AWS183630128	Wire Shelving w/ 30128 Bins	B, R, Y, G, W	17%	41/8	4	18	36	74	96	12
AWS183630138	Wire Shelving w/ 30138 Bins	B, R, Y, G, W	17%	65/8	4	18	36	74	60	12
AWS183630158	Wire Shelving w/ 30158 Bins	B, R, Y, G, W	17%	83/8	4	18	36	74	48	12
AWS183630178	Wire Shelving w/ 30178 Bins	B, R, Y, G, W	17%	111/8	4	18	36	74	36	12
AWS244830124	Wire Shelving w/ 30124 Bins	B, R, Y, G, W	23%	41/8	4	24	48	74	96	12
AWS244830164	Wire Shelving w/ 30164 Bins	B, R, Y, G, W	23%	6%	4	24	48	74	60	12
AWS244830184	Wire Shelving w/ 30184 Bins	B, R, Y, G, W	23%	8¾	4	24	48	74	48	12
AWS244830174	Wire Shelving w/ 30174 Bins	B, R, Y, G, W	23%	111/8	4	24	48	74	36	12

Bin color code: R=Red, B=Blue, Y=Yellow, G=Green, W=White. Specify one bin color when ordering.

Akro-Grid Wire Syste	Akro-Grid Wire Systems				Bin Dimensions Shelf Dimensions (Inches)					
Model Number	Description	Akro-Grid Tote Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS183633166	Wire Shelving w/ 33166 Grids	B, R, GRY	16½	10%	6	18	36	74	36	9
AWS183633168	Wire Shelving w/ 33168 Grids	B, R, GRY	16½	10%	8	18	36	74	24	7
AWS2460M33224	Mobile Wire Shelving w/ 33224 Grids	B, R, GRY	22%	17%	4	24	60	68	36	12

Bin Dimensions

Shelf Dimensions

Bin color code: R=Red, B=Blue, GRY=Gray,. Specify one bin color when ordering.

<u>.</u>	nuicator wire systems				(inches)			(inches)			
	Model Number	Description	Indicator Colors	L	W	Н	D	L	Н	# of Bins	Shelves
NEW	AWS143636442B	Wire Shelving w/ 36442 Indicator Bins	Blue/Orange	11%	41⁄4	4	14	36	74	96*	11
producti	AWS143636462B	Wire Shelving w/ 36462 Indicator Bins	Blue/Orange	11%	6¾	4	14	36	74	60*	11
*	Bonus Bins Included										









Shalf Dimensions

Shelf Dimensions















Lids sold separately. Bin color code: R=Red, B=Blue, GRY=Gray. Specify one bin color when ordering.

Straight Wall Container W	/ire Systems		BIN	(Inches)	ons	Sner	ז טוmensi (Inches)	ons		
Model Number	Description	Container Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS244837608	Wire Shelving w/ 37608 Containers	GRY	23¾	15¾	81⁄4	24	48	74	12	6

/antageBin [™] Wire Systen	(Inches)			Jilei	(Inches)					
Model Number	Description	VantageBin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS183630400	Wire Shelving w/ 30400 Bins	GRY, Y, W	16¾	71/4	5%	18	36	74	40	11
AWS244830420	Wire Shelving w/ 30420 Bins	GRY, W	24	51/2	7	24	48	74	40	11

Bin color code: Y=Yellow, W=White, GRY=Gray. Specify one bin color when ordering.

Akro-lub Wire Systems				(Inches)			(Inches)			
Model Number	Description	Akro-Tub Colors	- 1	W	H	D	L	Н	# of Bins	Shelves
AWS1836M34301	Mobile Wire Shelving w/ 34301 Tubs	GRY	171/2	11	8	18	36	68	21	7
AWS2460M34240	Mobile Wire Shelving w/ 34240 Tubs	GRY	19	241/2	91/2	24	60	68	12	4

Bin Dimensions

5	uper-Size AkroBin	® Wire Systems		Bir	Dimensi (Inches)			f Dimensi (Inches)	ions		
	Model Number	Description	Super-Size AkroBin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
	AWS184830280	Wire Shelving w/ 30280 Bins	R, B, Y	20	123/8	6	18	48	74	24	9
	AWS184830281	Wire Shelving w/ 30281 Bins	R, B, Y	20	12¾	8	18	48	74	18	7
Ī	AWS184830282	Wire Shelving w/ 30282 Bins	R, B, Y	20	12¾	12	18	48	74	12	5
Ī	AWS184830283	Wire Shelving w/ 30283 Bins	R, B, Y	20	18	12	18	48	74	8	5
	AWS1848SAB	Wire Shelving w/ 30280, 281, 282, 283 Bins	R, B, Y	9	See Abov	⁄e	18	48	74	4/4/3 /4	6
W	AWS24360284	Wire Shelving w/ 30284 Bins	R, B, Y	23%	81/4	7	24	36	74	28	8
1	AWS24360287	Wire Shelving w/ 30287 Bins	R, B, Y	23%	11	10	24	36	74	16	6
Ī	AWS24360288	Wire Shelving w/ 30288 Bins	R, B, Y	23%	16½	11	24	36	74	12	3
Ī	AWS24360SAB	Wire Shelving w/ 30287 & 30288 Bins	R, B, Y	9	ee Abov	e	24	36	74	12/6	3
	AWS24361288	Wire Shelving w/ 30288 Bins	R, B, Y	23%	16½	11	24	36	63	10	3

Bin color code: R=Red, B=Blue, Y=Yellow. Specify one bin color when ordering.

-	-		=	7
				H
		ü	ä	ì
		И		
9	-	4	5	Ц
h		브	şi.	4
۲	ü		ä	H
	-	٠.		1

	ShelfMax [™] Wire Sys	stems		DII	(Inches)			(Inches)			
	Model Number	Description	ShelfMax Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
	AWS143630040	Wire Shelving w/ 30040	R, B, Y, G, W	11%	41/8	6	14	36	74	64	8
_	AWS143630080	Wire Shelving w/ 30080	R, B, Y, G, W	11%	83/8	6	14	36	74	32	8
	AWS183630088	Wire Shelving w/ 30088	R, B, Y, G, W	17%	83/8	6	14	36	74	32	8
H	AWS143630090	Wire Shelving w/ 30090	R, B, Y, G, W	11%	65%	6	14	36	74	40	8
J. J.	AWS183630048	Wire Shelving w/ 30048	R, B, Y, G, W	17%	41/8	6	18	36	74	64	8
	AWS183630098	Wire Shelving w/ 30098	R, B, Y, G, W	17%	65%	6	18	36	74	40	8

Bin color code: R=Red, B=Blue, Y=Yellow, G=Green, W=White. Specify one bin color when ordering.

accessories Mas



Footplates Steel tips on bottom of frames prevent movement of stationary units



Locking Casters Highly maneuverable, locking wheels create mobile or stationary units



Non-Locking Casters Highly maneuverable, non-locking wheels create mobile units



Color Coding

Visual reference made simple! Color code work areas with Wire Shelving Systems for quick identification of stored items

Steel Shelving Systems

shelving systems & cabinets

- More than 40 system options for bin and shelf configurations
- Manufactured from high-grade, 22-gauge steel with a powder-coated finish
- Can be ordered independently or purchased with bins as a complete system
- Shelving units are easy to assemble, using nuts and bolts only on the top and bottom shelves
- Other shelves are quickly assembled, and can be adjusted when necessary, using compression clips
- All units feature a "sanitary" base that keeps debris and small parts from underneath the shelving
- 1236 Enclosure or 1836 Enclosure can be purchased separately for use with any AS1279 or AS1879 open shelving unit







Per Shelf Weight Capacity:

- 12 x 36 = 500
- 24 x 36 = 550
- $18 \times 36 = 550$ $18 \times 42 = 355$
- 30 x 36 = 600

Super-Size & Organize with Steel Shelving Systems!

 Accommodates new 24" and 30" Super-Size AkroBins

 Efficiently organize large, heavy items and improve workflow







24" Super-Size Steel Shelf Unit

Expand Storage Options

- Available with 3 or 4 shelves
- Complete packages available with the 24" Super-Size AkroBins to efficiently organize large items and improve workflow
- Stacking AkroBins on top of each other on each shelf saves valuable space
- Super-Size AkroBins, pgs. 26-27

30" Super-Size Steel Shelf Unit



Lengthen Storage Capability

- Available with 3 or 4 shelves
- Complete packages available with the 30" Super-Size AkroBins to efficiently organize large items and improve workflow
- Stacking AkroBins on top of each other on each shelf saves valuable space
- Super-Size AkroBins, pgs. 26-27

12" System Bin™ Shelf Unit



Free Up Floor Space

- Available with 11 shelves
- Includes (10) 30312 System Bins
- Quickly organize with System Bins: one-piece, six-bin unit
- · System Bins, pg. 24

18" System Bin™ Shelf Unit

Indicator™ Bin Shelf Unit



Increase Work In Process Efficiency

- Available with 11 shelves
- Includes (10) 30318 System Bins
- Quickly organize with System Bins: one-piece, six-bin unit
- System Bins, pg. 24



Never Run Out of Inventory

- Available with 12 shelves
- Holds (96) 36442BLUE bins and (60) 36462BLUE bins
- 500 lb. weight capacity per shelf, up to 8,500 lbs.
- Indicator Bins, pg. 21

36" Wide Stak-N-Store Systems

42" Wide Stak-N-Store Systems



Boost Organization

- Available with 6 shelves
- Configure for 15, 10 or 6 Stak-N-Store bins depending on bin size selected
- Wide, hopper-front Stak-N-Store bins are perfect to store large, heavy or bulky items
- · Stak-N-Store bins, pg. 28



Maximize Space Utilization

- Available with 6 shelves
- Comes complete with 12 Stak-N-Store bins
- Wide, hopper-front Stak-N-Store bins are perfect to store large, heavy, or bulky items
- · Stak-N-Store bins, pg. 28

AkroBin® Shelf Rack



Shorten Assembly Times

- · Available with 4 shelves and solid top for extra workspace
- Configured to hold (12) 30240 AkroBins and (6) 30250 AkroBins
- Durable AkroBins feature a curved-bottom hopper front, making it easy to retrieve small parts
- AkroBins, pgs. 4-6

12" Shelf Bin System



Sort Parts To Improve

Efficiency · Available with 13 shelves

- Holds up to (96) 18" deep Shelf Bins or (144) 12" deep Shelf Bins
- Strong, polypropylene Shelf Bins outlast corrugated bins
- Shelf Bins, pgs. 12-14

ShelfMax[™] Shelf Unit



6" Bins Maximize Storage Capacity

- Available with 10 shelves
- Configure for 40 to 80 bins
- 7 Bin Sizes & 5 Colors
- ShelfMax Bins, pg. 13





12" Shelf Bin Systems Bin Dimensions (Inches) Shelf Dimensions (Inches) **Model Number** Description Bin Model No. # of Bin Shelve AS1279 Shelving (no Bins) 12 36 79 13 AS1279110Y Shelving with Bins 30110YELLO 115/8 144 13 23/4 4 12 36 79 AS1279120Y Shelving with Bins 30120YELLO 11% 41/8 12 79 96 13 AS1279130Y Shelving with Bins 30130YELLO 115/8 4 79 60 65/8 12 36 13 AS1279150Y Shelving with Bins 30150YELLO 115/8 83% 4 12 79 48 13 36 30170YELLO AS1279170Y Shelving with Bins 115/8 111/8 79 36 13 4 12 36

12″ System Bin Shelf Unit	Bin Din	ensions ((Inches)	Shelf Dimensions (Inches)						
Model Number	Description	Bin Model No.	L	W	Н	D	- 1	Н	# of Bins	Shelves
AS1279312R	Shelving with System Bins	30312RED	33	12	5	12	36	79	10	11
AS1279312B	Shelving with System Bins	30312BLUE	33	12	5	12	36	79	10	11
AS1279312Y	Shelving with System Bins	30312YELLO	33	12	5	12	36	79	10	11
AS1279312G	Shelving with System Bins	30312GREEN	33	12	5	12	36	79	10	11

Steel Shelving Systems shelving systems & cabinets



















18" Shelf Bin Systems	8" Shelf Bin Systems					Shelf Di	mension	s (Inches)	
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS1879	Shelving (no Bins)	-	-	-	-	18	36	79	-	12
AS1879128Y	Shelving with Bins	30128YELLO	17%	41/8	4	18	36	79	96	12
AS1879138Y	Shelving with Bins	30138YELLO	17%	6%	4	18	36	79	60	12
AS1879158Y	Shelving with Bins	30158YELLO	17%	8¾	4	18	36	79	48	12
AS1879178Y	Shelving with Bins	30178YELLO	171/8	111/8	4	18	36	79	36	12

8″ System Bin Shelf Unit				ensions ((Inches)	Shelf Di	mension)		
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS1879318R	Shelving with System Bins	30318RED	33	18	5	18	36	79	10	10
AS1879318B	Shelving with System Bins	30318BLUE	33	18	5	18	36	79	10	10
AS1879318Y	Shelving with System Bins	30318YELLO	33	18	5	18	36	79	10	10
AS1879318G	Shelving with System Bins	30318GREEN	33	18	5	18	36	79	10	10

ndicator™ Bin System				ensions ((Inches)	Shelf Di	mension			
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelvess
AS127936442B	Shelving, with Indicator Bins	36442BLUE	11%	41⁄4	4	12	36	79	96	12
AS127936462B	Shelving, with Indicator Bins	36462BLUE	11%	6¾	4	12	36	79	60	12

6″ Stak-N-Store System				Bin Dimensions (Inches)			mension	s (Inches))	
Model Number	Description	Bin Model No.	L	W	Н	D	- 1	Н	# of Bins	Bonus Bins
AS187936	Shelving (no Bins)	-	-	-	-	18	36	79	-	=
AS187913014	Shelving, with Bins	13014	171/2	10%	121/2	18	36	79	15	1
AS187913018	Shelving, with Bins	13018	171/2	16½	12½	18	36	79	10	-
AS1879ASORT	Shelving, with Bin Mix	13014, 13018	S	ee Abov	e	18	36	79	6/6	2/0

42" Stak-N-Store System	Bin Din	ensions	(Inches)	Shelf Di	mension)				
Model Number	Description	Bin Model No.	L	W	Н	D	1	Н	# of Bins	Bonus Bins
AS187942	Shelving (no Bins)	-	-	-	-	18	42	79	-	-
AS187913017	Shelving, with Bins	13017	151/4	19%	121/16	18	42	79	10	2

Ak	croBin Shelf Rack		Unit Din	nensions	(Inches)	Shelf Di	mension	s (Inches)	
	Model Number	Description	L	W	Н	L	W	Н	Rack Weight Capacity
	RABR5338	Holds twelve 30240 Bins and six 30250 Bins*	531/2	151/4	37%	171⁄4	151/4	73/8	300 lbs.
*B	ins sold separately.								

24" Super-Size Shelving System

_		•		DIII DIII	iciioioiio (menes	Jileii Di	inchior.	(inches)		
	Model Number	Description	Bin Model No.	1	W	Н	D	L	H	# of Bins	Shelves
	AS2479	Shelving (no Bins)	-	-	-	-	24	36	79	-	-
AJ	AS2479284	Shelving with 30284 Bins	30284	23%	81/4	10	24	36	79	24	3
ř	AS2479287	Shelving with 30287 Bins	30287	23%	11	10	24	36	79	24	3
1	AS2479288	Shelving with 30288 Bins	30288	23%	16½	11	24	36	79	12	4
	AS2479ASSORT	Shelving with 30287/30288 Bins	30287/30288	S	ee Abov	e	24	36	79	12/6	3

0″Super-Size Shelving System			Bin Dimensions (Inches)			Shelf Di	mension					
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves		
AS3679	Shelving (no Bins)	-	-	-	-	30	36	79	-	-		
AS3679292	Shelving with 30292 Bins	30292	29%	11	10	30	36	79	24	3		
AS3679293	Shelving with 30293 Bins	30293	29%	161/2	11	30	36	79	12	4		
AS3679ASSORT	Shelving with 30292/30293 Bins	30292/30293	S	ee Abov	e	30	36	79	12/6	3		
C :C 1: 1												

ShelfMax [™] Shelf Unit			Bin Dim	ensions ((Inches)	Shelf Di	mension	s (Inches))	
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS1279040	12" Steel Shelving	30040	11%	41/8	6	12	36	79	80	10
AS1279080	12" Steel Shelving	30080	11%	83/8	6	12	36	79	40	10
AS1279090	12" Steel Shelving	30090	11%	65/8	6	12	36	79	50	10
AS1879048	18" Steel Shelving	30048	17%	41/8	6	18	36	79	80	10
AS1879088	18" Steel Shelving	30088	17%	83//8	6	18	36	79	40	10
AS1879098	18" Steel Shelving	30098	17%	65%	6	18	36	79	50	10
AS2479094	24" Steel Shelving	30094	23%	6%	6	24	36	79	50	10

Heavy-Duty Cabinets

shelving systems & cabinets

- Heavy-Duty Cabinets provide MAXIMUM space for storage of parts and protect contents from dust, damage and theft
- Powder-coated paint is resistant to cuts and scratches
- Industrial-strength lock and key ensure complete security
- Cabinets ship assembled, shelving and panels require installation
- Shelves are adjustable on 2" centers allowing the flexibility of securely storing multiple-sized objects
- 3 configurations Shelves, Louvered Panels, Combination with Bins
- Removable louvered panels attach to solid steel back panel
- 16-gauge steel construction









Heavy-Duty Cabinet

- Model No. HD4824A
- Cabinet with shelves only

Heavy-Duty Cabinet

- Model No. HD4824E
- Cabinet with louvers and bins





Heavy-Duty Cabinet

- Model No. HD4824F
- Cabinet with louvers and bins

Bin Dimensions (Inches) Heavy-Duty Cabinet 48"W x 24"D x 78"H Bin Model No Model No. Qty. of Bins Description HD4824A Cabinet w/Shelves Only HD4824E 30220YELLO Cabinet w/ Louvers 73/8 41/8 3 160 30230YELLO 10% 51/2 5 24 30240YELLO 14¾ 81/4 7 20 30235YELLO 10% 11 5 12 HD4824F Cabinet w/ Louvers 30220YELLO 3 73/8 41/8 160 30230YELLO 10% 5 48 30240YELLO



shelving systems & cabinets

- Made from 16-gauge steel
- Powder-coated finish

Heavy-Duty Cabinets and Standard Cabinets can accommodate:

- AkroBins.....pgs. 4-6
- Shelf Binspgs. 12-14



AkroBin® Cabinet

- Model No. AC3624Y
- Louvered panels on back wall and doors hold up to 138 bins



AkroBin® Cabinet with 3 Shelves

- Model No. AC3624Y3AS
- · Louvered panels and 3 full 24" shelves hold up to 102 bins



AkroBin® Cabinet with Flush Doors

- Model No. AC3618Y
- · Louvered panel on back wall holds up to 42 bins



Quick-View Security Bin Cabinet

- Model No. AC3618QV240
- Lexan[™] door panels;
- louvered back wall panel
- Holds up to 36 bins



Secure View Security Bin Cabinet

- Model No. AC3618SV250
- Steel mesh door panels; louvered back wall panel
- Holds up to 36 bins



- For use with Standard Cabinets only
- Easily convert large cabinets to mobile units!
- Bin Cabinet Dollies feature solid, powder-coated steel deck with 1¼" lip and welded corners



AkroBin Cabinet 36°	W x 24″D x 78″H	Bin Dimensions (Inches)								
Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins				
AC3624	Cabinet w/ Louvered Panels on Back & Doors, no Bins	-	-	-	-	-				
AC3624Y	Cabinet w/ Louvered Panels on Back & Doors with Bins	30210YELLO	5%	41/8	3	48				
		30220YELLO	73/8	41/8	3	48				
		30230YELLO	10%	5½	5	24				
		30240YELLO	14¾	81/4	7	12				
		30250YELLO	14¾	16½	7	6				

roBin Cabinet w	′ 3 Shelves 36″W x 24″D x 78″H		Bin Dimensions (Inches)						
Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins			
AC36243AS	Cabinet w/ 3 Shelves, and Louvered Panels on Back Wall and Door, no Bins	-	-	-	-	-			
AC3624Y3AS	Cabinet w/ 3 Shelves, and Louvered Panels on Back Wall and Door, with Bins	30210YELLO	5%	41/8	3	48			
		30220YELLO	73/8	41/8	3	48			
		30250YELLO	14¾	16½	7	6			

AkroBin Cabinet w/	Flush Doors 36"W x 18"D x 78"H		Bin Dimensions (Inches)				
Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins	
AC3618	Cabinet w/ Louvered Panels on Back Wall, no Bins	-	-	-	-	-	
AC3618Y	Cabinet w/ Louvered Panels on Back Wall, with Bins	30230YELLO	10%	51/2	5	24	
		30240YELLO	14¾	81/4	7	12	
		30250YELLO	14¾	16½	7	6	

Quick-View Security Bin Cabinet 36"W x 18"D x 78"H Bin Model No. Qty. of Bins Model No. W Description Cabinet w/ Quick View Doors, AC36180V Louvered Back, no Bins Cabinet w/ Quick View Doors, AC3618QV240 30240YELLO 7 36 143/4 81/4 Louvered Back, with Bins Cabinet w/ Quick View Doors, Louvered Back, with Bins AC3618QV250 30250YELLO 14¾ 161/2

Secure-View Security	Bin Dimensions (Inches)					
Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins
AC3618SV	Cabinet w/ Secure View Mesh Doors, Louvered Back, no Bins	-	-	-	-	-
AC3618SV240	Cabinet w/ Secure View Mesh Doors, Louvered Back, with Bins		14¾	81/4	7	36
AC3618SV250	Cabinet w/ Secure View Mesh Doors, Louvered Back, with Bins	30250YELLO	14¾	16½	7	18

Bin Cabinet Dollies	Dollies Dimensions (Inches)						
Model No.	Description	L	W	Н	Polyolefin Casters	Weight Capacity	
AC803618M26	18 x 36 Bin Cabinet Dolly	36½	181/2	51/4	3 x 1¼″	1000 lbs.	
AC803624M26	24 x 36 Bin Cabinet Dolly	361/2	241/2	6½	4 x 1¼″	1000 lbs.	



mobile systems & work centers

- Hinged side gates on both shelves flip up or down to convert the ProCart to a flat-top or box-top cart
- A versatile work center for the assembly line, warehouse or wherever you need portable storage
- High-density polyethylene structural foam construction is dent-resistant, rust-proof and never needs painting
- 400 lb. maximum cart load. 200 lb. capacity per top and bottom shelf
- Assembly required
- Color: Gray











Deep, molded-in compartments keep items secured and within reach (Only large cart has mug holder.)



full-width handle gives complete handling control



rail system (sold separately) allows AkroBins® to hang



Toe-touch, locking swivel wheels



Smooth, rounded corners and edges



non-marking 5" wheels



makes loading and unloading oversized boxes on the lower shelf easy



AkroBins Ordering Information

To create a customized ProCart with AkroBins, use the chart below to determine the quantity of AkroBins that will fit your ProCart. Carts, rail kits and bins must be ordered separately. When ordering, please specify Red, Yellow, Blue, Stone, Green, Semi-Clear or Black bins.



Large Cart Model No. 30936 Shown with optional rail kit

Optional 9-Rail Hanging System Ordering Information

The 9-Rail Hanging System is required to hang AkroBins and modular cabinets on your ProCart. For large cart rails, order Model No. 30906. For small cart rails, order Model No. 30900. Refer to pg. 34 for modular cabinets.





Dimensions

ProCart			Inches		
Model No.	Description	L	W	Н	Ctn. Qty.
30936	Large Cart	45%	24	34¾	1
30930	Small Cart	411/2	19	34¾	1

Easy assembly — requires Phillips screwdriver and rubber mallet







Use this chart when ordering one size AkroBins for your ProCart

Bin Model No. Bin Dim. L x W x H	30210 5% x 4% x 3	30220 7% x 4% x 3	30224 10% x 4% x 4	30230 10% x 5½ x 5	30234 14¾ x 5½ x 5	30235 10% x 11 x 5	30239 10¾ x 8¼ x 7	30240 14¾ x 8¼ x 7	30250 14¾ x 16½ x 7	30255 10¾ x 16½ x 5	30320 8% x 33 x 5	19-Series Cabinet
30936 Large Cart	80	80	48	36	36	18	16	16	8	12	6	4
30930 Small Cart	70	70	42	30	-	12	12	-	-	-	-	2



- Industrial-grade mobile workstation with a welded-steel frame and steel reinforced premium hardwood work surface
- Available in two worktop sizes: 48" L x 24" W (for 12" AkroDrawers) and 36" L x 18" W (for 18" AkroDrawers)
- Features two stationary shelves for AkroDrawers
- Made from 16-gauge steel with durable powder-coated finish
- Non-marking casters allow weight capacity of 800 lbs.
- Small cart has four 4" casters
- Large cart has four 5" casters
- Ships fully assembled and ready to use
- Colors: Textured Charcoal Gray and Textured Putty







Louvered panels on cart ends can accommodate various sizes of AkroBins



Tubular push handle featured on end of carts with swivel casters for easy handling



Raised barriers near shelf edges keep AkroDrawers from sliding out when cart is in motion or during sudden stops or turns





Small Louvered Cart 37"L x 18"W x 36"H

Model No.	Description	Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color
MA3618C	Small Louvered Cart with no AkroDrawers	Textured Charcoal Gray	800 lbs.	-	-
MA3618CAST	MA3618CAST Small Louvered Cart with 31168 & 31188 AkroDrawers		800 lbs.	12/4	R,B,Y,GRY,CRY

Model No.	Description	Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color
MA3618P	MA3618P Small Louvered Cart with no AkroDrawers		800 lbs.	-	-
MA3618PAST	MA3618PAST Small Louvered Cart with 31168 & 31188 AkroDrawers		800 lbs.	12/4	B,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cart. Blue or Crystal Clear available with Putty Cart. Only one color per unit.

Large Louvered Cart 49"L x 24"W x 37-1/2"H

Luige Louveled Curt 42	turge bouveled care 47 LX 24 W X 37 HZ II						
Model No.	Description	Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color		
MA4824C	MA4824C Large Louvered Cart with no AkroDrawers		800 lbs.	-	-		
MA4824C1	MA4824C1 Large Louvered Cart with 31142 & 31162 AkroDrawers		800 lbs.	22/16	R,B,Y,GRY,CRY		
MA4824C2	Large Louvered Cart with 31142 & 31182 AkroDrawers	Textured Charcoal Gray	800 lbs.	22/10	R,B,Y,GRY,CRY		

Model No.	Description	Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color
MA4824P Large Louvered Cart with no AkroDrawers		Textured Putty	800 lbs.	-	-
MA4824P1 Large Louvered Cart with 31142 & 31162 AkroDrawers		Textured Putty	800 lbs.	22/16	B,CRY
MA4824P2	MA4824P2 Large Louvered Cart with 31142 & 31182 AkroDrawers		800 lbs.	22/10	B,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cart. Blue or Crystal Clear available with Putty Cart. Only one color per unit. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yellow

AkroDrawers	Outside Dimensions Inches

Model No.	L	W	Н
31142	11%	3¾	45/8
31162	11%	5%16	45/8
31182	11%	83/8	45/8
31168	17%	5%16	45/8
31188	17%	83/8	45/8




mobile systems & work centers

- · Heavy-duty carts designed for daily work
- Welded steel cart rolls smoothly on long-wearing casters
- Built to withstand loads up to 2,200 lbs. with recommended casters
- Swayback-style tubular push handle (Models R1S5HR and R1S8MR have vertical handles)
- Choose from several caster options as well as rubber matting, a writing shelf and drawers
- Ships completely assembled and ready to use











Longitudinal stiffeners support bottom shelf



Heavy-duty, 13-gauge steel shelves



Cart Sizes - Specify size when ordering.

- Standard -• 24" x 36"
- 24" x 48"
- 30" x 48"
- 30" x 60"

Specify cart size when ordering. See page 61 for full description of casters and wheels.

Shelf Carts Height Shelf Clearance								
Weight Capacity (lbs.)	Caster	Shelves	Inches	Inches	Handle			
1200	8" Full Pneumatic	2	33½	20¾	Swayback			
1200	10″ Full Pneumatic	2	351/4	20¾	Swayback			
1800	5″ x 2″ Polyolefin	2	30	20¾	Vertical			
1800	5″ x 2″ Polyolefin	2	25	15½	Swayback			
2200	8" x 2" Mold-On Rubber	2	33	20¾	Vertical			
2200	8" x 2" Mold-On Rubber	2	33	20¾	Swayback			
	1200 1200 1800 1800 2200	1200 8" Full Pneumatic 1200 10" Full Pneumatic 1800 5" x 2" Polyolefin 1800 5" x 2" Polyolefin 2200 8" x 2" Mold-On Rubber	1200 8" Full Pneumatic 2 1200 10" Full Pneumatic 2 1800 5" x 2" Polyolefin 2 1800 5" x 2" Polyolefin 2 2200 8" x 2" Mold-On Rubber 2	Weight Capacity (lbs.) Caster Shelves Inches 1200 8" Full Pneumatic 2 33½ 1200 10" Full Pneumatic 2 35¼ 1800 5" x 2" Polyolefin 2 30 1800 5" x 2" Polyolefin 2 25 2200 8" x 2" Mold-On Rubber 2 33	Weight Capacity (lbs.) Caster Shelves Inches 1200 8" Full Pneumatic 2 33½ 20¾ 1200 10" Full Pneumatic 2 35¼ 20¾ 1800 5" x 2" Polyolefin 2 30 20¾ 1800 5" x 2" Polyolefin 2 25 15½ 2200 8" x 2" Mold-On Rubber 2 33 20¾			

^{**}Low deck to minimize lifting & bending. Also available in 18 x 30 - not available in 30 x 60.

Multi-Shelf Carts			Height	Shelf Clearance		
Model No.	Weight Capacity (lbs.)	Caster	Shelves	Inches	Inches	Handle
R2ST5HR*	1800	5″ x 2″ Polyolefin	2	30	20¾	Horiz. Tubular
R3ST5HR	1800	5″ x 2″ Polyolefin	3	30	95%	Horiz. Tubular
R4ST5HR	1800	5″ x 2″ Polyolefin	4	631/4	17	Horiz. Tubular
R4ST8MR	2200	8" x 2" Mold-On Rubber	4	661/4	17	Horiz. Tubular
R5ST5HR**	1800	5″ x 2″ Polyolefin	5	631/4	12½	Horiz. Tubular
R5ST8MR**	2200	8" x 2" Mold-On Rubber	5	66¼	12½	Horiz. Tubular

^{*}Only available in 18 x 30. **Also available in 36 x 72.

System Bin Multi-Shelf Ca	System Bin Multi-Shelf Carts			Height			
Model No.	Weight Capacity (lbs.)	Caster	Caster Shelves Inches				Color
R5SYT5HR2436**	1800	5″ x 2″ Polyolefin	5	40	Horiz. Tubular	30312/10	RYBG
R5SYT8MR2436**	2200	8" x 2" Mold-On Rubber	5	43	Horiz. Tubular	30312/10	RYBG
R5SYT5HR3636**	1800	5″ x 2″ Polyolefin	5	40	Horiz. Tubular	30318/10	RYBG
R5SYT8HR3636**	2200	8" x 2" Mold-On Rubber	5	43	Horiz. Tubular	30318/10	RYBG
**Only available in 24" x 36" or	36" x 36" decks. Bin color cod	e: R=Red, B=Blue, Y=Yellow, G=Green. S	pecify color w	hen ordering.			

Swayback Handle



Handle



Tray Service Cart mobile systems & work centers



- Excellent for libraries and manufacturing operations
- 2 swivel, 2 fixed casters

Cart Sizes

Standard -

Optional -• 18" x 36"

- 18″ x 30″ 24" x 36"
- 24" x 48"
- Specify size when ordering

tray service cart features						
12" deep tray	13-gauge steel	Tubular push handle	12%" clear shelf spacing, with 1½" lip			

Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster information.

Tray Service Cart Overall Dimensions (in.) Model No Casters Weight Capacity (lbs.) R2T5HR1830 5" Polyolefin 1800 18 30 321/2 R2T5HR2436 24 321/2 5" Polyolefin 1800 36 R2T5HR2448 1800 24 48 321/2 5" Polyolefin R2T8MR2448 24 48 351/2 8" Mold-On Rubber 2200

Box Trucks



- All box trucks have 2 swivel, 2 rigid, 5" x 2" polyolefin casters
- Solid steel or expanded metal sides available
- 1,800 lbs. capacity
- Available with optional lid



Expanded Metal Box

Expanded metal for easy cleaning, good airflow and visibility of contents. 311/2" overall height; 25" inside depth

ox Trucks			
Model No.	Description	Caster Type	Weight Capacity (lbs.)
R1B5HR	Steel Box Truck	5″ Polyolefin	1800
R1B5HRL	Steel Box Truck with Lid	5″ Polyolefin	1800
R1B5HRX	Expanded Metal Box Truck	5″ Polyolefin	1800
R1B5HRXI	Expanded Metal Box Truck with Lid	5" Polyolefin	1800

Box Sizes

- 24″ x 36″
- 24" x 48"
- 30" x 36" • 30" x 48"
- Specify size when ordering



Standard Caster **Polyolefin**

See pg. 61 for more caster information

High-End Narrow Aisle Truck

- Extra-narrow aisle truck for order-picking and stocking where space is limited
- Slim design fits easily in tight areas
- Centered, 8" wheels and casters at each corner allow cart to turn within its own diagonal space
- Available in plywood deck with steel frame or all-steel deck
- 1,500 lb. capacity



Steel Deck



Plywood Deck

Cart Sizes Standard -

18" x 48"

Optional -. 18″ x 60′

24" x 60"

24" x 48"

Specify size when ordering

gh-End Narrow Aisle Trucks							
Model No.	Description	Center Casters	Corner Casters	Weight Capacity (lbs.)			
R215HE	Plywood Deck Steel Frame	8″ Mold-On Rubber	4″ Polyolefin	1500			
R214HE	All-Steel	8″ Mold-On Rubber	4″ Polyolefin	1500			



mobile systems & work centers

- Constructed from select kiln-dried hardwoods to prevent warping and shrinkage
- All boards are cut and planed to %" with guaranteed consistent quality
- Four, 3" polyolefin swivel casters offer 900 lb. capacity (See caster options for up to 1,400 lb. capacity)
- Standard deck height 5¾"
- Shipped fully assembled

Hardwood deck with countersunk bolt holes for a smooth working surface

Non-marking 3" swivel casters with

polyolefin wheels

Zinc-plated rigs and

hardware resist corrosion



Solid Dolly

- Three cross battens on 36" & 48" length
- Smooth, treated deck with countersunk bolts



Flush Dolly

- Full, 4" wide by 134" thick double length rails
- Smooth, open deck



Regular Dolly

- Strength and reliability at an economy price
- All rails are 4" wide



Carpet End Dolly

Padded carpeting[‡] protects furniture and appliances



Rubber Cap Dolly

Non-skid reinforced 3" wide rubber caps keep slippery loads in place without damage



All-Carpet Solid Dolly

- · Strength and reliability at an economy price
- Fully carpeted[‡] deck prevents damage to cargo [‡]Pattern of carpet may vary







Wood Dollies

Dimensions

Model No.	Description	L	W
RD2416S3P	Solid Dolly	24	16
RD2718S3P	Solid Dolly	27	18
RD3018S3P	Solid Dolly	30	18
RD3624S3P	Solid Dolly	36	24
RD4824S3P	Solid Dolly	48	24
RD2416F3P	Flush Dolly	24	16
RD2718F3P	Flush Dolly	27	18
RD3018F3P	Flush Dolly	30	18
RD3624F3P	Flush Dolly	36	24
RD4824F3P	Flush Dolly	48	24
RD2416R3P	Regular Dolly	24	16
RD3018R3P	Regular Dolly	30	18
RD3624R3P	Regular Dolly	36	24
RD3018CE3P	Carpet End Dolly	30	18
RD3624CE3P	Carpet End Dolly	36	24
RD2718RC3P	Rubber Cap Dolly	27	18
RD3018RC3P	Rubber Cap Dolly	30	18
RD3018AC3P	All-Carpet Solid Dolly	30	18
RD3624AC3P	All-Carpet Solid Dolly	36	24

Caster Options

Model No.	Description	Weight Capacity (lbs.)
3P	3" Polyolefin Casters	900
4P	4" Polyolefin Casters	1200
5P	5P 5" Polyolefin Casters	
3R	3 Gray Non-Marking Rubber	
35R	3½" Gray Non-Marking Rubber	900
4Rx	4" Blue Elastic Rubber	900
4R	4" Non-Marking Rubber Casters	1100
5R	5" Non-Marking Rubber Casters	1350

Casters & Wheels Caster & Wheel choices

allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

accessories Ories



Wheel Locks



Tow Eye R1495

Brake Kits

Brake kits installed on two swivel casters – optional (non-returnable)				
R1130BRK	3" Brake Kits for Hard Rubber Casters			
R1151BRK	3″ Brake Kits for Polyolefin Casters			

Dollies Polyethylene mobile systems & work centers









High-impact, durable polyethylene construction

Steel-reinforced, one-piece deck design

- Easy to clean, non-porous platform will not rot, mildew or splinter
- 1,200 lb. weight capacity
- Quick, easy assembly
- Colors: Blue or Red



Dollies Steel

- Durable, powder-coated finish
- Open structural angle dollies, 1½" x 1½" x ½"
- Solid decks are smooth, 13-gauge steel
- 1½" lip turned down for a smooth surface. Order lips up for a contained area
- Up to 1,000 lb. weight capacity





Solid Deck - Lips Up



Solid Deck - Lips Down







Open Angle - Lips Down

Dimensions

r oryethylene Donles		IIIC	lies		ilicites	
Model No.	Description	1	W	Caster Type*	Overall Height	Weight Capacity (lbs.)
RMD3018F4PN	Flush Polyethylene w/ Casters	30	18	4″ Polyolefin	7¾	1200
RMD3018RC4PN	Padded Polyethylene w/ Casters	30	18	4″ Polyolefin	8¾	1200
RMD3018FN	Flush Polyethylene w/o Casters	30	18	-	23/4	-
RMD3018RCN	Padded Polyethylene w/o Casters	30	18	-	3¾	-
RMD3018F4RX	Flush Polyethylene w/ Casters	30	18	4" Blue Elastic Rubber	7¾	1200
RMD3018RC4RX	Padded Polyethylene w/ Casters	30	18	4" Blue Elastic Rubber	8¾	1200

Plate-style 4" polyolefin swivel casters for maximum maneuverability and easy replacement

Specify color when ordering

Steel Dollies					Inches	Inches	Inches
Style	Lips Down Model No.	Lips Up Model No.	Capacity	Caster Type*	Caster Size	Deck Height Up	Deck Height Down
Solid Dolly	RD843HR	RU843HR	900 lbs.	Polyolefin	3 x 1¼	5½	41/8
Solid Dolly	RD843SS	RU843SS	1000 lbs.	Semi-Steel	3 x 1¼	5½	41/8
Solid Dolly	RD844HR	RU844HR	1000 lbs.	Polyolefin	4 x 1½	6%	5¼
Solid Dolly	RD844SS	RU844SS	1000 lbs.	Semi-Steel	4 x 1½	6%	5¼
Open Angle	RD853HR	RU853HR	900 lbs.	Polyolefin	3 x 1¼	5¾	43%
Open Angle	RD853SS	RU853SS	1000 lbs.	Semi-Steel	3 x 1¼	5¾	43%
Open Angle	RD854HR	RU854HR	1000 lbs.	Polyolefin	4 x 1½	6%	5½
Open Angle	RD854SS	RU854SS	1000 lbs.	Semi-Steel	4 x 1½	6%	5½

Deck Sizes

Standard

• 16" x 27" • 18" x 30" • 18" x 24" • 24" x 36"

Specify size when ordering

*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.





Medium-Duty

- Medium-duty hand trucks for day-to-day work
- Welded-steel construction supports up to 300 lbs.
- Durable, powder-coated finish
- %" OD structural pipe frame, 13-gauge wall
- Standard 7" x 14" steel nose plate
- Ships completely assembled and ready to use
- %" diameter axle
- Two position bracket fits 8" or 10" wheels
- Heavy flat bar and tube for climbing stairs







Semi-Pneumatic 10" x 23/4



10" x 31/2"



8" x 2'





Heavy-Duty

- Heavy-duty hand trucks for all types of loads
- Welded-steel hand trucks support up to 500 lbs.
- Durable, powder-coated finish
- 1" OD structural pipe frame, 13-gauge steel *Special-order products are not returnable.
- %" diameter axle
- Standard 8" x 14" steel nose plate
- Optional 10" x 14" or 14" x 14" noseplate available*
- Two position bracket fits 8" or 10" wheels





Single & Dual Gas Trucks

- Heavy-duty truck designed to handle 330 cu. ft. cylinders
- Available in single and dual cylinder models
- Includes heavy-duty holding chain
- Hard rubber swivel caster
- Color: Green



Single Cylinder Hand Truck

- Perfect for medium to large cylinders
 - Also transports boxes or other bulky items
 - Includes heavy-duty holding chain Color: Green



Flow Back (FB)



Inches Medium-Duty Hand Trucks - Flow Back Model No Wheel Type Wheel Size R3008MR Mold-On Rubber 8 45 19% R3010FP **Full Pneumatic** 45 22 R3010SP Semi-Pneumatic 45 20

Heavy-Duty Ha	nd Trucks – Flow Back	Inches	Inc	hes
Model No. Wheel Type		Wheel Size	Н	W
R4008MR	Mold-On Rubber	8	45	19¾
R4008MR2 Mold-On Rubber		8	52	19¾
R4010FP	Full Pneumatic	10	45	22
R4010FP2	Full Pneumatic	10	52	22
R4010SP Semi-Pneumatic		10	45	20
R4010SP2	Semi-Pneumatic	10	52	22

Н	eavy-Duty Ha	nd Trucks – Dual Loop	Inches	Inc	hes
	Model No.	Wheel Type	Wheel Size	Н	W
	R4510SP	Semi-Pneumatic	10	46	20
	R4510SP2	Semi-Pneumatic	10	53	20

Single & Dual Ga	Inches			
Model No.	Model No. Truck Type Wheel Type			
RGTS10FP	Single	Full Pneumatic	10 x 3½	
RGTD10FP	Dual	Full Pneumatic	10 x 3½	
RGTS10SP	Single	Semi-Pneumatic	10 x 2¾	
RGTD10SP	Dual	Semi-Pneumatic	10 x 2¾	
CTC D D	1 . 4	V C"D OALL 45" 1143		

- GTS Base Plate 14" W x 6" D, OAH 45" 1143
- GTD Base Plate 29" W x 6" D, OAH 45" 1143

Dual Cylinder Truck w	Inches	
Model No.	Wheel Size	
RCT40LW Lightweight		8 x 1¾
Base Plate – 17		

Single Cylinder Hand 1	Inches	
Model No. Wheel Type		Wheel Size
RCTV40SP	Semi-Pneumatic	10 x 2¾

Base Plate – 14" W x 7" D, OAH – 48" 1219



Hand Trucks & Drum Handling Equipment

mobile systems & work centers



Cradle Combo Truck

- A drum truck and cradle in one
- Handles 30 and 55-gallon drums with ease
- Extra wheels assist in climbing curbs or loading pallets
- Adjustable clip keeps drum in place
- 15/16" OD tube frame
- Durable, powder-coated finish



Cradle Combo Truck		Inches	Inches	
Model No.	Wheel Type	Wheel Size	Roller Bearing	Load Capacity
R9508MR2	Mold-On	8 x 2	3/4	1000 lbs.
		6 x 2	3/4	
R9510MR2	Mold-On	10 x 2½	1	1200 lbs.
		6 x 2	3/4	





- - Durable, powder-coated finish

Cradle Combo Truck

For the ease of rolling 30 and 55-gallon drums

Drum Dolly			
Model No.	Wheel Type	Load Capacity	Diameter
DOJECHD	3" Curinal Dahralata	000 lbs	221/″ID





- Multi-purpose hand truck for carting 5-gallon pails
- Cross straps with supporting arms hold pails in place while in transit
- Welded, 1" structural pipe frame with 1/8" walls; durable, powder-coated finish
- Holds 4 pails, up to 300 lbs. capacity

Pail Truck		Inches	Inches	Inches
Model No.	Wheel Type	Wheel Size	Overall Height	Overall Width
RPT4010SP	Semi-Pneumatic	10	551/2	181/2





Dual-Purpose Hand Truck



- Dual-function hand truck converts to platform position for oversize loads
- Welded, 15/16" OD tube frame and 1" OD tube handle powder-coated finish for durability
- Up to 600 lbs. capacity in platform mode
- Large 7" x 14" nose plate
- Axle accommodates 8" or 10" wheels
- Color: Silver

Dual-Purpose Hand Truck		Inches	Inches	Inches
Model No.	Wheel Type	Wheel/Caster Size	Overall Height	Overall Width
RDT4008SP	Semi-Pneumatic	8/3	46	19%
RDT4010FP	Full Pneumatic	umatic 10/5 46		22
RDT4010SP	Semi-Pneumatic	10/5	46	20



mobile systems & work centers

Versatile, structural foam cart with multiple handle and caster options

Sturdy, easy-to-clean deck resists most chemicals and damage from long-term weather exposure

All decks are steel reinforced

Designed with handles mounted outside of deck to maximize deck space

Choose the deck size, caster type and handle style to create the exact configuration you need

Decks are available in two sizes: 24" x 48" and 30" x 60"

1,000 lb. load capacity

Deck color: Gray





platform surface



heavy-gauge steel handles and rails



Steel outside deck pockets are welded to underdeck reinforcements



foam deck is reinforced with steel for long-term durability

24" x 48" Dec	ks & Casters*	Inches	
Model No. Caster Type		Caster Size	Ship Wt. w/o handles
R90181 Pneumatic		8	69 lbs.
R90162	Polyolefin	6	61 lbs.
R90163	R90163 Polyurethane		61 lbs.
R90182	Mold-On Rubber	8	81 lbs.
R90184	Polyolefin	8	65 lbs.
R90110	R90110 Pneumatic		77 lbs.
R90185	Thermo-Plastic	8	61 lbs.

30" x 60" Dec	ks & Casters*	Inches	
Model No. Caster Type		Caster Size	Ship Wt. w/o handles
R90281	R90281 Pneumatic		93 lbs.
R90262	R90262 Polyolefin		85 lbs.
R90263	R90263 Polyurethane		85 lbs.
R90282	R90282 Mold-On Rubber		105 lbs.
R90284	Polyolefin	8	89 lbs.
R90210	Pneumatic	10	101 lbs.
R90285	R90285 Thermo-Plastic		85 lbs.

Handles & Rails for 24" x 48" VERSA/Deck Cart								
Model No.	Size (inches)	Style	Handle	Color	Ship Wt.			
Outside Deck								
R92411	18	Open	Swayback	Gray	5 lbs.			
R92412	18	Crossbar	Swayback	Gray	6 lbs.			
Handle Rails Indeck								
R94817	48	Crossbar	Straight	Gray	14 lbs.			

Handles & Rails for 30" x 60" VERSA/Deck Cart

Model No.	Size (inches)	Style	Handle	Color	Ship Wt.		
Outside Deck							
R93011	24	Open	Swayback	Gray	9 lbs.		
R93012	24	Crossbar	Swayback	Gray	10 lbs.		
Handle Rails Indeck							
R96017	60	Crossbar	Straight	Gray	16 lbs.		


*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

How to Order

STEP 1 – pick a deck & casters*

Refer to charts above to select deck size and casters



Deck sizes

- 24" x 48"
- 30" x 60"
- · Color: Gray

*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

STEP 2 - pick a handle & rails


Refer to charts above to select handle and rail configuration



Handle - Outside Deck



Handle Rails - Indeck





Platform Trucks Wood Deck

mobile systems & work centers









- Safely transport product, minimize lifting/carrying
- Heavy-duty platform trucks with kilndried, tongue and groove hardwood decks
- Caster options allow 1,180 to 3,000 lb. capacities
- Choose from multiple options in deck type, size, handles, casters, running gear patterns, bumpers and wheel locks
- Decks are 4/4 (%" thick)
- Shipped completely assembled and ready to use
- Casters are bolted on for easy replacement



How to Order in 7 Easy Steps!

pick a deck size

Deck sizes

- 24" x 48"
 - 27" x 54"
- 30" x 60"
- 36" x 72"

Styles

- Series 1 All Wood
- Standard with removable lattice pipe handle at swivel end

pick a deck style (series 1 or 2)

- Two swivel, two rigid casters
- See caster options for capacity

Series 2 – Wood Deck with Steel Frame

- 2" x 2" x 1/8" welded steel angle frame keeps cart square (On 36" x 72" deck, 2" x 2" x 36")
- · Heavy-duty steel frame for additional deck support
- Standard with removable lattice pipe handle at swivel end
- The wood deck is reinforced with longitudinal stiffeners for maximum capacity. (See caster options for capacity)
- Two swivel, two rigid casters

pick superstructure (A-D)

Superstructure













pick running gears



Rigid caster



Swivel caster







Two Rigid Two Swivel





pick caster type & size







Polyurethane





Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.








create your model number

Call your Akro-Mils distributor with your model number today to order

model i	# step 1	step 2	step 3	step 4	step 5	step 6
Platfori Truck		Series	Super- structure	Running Gear Type	Caster Wheel	Caster Wheel Diameter
RPT	2448 2754 3060 3672	1 2	A B C D	4 5 6 7	P M Y N R S	5 6 8 10
RPT	3060	2	Α	5	Р	6

Platform Trucks Steel mobile systems & work centers

- Heavy-duty steel trucks with longitudinal steel underdeck reinforcements
- Standard two swivel, two rigid casters
- Special-order platform trucks are available. See page 54 to select from multiple options in handles, casters and running gears (Special-order products are not returnable)



Casters are bolted on for easy replacement







HEavy-DUty DECK SIZES

- 24" x 36" • 30" x 48" 36" x 60" 24" x 48" 30" x 60" 36" x 72"
- 24" x 60"
- 27" x 54"

Specify size when ordering







steel deck and frame





run lengthwise under the deck

industrial casters

Platform Trucks – Steel			Inches		Inches
Model No.	Description	Caster Type*	Caster Size	Weight Capacity (lbs.)	Deck Height
R2108FPB	Steel Platform	Full Pneumatic	8 x 2	1200	11½
R2125MRB	Steel Platform	Mold-On Rubber	5 x 2	1200	8
R2168MRB	Steel Platform	Mold-On Rubber	8 x 2	2000	11

*See page 61 for full description of casters and wheels

Platform Trucks Super-Heavy-Duty

- Super-heavy-duty wood deck steel frame trucks
- Steel C-channel underdeck reinforcements
- Capacity 1,200 to 4,000 lbs. depending on caster type





Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

ACCESSOTIES for either Steel or Super-Heavy-Duty









Floor Locks

Corner Bumpers

Continuous Bumpers

SUPER-HEavy-DUty DECK SIZES

24" x 48" • 30" x 60" 30" x 48" • 36" x 72"

Specify size when ordering

Platform Trucks – Super-H	eavy-Duty Steel		Inches				
Model No.	Description	Caster Type*	Caster/Wheel Size	Weight Capacity (lbs.)	Deck Height		
R2178MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2	2000	121/4		
R219885MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2 / 8 x 2 ½	2500	12½		
R221812MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2 / 12 x 2½	3000	16		
R2258516MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2½ / 16 x 3	4000	19½		
*Soo page 61 for full description	of castors and whools						



Platform Trucks Work Height — Heavy-Duty

mobile systems & work centers

- Ergonomic height reduces the strain of lifting and bending
- Welded tubular steel frame supports heavy loads
- Fixed and adjustable heights available
- Two deck sizes available: 24" x 48" and 30" x 60"
- Hardwood, steel or structural foam deck available

Hardwood deck features tongue and groove design Heavy-duty structural foam will not splinter, chip or rot

Steel frame features durable, powder-coated finish

Optional expanded metal or solid steel lower shelf









accessories Ories





Expanded Metal Shelf

Optional Corner Bumper

Height - Tubular Steel Frame Inches Inches						
Deck Type	L	W	Н	Caster Type*	Caster Size	Weight Capacity (lbs.)
Wood	24	48	26%	Mold-On Rubber	8	1800
Structural Foam	24	48	26%	Mold-On Rubber	8	1800
Structural Foam	24	48	241//8	Polyurethane	6	2000
Steel	24	48	251/4	Mold-On Rubber	8	1800
Steel	24	48	231/4	Polyurethane	6	1800
Wood	30	60	26%	Mold-On Rubber	8	1800
Structural Foam	30	60	26%	Mold-On Rubber	8	1800
Structural Foam	30	60	24%	Polyurethane	6	2000
Steel	30	60	251/4	Mold-On Rubber	8	1800.
Steel	30	60	231/4	Polyurethane	6	1800
	Wood Structural Foam Structural Foam Steel Steel Wood Structural Foam Structural Foam Structural Foam	Wood 24 Structural Foam 24 Structural Foam 24 Steel 24 Steel 24 Wood 30 Structural Foam 30 Structural Foam 30 Steel 30 Steel 30 Steel 30	Wood 24 48 Structural Foam 24 48 Structural Foam 24 48 Steel 24 48 Steel 24 48 Wood 30 60 Structural Foam 30 60 Structural Foam 30 60 Steel 30 60 Steel 30 60	Wood 24 48 26% Structural Foam 24 48 26% Structural Foam 24 48 24% Steel 24 48 25¼ Steel 24 48 23¼ Wood 30 60 26% Structural Foam 30 60 26% Structural Foam 30 60 24% Steel 30 60 25¼ Steel 30 60 23¼	Wood 24 48 26% Mold-On Rubber Structural Foam 24 48 26% Mold-On Rubber Structural Foam 24 48 24% Polyurethane Steel 24 48 25¼ Mold-On Rubber Steel 24 48 23¼ Polyurethane Wood 30 60 26% Mold-On Rubber Structural Foam 30 60 26% Mold-On Rubber Structural Foam 30 60 24% Polyurethane Steel 30 60 25¼ Mold-On Rubber Steel 30 60 25¼ Polyurethane	Wood 24 48 26% Mold-On Rubber 8 Structural Foam 24 48 26% Mold-On Rubber 8 Structural Foam 24 48 24% Polyurethane 6 Steel 24 48 25½ Mold-On Rubber 8 Steel 24 48 23½ Polyurethane 6 Wood 30 60 26% Mold-On Rubber 8 Structural Foam 30 60 26% Polyurethane 6 Structural Foam 30 60 24% Polyurethane 6 Steel 30 60 25¼ Mold-On Rubber 8 Steel 30 60 25¼ Polyurethane 6

^{*} See page 61 for full description of casters and wheels

colors available

orm Trucks - Adjustable Work Height - Tubular Steel Frame Inches					Inches			
Model No.	Deck Type	L	W	Н	Caster Type*	Caster Size	Weight Capacity (lbs.)	
RWH24481A5M8A	Wood	24	48	26¾ to 32¾	Mold-On Rubber	8	1800	
RWHV24481A5M8A	Structural Foam	24	48	27½ to 33½	Mold-On Rubber	8	1800	
RWHV24481A5Y6A	Structural Foam	24	48	25½ to 31½	Polyurethane	6	2000	
RWHS24481A5M8A	Steel	24	48	25% to 32	Mold-On Rubber	8	1800	
RWHS24481A5Y6A	Steel	24	48	23% to 32	Polyurethane	6	1800	
RWH30601A5M8A	Wood	30	60	26¾ to 32¾	Mold-On Rubber	8	1800	
RWHV30601A5M8A	Structural Foam	30	60	27½ to 33½	Mold-On Rubber	8	1800	
RWHV30601A5Y6A	Structural Foam	30	60	25½ to 31½	Polyurethane	6	2000	
RWHS30601A5M8A	Steel	30	60	25% to 32	Mold-On Rubber	8	1800	
RWHS30601A5Y6A	Steel	30	60	23% to 32	Polyurethane	6	1800	



Hardwood Deck



Foam Deck



All-Steel Deck

Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.



mobile systems & work centers

- Ergonomic height reduces the strain of lifting and bending
- Fixed and adjustable heights available
- Two deck sizes available: 24" x 48" and 30" x 60"
- Hardwood, steel or structural foam deck available
- Optional expanded metal lower shelf







Platform Trucks - Fixed Work He	tform Trucks - Fixed Work Height - Angle Iron Frame				Inches			
Model No.	Deck Type	L	W	Н	Caster Type*	Caster Size*	Weight Capacity (lbs.)	
RWH2448EA5M6	Wood	24	48	241/2	Mold-On Rubber	6	1500	
RWHV2448EA5M6	Structural Foam	24	48	24%	Mold-On Rubber	6	1500	
RWHS2448EA5M6	All-Steel	24	48	22	Mold-On Rubber	6	1500	
RWH3060EA5M6	Wood	30	60	241/2	Mold-On Rubber	6	1500	
RWHV3060EA5M6	Structural Foam	30	60	241//8	Mold-On Rubber	6	1500	
RWHS3060EA5M6	All-Steel	30	60	22	Mold-On Rubber	6	1500	

* See page 61 for full description of casters and wheels

Platform Trucks - Adjustable Wo	latform Trucks - Adjustable Work Height - Angle Iron Frame Inches					Inches			
Model No.	Deck Type	L	W	Н	Caster Type*	Caster Size*	Wt. Capacity (lbs.)		
RWH2448EA5M6A	Wood	24	48	24½ to 30½	Mold-On Rubber	6	1500		
RWHV2448EA5M6A	Structural Foam	24	48	24% to 30%	Mold-On Rubber	6	1500		
RWHS2448EA5M6A	All-Steel	24	48	22 to 28	Mold-On Rubber	6	1500		
RWH3060EA5M6A	Wood	30	60	24½ to 30½	Mold-On Rubber	6	1500		
RWHV3060EA5M6A	Structural Foam	30	60	24% to 30%	Mold-On Rubber	6	1500		
RWHS3060EA5M6A	All-Steel	30	60	22 to 28	Mold-On Rubber	6	1500		

^{*} See page 61 for full description of casters and wheels

Skids Semi-Live mobile systems & work centers

- Tongue and groove hardwood deck
- Temporary storage and transport of raw materials and finished goods
- Lift Jack available for easy transport of most semi-live skids
- Can be used with a forklift or handjack



Deck Sizes

Semi-Live Skids 2 Wheels Standard

- 24" x 48"
- 30" x 60"

Specify size when ordering

Semi-Live Skids – 2 wheels			Inches				
Model No.	Description	Caster Type*	Caster Size	Weight Capacity (lbs.)			
RA778MR	Tongue & Groove Hardwood Deck	Mold-On Rubber	8	2200			
RA756MR	Tongue & Groove Hardwood Deck	Mold-On Rubber	6	1800			

Lift Jacks				Inches
Model No.	Description	Handle Style	Caster Type*	Caster Size
RM718MR‡	Male Lift Jack	(T) or (Loop)	Mold-On Rubber	8
RF718MR‡	Female Lift Jack	(T) or (Loop)	Mold-On Rubber	8

^{*} See page 61 for full description of casters and wheels \$\pm\$ - Specify Handle Style (T) or (Loop) when ordering



Lift Jacks

- · For easy transport of most semi-live skids
- Specify "T" or loop handle style
- For female socket, change Model No. prefix to "RF"
- Pipe is 43" long

Portable Tables & Carts

mobile systems & work centers

- Durable carts for pulling stock, assembly operations or other heavy tasks
- Welded steel frame construction with soft rubber casters for easy maneuverability
- Overall height: 36"
- Ships completely assembled and ready-to-use
- 800 lb. capacity with recommended casters



RMD2ST5SR w/ optional drawer

- 5" x 11/4" soft rubber casters
- Shelf spacing
- 16-gauge steel
- 2" hemmed lip





Drawer: Easily accessible storage drawer. 151/2"W x 5½"H x16½"D O.D.



Writing Shelf: Handy, angled-shelf with pencil edge



Rubber Matting: For all standard size shelves



Control truck movement and prevent wheels from turning. Available on all wheels. Normal installation on two swivel wheels



RMD2ST5SR w/ optional writing shelf

portable tables & carts features







Tubular push handle MD series only



resists wear

Por	tak	le'	Tab	les	

Model No.	Weight Capacity (lbs.)	Caster	Shelves	Height (Inches)	Shelf Clearance (Inches)	Handle	Cart Size (Inches)
RMD2ST5SR	800	2 Swivel / 2 Rigid	2	36	27	Tubular	24 x 36
RMD3ST5SR	800	2 Swivel / 2 Rigid	3	36	121/2	Tubular	24 x 36

Mobile Work Tables Heavy-Duty



RHWB2448P5PY0G

- Industrial-grade mobile workstation with a welded-steel frame and steel-reinforced premium oak top - ships fully assembled
- 24" L x 48" W work area with 9 adjustable height settings from 36" x 48"
- 5" x 2" bolted on polyurethane casters; two rigid, two swivel with total lock brakes
- Wraparound steel backstop keeps items from falling behind work table
- Gray powder-coated finish

Hardwood work surface with Hardwood work premium 11/4" (5/4) thick oak surface extends 2" to accommodate vise or clamps boards and rounded edges 21" D x 36" W 131/2" D x 37" W. tilted middle bottom shelf shelf for easy access to bins

Mobile Work Tables Medium-Duty



- Industrial-grade work table with steel-reinforced hardwood top ships fully assembled
- 24" L x 48" W x 36" H
- 2 steel drawers 151/2" W x 51/2" H x 161/2" D
- 2 swivel, 2 rigid bolted-on soft rubber casters; 5" x 1¼" total lock brakes on swivel casters
- Optional butcher block top available
- Gray powder-coated finish

Heavy-Duty Work Benches

mobile systems & work centers







- Heavy-duty, steel frame work bench
- Steel, premium hardwood, butcher block or composition work surface
- 34" fixed or adjustable work heights
- Bench sizes: 30" x 60" and 30" x 72"
- Gray powder-coated finish





Wraparound steel

backstop keeps items from falling behind

work bench

131/2" deep middle shelf

is sloped for easy access

to bins or containers

Adjustable work height

telescoping C-channel legs

provide a range of work

heights from 30"- 40"

Anchor pads on each

leg secure bench

in a fixed position

Work Surface Thickness

Wood - 21/4" Butcher Block - 134" Composition - 1¾"



Example: For an adjustable height 30" x 60" gray frame work bench with a hardwood work surface, your model number would be RHWB3060GA1P

11-gauge steel work surface


extends 1½" on front and sides

to accommodate a vise or clamps (Hardwood extends 2")

12-gauge

welded steel shelves





Call your Akro-Mils distributor with your model number to order




- Lightweight tipping trucks for heavy-weight jobs
- Caster wheel has roller bearings for extra stability when pushing, pulling or turning
- Handle is arc welded and reinforced for optimum durability

48

85

51

Wrap-around tubular frame is constructed of 1" or 11/4" powder-coated steel for enhanced appearance and rust protection




12


77810




Heavy-Duty 400



MR





All carts available in Gray, Blue and Green. All lids are Black



Akro-Carts Inches						
Model No. without Lid*	Model No. with Lid	Description	W	D	Н	Load Rating
76460	76461	Medium-Duty 60 Gal. Cap.	30½	48	33½	300 lbs.
76490	76491	Medium-Duty 90 Gal. Cap.	30½	47	39½	350 lbs.
76590	76591	Heavy-Duty 90 Gal. Cap.	30½	47	39½	450 lbs.
DI :6 I I						

400

2

2000 lbs.

Please specify colors when ordering.

*Carts without lids cannot have lids added after production. Single units are shipped completely assembled. When multiple units are ordered, lids are shipped separately and require assembly.





- 96-gallon carts designed for residential waste management
- Compatible with automated and semi-automated systems
- Attached lid swings out of the way for easy dumping
- Injection-molded for exceptional durability and cost effectiveness
- Resists damage from oil and most chemicals
- Engineered for rigidity and strength

legaKart®			Inches			Inches			
Model No.	Capacity Gallons	w	D	н	Colors	Wheel Diameter	Load Rating		
79596	96	28	32	46	Blue, Green	12	335 lbs.		





hinge keeps lid propped open during use



Patented design allows carts to nest with installed lids and latchbars for compact shipping and storage



Foot Tilt Pocket molded above axle for maximum leverage and utility

^{*}SP = Semi-Pneumatic MR = Mold-On Rubber

Materials Definitions & Benefits

material definitions & benefits

Each resin has properties that make it ideal for a specific purpose. We manufacture our plastic products using the grade most suited to the product's end use. Listed below are the quality resins we use and their attributes. NOTE: The "Use Temperature Range" defined below is dependent, and may vary with the end user's application. Akro-Mils reserves the right to change product materials without notice.

Polystyrene (GPS) -**General Purpose Styrene:**

- Water Clear in Clarity
- Surface Finish High Gloss
- Highly Rigid Material
- Low Resistance to Impact
- Chemical/Abrasion Resistance Low
- Use Temperature Range -30° to 115° F

High-Density Polyethylene (HDPE):

- Opaque
- Surface Finish High Gloss
- Moderately Rigid Material
- Highly Resistant to Impact
- Chemical Resistance High Below 140°
- Abrasion Resistance High
- Use Temperature Range -40° to 140° F

High-Impact Polystyrene (HIPS):

- Opaque
- Surface Finish Satin
- Highly Rigid Material
- Highly Resistant to Impact
- Chemical Resistance Low
- Abrasion Resistance Low to Medium
- Use Temperature Range -30° to 180°

Polypropylene (PP) – Block **Copolymer; High Impact:**

- Opaque
- Surface Finish Medium to High Gloss
- Moderately Rigid Material
- Highly Resistant to Impact
- Chemical Resistance High Below 175° F
- Abrasion Resistance Medium
- Use Temperature Range -20° to 150° F

Recycled Polypropylene (PP):

- Opaque
- Surface Finish Medium to High Gloss
- Moderately Rigid Material
- Mildly Resistant to Impact
- Chemical Resistance High Below 175° F
- Abrasion Resistance Moderate
- Use Temperature Range -0° to 150° F

Acrylic Blend Material:

- Water Clear in Clarity
- Surface Finish High Gloss
- Rigid Material
- Medium Resistance to Impact
- Chemical Resistance Medium
- Abrasion Resistance Medium
- Use Temperature Range -20° to 180° F

Acrylonitrile Butadiene Styrene (ABS):

- Opaque
- Surface Finish High Gloss
- Highly Rigid Material
- Highly Resistant to Impact
- Chemical Resistance Medium
- Abrasion Resistance Medium
- Use Temperature Range -40° to 180° F

Polypropylene (PP) - Random **Copolymer; Medium Impact:**

- Relatively Clear
- Surface Finish High Gloss
- Moderately Rigid Material
- Mildly Resistant to Impact
- Chemical Resistance High Below 175°
- Abrasion Resistance Moderate
- Use Temperature Range 0° to 150° F

ESD Materials:

- · Highest Degree of Electrostatic Discharge Protection with Uniform Surface Resistivities in the Static Dissipative Range of 10⁶ to 10⁹ ohms/sq.
- Use Temperature Range -20° to 150° F

Structural Foam:

- Plastic and Nitrogen Gas Form a Cellular Core
- Withstands Heavy Loads and Abuse
- HDPE Use Temperature Range -20° to 120° F
- HIPS Use Temperature Range -20° to 160° F

FDA-Approved Materials:

- We use FDA materials for NSTs, Grid Boxes and Akro-Tubs, as well as Straight Wall Containers
- Other Products produced in FDAcompliant materials only available with Custom Orders

Linear Low Density Polyethylene (LLDPE):

- Highly Flexible
- Highly Resistant to Impact
- Chemical Resistance Moderate
- Corrosion Resistance High
- Use Temperature Range -55° to 170° F



A generous selection of caster and wheel options allows Platform Trucks, Hand Trucks, Dollies and Shelf Carts to be customized to fit hundreds of applications, surfaces and conditions. Caster and wheel choices allow you to resolve problems of noise control, floor protection, impact and abrasion resistance or load capacity.



Mold-On Rubber

Designed for medium to heavy loads, these wheels with cushioned rubber tread are quiet and provide good floor protection.



Air-filled for excellent shock protection, floor protection and easy operation over rough surfaces.



A heavy-duty, lightweight, nonmarking plastic wheel that resists most chemicals and oils, and has excellent impact resistance.



Steel

Polyolefin

Wheels offer least rolling resistance. A good choice for warehouses and manufacturing operations and where noise or floor protection are not a concern.



Polyurethane

Chemically bonded to a metal core, polyurethane wheels are more durable than other materials, deliver excellent mobility, a cushioned ride and long life when subjected to heavy loads.



For demanding applications, a less expensive wheel that offers high strength, is non-marking, nonconductive and protects floors.



Thermo-Plastic

Gray rubber wheel provides excellent floor protection and a cushioned ride while resisting chemicals, acids, oils and caustic substances.

Caster Composition	1				F	loor	Surfa	ice		FI	oor C	over	ings	С	ther	Facto	ors To Consider
E = Excellent G = Good F = Fair NR = Not Recommend	ded	phalt Bri	du Carati	rile	nctete lin	oleum	a Gratel	anicals are	e Stadio	a Great	ster ster	ar Prote	tion	Shion Los	pact Rest	stance pacity	line ties
Standard	\ k ²	8.\ <i>8</i> i,	() (d	ن <equation-block></equation-block>	u in	N/ 526	,\@	51. 10	~\o`	. N	1/4/	ork, Mc	%/ (y	31/ 14/	%\ \@	8, 40	
Caster/Wheels																	
Polyolefin	NR	NR	G	Е	G	NR	G	F	G	Е	G	F	NR	G	G	E	
Mold-On Rubber	Е	E	NR	Е	NR	F	NR	NR	F	G	G	Е	Е	E	G	F	
Pneumatic	Е	Е	NR	Е	NR	Е	NR	NR	F	G	G	Е	Е	E	F	NR	
Steel	NR	NR	NR	Е	NR	NR	F	Е	G	F	NR	F	NR	NR	Е	Е	
Polyurethane	Е	Е	G	Е	Е	F	G	G	G	G	Е	Е	G	Е	Е	G	1
Phenolic	NR	NR	G	Е	G	NR	F	NR	F	F	G	F	NR	F	Е	Е	
Thermo-Plastic	Е	Е	G	Е	Е	G	Е	G	Е	G	Е	Е	Е	E	G	G	1





material handling, storage and transport products

Model Nos.	Pg No.	30210RECY		30553235S			31	42226	
02420	35	30211		30553LF			31	42228	
05705	35	30220		30600BRACKET			31	4P	
05805		30220ESD		30600DOLLY			31	4R	
05905	35	30220RECY		30618			31	4Rx	
06115		30221		30636			49	5P	
06118		30224		30638	9	3R	49	5R	
06217	35	30230		30651		40020	13	76460	60
09185BLUE	35	30230ESD	23	30653	9		13	76461	60
10116	34	30230RECY	6	30661	9	40040	13	76490	60
10124	34	30231	5, 6	30676	9	40120	12, 14, 21	76491	60
10126	34	30234	5	30716BLACK	23	40130	12, 14, 21	76590	60
10144	34	30235	5	30718BLACK	23	40150	12	76591	60
10164	34	30235ESD	23	30776BLACK	23	40170	12	77405	60
13014	28	30236	5	30778BLACK	23	40210	5, 6	77410	60
13017	28	30239	5	30796BLACK	23	40220	5, 6	77505	60
13018	28	30240	5	30812	8		34	77510	60
17018	34	30240ESD	23	30930	45	40230	5, 6	77610	60
17136	34	30240RECY	6	30936	45	40239	5	77710	60
19109	34	30250	5	31142	16	40245	5, 6	77810	60
19228	34	30250RECY	6	31162	16	40260	5	79596	60
19320		30255	5	31168	16	40265	5	98100	23
19416		30260	5	31182	16	40270	5	98536	10
19715		30265	5	31188	16	40280	27	98536210SD	10
19909		30270		31620			27	98536210SS	
20228		30280		31625			27	98536220SD	
20320	34	30281	27	31625RACK			27	98536220SS	
20416	34	30282		33101			27	98536230SD	
20502		30283		33105			27	98536230SS	
20715		30284		33161			27	98536235SD	
20902		30286		33164			27	98536235SS	
20909		30287		33166			24	98536320SD	
21280		30288		33168			34	98536320SS	
21281	27	30289		33220			5	98600	
21282		30290		33221	30		7	98636	
21283		30292		33224			7	_	
21284		30293		33226			23	Α	
21286		30312		33228			23	AC3618	44
21287		30318		34240			12, 14	AC3618QV	44
21288		30320		34301			34	AC3618QV240	
21289		30321		34302			22	AC3618QV250	44
30008		30330RED		34303			12, 14	AC3618SV	
30016	٥	30348BEIGE		34304			11	AC3618SV240	44
		30358BEIGE		35010			11	AC3618SV250	44
30040		30400GRY10PK		35011			11	AC3618Y	44
30048	13	30400WHI10PK		35180			11	AC3624	44
30080	13	30400 W FITTOP K		35181			34	AC36243AS	
30088	13	30420GRY6PK		35185			34	AC3624Y	
30090	13	30420GKT6FK		35190				AC3624Y3AS	
30094	13	30424		35191			34 34	AC803618M26	
30098				35195				AC803624M26	
30101		305A1					34	ACQV4C	
30102		305A2		35200			34	ACQV4C42	
30110		305A3		35201			30	ACQV4C62	
30118		305A4		35225			30	ACQV4C82	
30120		305A5		35230			30	ACQV4CAST	
30120RECY		305A6		35231			30	ACQV4P	
30124		305B1		35240			30	ACQV4P42	
30124RECY		305B2		35241			30	ACQV4P62	
30128		30536		35300			30	ACQV4P82	
30128RECY	14	30536A1		35301			30	ACQV4PAST	
30130		30536A3		35R			27	ACS4C	
30130RECY	14	30536A5		36442BLUE			27	ACS4CACS4C42	
30138		30536B1		36462BLUE			27		
30138RECY	14	30536210S		37208			27	ACS4C62	
30148	8	30536220S		37278			27	ACS4C4ST	
30150	12	30536230S	10	37288		41440	16	ACS4CAST	
30158	12	30536235S	10	37608			16	ACS4P	
30161		30536320S	10	37612		41480	16	ACS4P42	
30164		30553	10	37616	32	415A1	11	ACS4P62	
30164RECY		30553A1	11	37672	32		11	ACS4P82	
30170		30553A3		37676	32		30	ACS4PAST	
30174		30553A5		37678			30	AD1811C	
		30553B1		37682			30	AD1811C62	
30178								AD1811C82	17
30178		30553210S	10	37686	32	42168	30		
30184	12			37688			30	AD1811CAST	
	12 5	30553210S 30553220S 30553230S	10		32	42220			17





material handling, storage and transport products


1 D 1 0 1 1 D 0 4		101050		11101020010	D20001 fD		PD05460 50
AD1811P82		AS1279		AWS1836SNS38	R3008MR		RD854SS50
AD1811PAST		AS1279040		AWS18481301738	R3010FP	51	RDT4008SP52
AD1817C	17	AS1279080	42	AWS18483026038	R3010SP	51	RDT4010FP52
AD1817C68		AS1279090	42.	AWS18483028039	R3ST5HR	47	RDT4010SP52
AD1817C88		AS1279110Y		AWS18483028139	R4008MR		RF718MR57
AD1817CAST		AS1279120Y		AWS18483028239	R4008MR2		RGTD10FP51
AD1817P	17	AS1279130Y	41	AWS18483028339	R4010FP	51	RGTD10SP51
AD1817P68	17	AS1279150Y	41	AWS1848SAB39	R4010FP2	51	RGTS10FP51
AD1817P88		AS1279170Y		AWS2436028439	R4010SP		RGTS10SP51
					D 4010CD2		
AD1817PAST		AS12793122		AWS2436028739	R4010SP2		RM718MR57
AD2311C	17	AS127936442B	42	AWS2436028839	R4510SP	51	RMD2ST5SR58
AD2311C42	17	AS127936462B	41	AWS24360SAB39	R4510SP2	51	RMD3018F4PN 50
AD2311C62		AS1879	42	AWS2436128839	R4ST5HR	47	RMD3018F4RX50
		AS1879048		AWS24483012438	R4ST8MR		
AD2311CAST							RMD3018FN50
AD2311P	17	AS1879088	42	AWS24483016438	R5ST5HR	47	RMD3018RC4PN50
AD2311P42	17	AS1879094	42	AWS24483017438	R5ST8MR	47	RMD3018RC4RX50
AD2311P62	17	AS1879098	42	AWS24483018438	R5SYT5HR2436	24, 47	RMD3018RCN 50
AD2311PAST		AS1879128Y		AWS24483042039	R5SYT5HR3636		RMD3ST5SR58
AD3511BS		AS187913014		AWS24483760839	R5SYT8MR2436		RPT4010SP52
AD3511C	18	AS187913017		AWS24603522539	R5SYT8HR3636	24, 47	RU843HR 50
AD3511C42	18	AS187913018	42	AWS2460M3035839	R90110	53	RU843HR151928
AD3511C62	18	AS1879138Y	42.	AWS2460M3322438	R90162	53	RU843HR161728
AD3511C82		AS1879158Y		AWS2460M3424039	R90163		RU843HR201827
				AVV 324001V134240 39			KU043HK2U102/
AD3511CAST		AS1879178Y		Н	R90181		RU843HR291827
AD3511P	18	AS18793182	4, 42		R90182	53	RU843SS 50
AD3511P42	18	AS187936	42	HD4824A43	R90184	53	RU843TP172127
AD3511P62		AS187942		HD4824E43	R90185		RU843TP172727
				HD4824F43			
AD3511P82		AS1879ASORT			R90210		RU843TP182127
AD3511PAST	18	AS2479	42	M	R90262	53	RU843TP212227
AD3517BS	18	AS2479284	42	MA3618C 46	R90263	53	RU843TP222727
AD3517C		AS2479287	42.		R90281	53	RU844HR 50
		AS2479288		MA3618CAST46	R90282		
AD3517C68				MA3618P46			RU844SS 50
AD3517C88		AS2479ASSORT	42	MA3618PAST 46	R90284	53	RU853HR50
AD3517CAST	18	AS3679	42	MA4824C 46	R90285	53	RU853SS 50
AD3517P	18	AS3679292	42		R92411	53	RU854HR 50
AD3517P68		AS3679293		MA4824C1 46	R92412		RU854SS 50
				MA4824C246			
AD3517P88		AS3679ASSORT		MA4824P46	R9255HR		RWH24481A5M856
AD3517PAST	18	ASC1279	20	MA4824P146	R93011	53	RWH24481A5M8A56
APRBENCH 1	5, 24	ASC1279142	20		R93012	53	RWH2448EA5M6 57
				MA4824P246	R93012 R94817		RWH2448EA5M6 57
APRBENCH040	15	ASC1279162	20	MA4824P246	R94817	53	RWH2448EA5M6 57 RWH2448EA5M6A 57
APRBENCH040APRBENCH090	15 15	ASC1279162 ASC1279182	20 20	MA4824P246	R94817 R9508MR2	53 52	RWH2448EA5M6
APRBENCH040APRBENCH090APRBENCH120	15 15 15	ASC1279162 ASC1279182 ASC1279AST	20 20 20	MA4824P246 R R113049	R94817 R9508MR2 R9510MR2	53 52 52	RWH2448EA5M6
APRBENCH040APRBENCH090APRBENCH120APRBENCH120APRBENCH150	15 15 15 15	ASC1279162 ASC1279182 ASC1279AST ASC1879	20 20 20 20	MA4824P2	R94817 R9508MR2 R9510MR2 R96017	53 52 52 53	RWH2448EA5M6
APRBENCH040APRBENCH090APRBENCH120APRBENCH150APRD	15 15 15 15	ASC1279162 ASC1279182 ASC1279AST ASC1879 ASC1879168	20 20 20 20 20	MA4824P2	R94817 R9508MR2 R9510MR2	53 52 52 53	RWH2448EA5M6
APRBENCH040APRBENCH090APRBENCH120APRBENCH120APRBENCH150	15 15 15 15	ASC1279162 ASC1279182 ASC1279AST ASC1879	20 20 20 20 20	MA4824P2	R94817 R9508MR2 R9510MR2 R96017		RWH2448EA5M6
APRBENCH040	15 15 15 15 15	ASC1279162 ASC1279182 ASC1279AST ASC1879 ASC1879168 ASC1879188	20 20 20 20 20 20	MA4824P2	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR		RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15	ASC1279162 ASC1279182 ASC1279AST ASC1879 ASC1879168 ASC1879188 ASC1879AST	20 20 20 20 20 20 20	MA4824P2	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR		RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15	ASC1279162 ASC1279182 ASC1279AST ASC1879 ASC1879168 ASC1879188 ASC1879AST AWS143630040	20 20 20 20 20 20 20 20 39	MA4824P2	R94817		RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15	ASC1279162 ASC1279182 ASC1279AST ASC1879 ASC1879168 ASC1879188 ASC1879AST AWS143630040 AWS143630080	20 20 20 20 20 20 20 39 39	MA4824P2	R94817		RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15	ASC1279162	20 20 20 20 20 20 20 39 39	MA4824P2	R94817		RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15	ASC1279162 ASC1279182 ASC1279AST ASC1879 ASC1879168 ASC1879188 ASC1879AST AWS143630040 AWS143630080	20 20 20 20 20 20 20 39 39	MA4824P2	R94817		RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15	ASC1279162	20 20 20 20 20 20 20 39 39 39	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47	R94817		RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 20	ASC1279162	20 20 20 20 20 20 20 39 39 39 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR 47 R1S5HR2LD 47 R1S8FP2 47	R94817		RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15	ASC1279162	20 20 20 20 20 20 20 39 39 39 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 47 R1S5HR 47 R1S5HR2LD 47 R1S8FP2 47 R1S8MR 47	R94817		RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20	ASC1279162	20 20 20 20 20 20 20 20 39 39 39 38 38	MA4824P2 46 R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8FP2 47 R1S8MR 47 R1S8MR2 47	R94817	53 52 52 53 33 33 57 57 42 33 51 51 49	RWH2448EA5M6
APRBENCH040	15 15	ASC1279162	20 20 20 20 20 20 20 20 39 39 39 38 38 38	MA4824P2 46 R R1130 49 R1151 49 48 R1B5HR 48 48 R1B5HRX 48 48 R1B5HRXL 48 48 R1S5HRXL 47 47 R1S5HR 47 47 R1S5HR2LD 47 47 R1S8FP2 47 47 R1S8MR 47 47 R1S8MR2 47 47 R2108FPB 55	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416S3P RD2416S3P	53 52 52 53 33 57 57 42 33 51 51 49 49	RWH2448EA5M6
APRBENCH040	15 15	ASC1279162	20 20 20 20 20 20 20 20 39 39 39 38 38 38	MA4824P2 46 R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8FP2 47 R1S8MR 47 R1S8MR2 47	R94817	53 52 52 53 33 57 57 42 33 51 51 49 49	RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20	ASC1279162	20 20 20 20 20 20 20 20 39 39 39 38 38 38	MA4824P2 46 R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1S5HRXL 47 R1S5HR 47 R1S5HR2LD 47 R1S8FP2 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R2125MRB 55	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RABR5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416R3P RD2416R3P RD2718F3P RD2718RC3P	53 52 52 53 33 33 57 57 57 42 33 51 51 49 49	RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 20	ASC1279162	20 20 20 20 20 20 20 39 39 38 38 38 38 38 38 38 38 38 38 38 38 38 38 38 38	MA4824P2 46 R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1S5HRXL 47 R1S5HR 47 R1S5HR 47 R1S8FP2 47 R1S8MR 47 R2108FPB 55 R2125MRB 55 R214CS1841 27	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RABR5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718RC3P RD2718RC3P	53 52 52 53 33 33 57 57 57 42 33 51 51 49 49 49	RWH2448EA5M6
APRBENCH040	15 15	ASC1279162	20 20 20 20 20 20 20 39 39 38	MA4824P2 46 R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1S5HRXL 47 R1S5HR 47 R1S5HR 47 R1S8FP2 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1859 27	R94817	53 52 52 53 53 33 33 57 57 42 42 49 49 49 49 49	RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 20 15 20 15 20 15	ASC1279162	20 20 20 20 20 20 20 39 39 38 38 38 38 38 38 38 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR 47 R1S5HR2LD 47 R1S8FP2 47 R1S8MR 47 R1S8MR 47 R2108FPB 55 S2125MRB 55 R214CS1841 27 R214CS1859 27 R214CS1878 27	R94817	53 52 52 53 33 33 57 57 42 33 51 51 49 49 49 49 49	RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 20 15 20 15 20 15	ASC1279162	20 20 20 20 20 20 20 39 39 38 38 38 38 38 38 38 38	MA4824P2 46 R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1S5HRXL 47 R1S5HR 47 R1S5HR 47 R1S8FP2 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1859 27	R94817	53 52 52 53 33 33 57 57 42 33 51 51 49 49 49 49 49	RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 20 15 20 15 20 15 20 15	ASC1279162	20 20 20 20 20 20 20 39 39 38 38 38 38 38 38 38 38 38 38 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR 47 R1S5HR2LD 47 R1S8FP2 47 R1S8MR 47 R1S8MR 47 R2108FPB 55 S2125MRB 55 R214CS1841 27 R214CS1859 27 R214CS1878 27	R94817	53 52 52 53 53 33 33 57 42 33 51 51 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH2448EA5M6A 57 RWH30601A5M8 56 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWH324481A5M8 56 RWHS24481A5M8 56 RWHS24481A5Y6A 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5M8 56 RWHS30601A5Y6A 56 RWHS30601A5Y6A 56 RWHS30601A5Y6A 56 RWHS3060EA5M6 57 RWHV24481A5M8 56 RWHV24481A5M8 56
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 21	ASC1279162	20 20 20 20 20 20 20 39 39 38 38 38 38 38 38 38 38 38 38 38 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1859 27 R214CS1878 27 R214CS2841 27 R214CS2859 27	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RABR5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018F3P RD3018F3P	53 52 52 52 53 53 57 57 42 33 51 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH2448EA5M6A 57 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6A 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5M8 56 RWHS30601A5M8 56 RWHS30601A5M6 57 RWHS30601A5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5M8 56 RWHV24481A5M8 56 RWHV24481A5M8 56 RWHV24481A5M8 56
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 20 15 20 15 20 15 20 15 21 15	ASC1279162	20 20 20 20 20 20 20 20 39 39 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S5HR2LD 47 R1S8MP2 47 R1S8MR2 47 R2108FPB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2841 27 R214CS2859 27 R214CS2878 27	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018F3P RD3018F3P RD3018RF3P RD3018RF3P RD3018RF3P RD3018RF3P RD3018RF3P	53 52 52 52 53 33 33 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 20 15 20 15 21 15 21 15 21 15	ASC1279162	20 20 20 20 20 20 20 39 39 38 38 38 38 38 38 38 38 38 38 38 38 38 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1B5HRXL 48 R1S5HRXL 47 47 R1S5HR 47 47 R1S5HR2LD 47 47 R1S8FP2 47 47 R1S8MR 47 47 R1S8MR2 47 47 R2108FPB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2841 27 R214CS2859 27 R214CS2878 27 R214CS2878 27 R214HE 48	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416R3P RD2416R3P RD2718F3P RD2718F3P RD2718F3P RD3018RC3P RD3018F3P RD3018F3P RD3018RS3P RD3018RC3P	53 52 52 53 53 33 33 57 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 21 21 21 21 21 21	ASC1279162	20 20 20 20 20 20 20 39 39 38	MA4824P2 46 R R1130 49 R1151 49 48 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1S5HRXL 47 R1S5HR 47 R1S5HR2LD 47 R1S8FP2 47 R1S8MR 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2859 27 R214CS2878 27 R214CS2878 27 R214HE 48 R215HE 48	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718RC3P RD2718RC3P RD3018AC3P RD3018RC3P RD3018RC3P RD3018RS3P RD3018RC3P	53 52 52 53 53 33 33 57 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH2448EA5M6A 57 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWHS24481A5M8 56 RWHS24481A5M8 56 RWHS24481A5Y6A 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5M8 56 RWHS30601A5M8 56 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5M8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 21 21 21 21 21 21	ASC1279162	20 20 20 20 20 20 20 39 39 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR 47 R1S8MR 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1878 27 R214CS2841 27 R214CS2879 27 R214CS2878 27 R214CS2878 27 R214CS2878 27 R214HE 48 R215HE 48 R2168MRB 55	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416R3P RD2416R3P RD2718F3P RD2718F3P RD2718F3P RD3018RC3P RD3018F3P RD3018F3P RD3018RS3P RD3018RC3P	53 52 52 53 53 33 33 57 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 21 21 15 15 15 15 15 15 15 15 15	ASC1279162	20 20 20 20 20 20 20 39 39 38	MA4824P2 46 R R1130 49 R1151 49 48 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1S5HRXL 47 R1S5HR 47 R1S5HR2LD 47 R1S8FP2 47 R1S8MR 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2859 27 R214CS2878 27 R214CS2878 27 R214HE 48 R215HE 48	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718RC3P RD2718RC3P RD3018AC3P RD3018RC3P RD3018RC3P RD3018RS3P RD3018RC3P	53 52 52 52 53 33 33 57 57 57 42 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH2448EA5M6A 57 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWHS24481A5M8 56 RWHS24481A5M8 56 RWHS24481A5Y6A 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5M8 56 RWHS30601A5M8 56 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5M8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 15 15 15 15 15 15 15 15 15 15 15 15	ASC1279162	20 20 20 20 20 20 39 39 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR 47 R1S8MR 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1878 27 R214CS2841 27 R214CS2859 27 R214CS2878 27 R214HE 48 R215HE 48 R2168MRB 55 R216CS2236 27	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416R3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018F3P	53 52 52 52 53 33 33 57 57 57 42 42 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH2448EA5M6A 57 RWH30601A5M8 56 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWHS24481A5M8 56 RWHS24481A5Y6 56 RWHS24481A5Y6A 56 RWHS2448EA5M6 57 RWHS2448EA5M6A 57 RWHS30601A5M8 56 RWHS30601A5Y6A 56 RWHS30601A5Y6A 56 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV3060EA5M6A 57 RWHV24481A5M8 56 RWHV24481A5M8 56 RWHV24481A5M8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5M8 56 RWHV30601A5M8 56 RWHV30601A5M8 56 RWHV30601A5M8 56
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15	ASC1279162	20 20 20 20 20 20 20 39 39 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR 47 R1S8MR 47 R2108FPB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2878 27 R214HE 48 R215HE 48 R215HE 48 R2168MRB 55 R216CS2236 27 R216CS2239 27	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018RC3P	53 52 52 52 53 33 33 57 57 42 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH2448EA5M6A 57 RWH30601A5M8 56 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6A 56 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5M8 56 RWHS30601A5W6 56 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV3060EA5M6 57 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6A 57 RWHV2448EA5M6A 57 RWHV2448EA5M6A 57 RWHV2448EA5M6A 56 RWHV2448EA5M6A 57 RWHV30601A5W8 56
APRBENCH040 APRBENCH090 APRBENCH120 APRBENCH150 APRD APRD APRD040 APRD080 APRD090 APRD110Y APRD120Y APRD142 APRD150Y APRD162 APRD162 APRD170Y APRD182 APRDAST APRDAST APRDAST APRDAST APRDAST0 APRDMOBILE APRD36442B APRS APRS APRS APRS APRS APRS APRS APRS	15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 15 21 15 21 15 21 15 21 15 15 15 15 15 15 15 15 15 15 15 15 15 15	ASC1279162	20 20 20 20 20 20 20 39 39 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2878 27 R214HE 48 R215HE 48 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS2236 27 R216CS2236 27 R216CS2236 27 R216CS2236 27	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018C43P RD3018F3P RD3024F3P RD3624F3P RD3624F3P	53 52 52 52 52 53 33 33 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56
APRBENCH040 APRBENCH090 APRBENCH120 APRBENCH150 APRD APRD APRD040 APRD080 APRD090 APRD110Y APRD120Y APRD120Y APRD150Y APRD162 APRD170Y APRD182 APRD182 APRDAST APRDAST APRDAST APRDAST APRDAST0 APRDMOBILE APRD36442B APRD36442B APRS APRS APRS040 APRS090 APRS110Y APRS120Y APRS130Y APRS130Y APRS130Y APRS130Y APRS130Y APRS130Y APRS1142	15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 15 21 15 21 15 21 15 21 15 21	ASC1279162	20 20 20 20 20 20 20 39 39 38	R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXI 48 R1B5HRXI 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2878 27 R214HE 48 R215HE 48 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R216CS2386 27 R216CS2836 27 </td <td>R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018AC3P RD3018CE3P RD3018RC3P RD3018RC3P RD3018RC3P RD3018RC3P RD3018F3P RD3024F3P RD3624F3P RD3624F3P RD3624F3P</td> <td>53 52 52 52 52 53 33 33 57 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49</td> <td>RWH2448EA5M6 57 RWH2448EA5M6A 57 RWH30601A5M8 56 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6A 56 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5M8 56 RWHS30601A5W6 56 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV3060EA5M6 57 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6A 57 RWHV2448EA5M6A 57 RWHV2448EA5M6A 57 RWHV2448EA5M6A 56 RWHV2448EA5M6A 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56</td>	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018AC3P RD3018CE3P RD3018RC3P RD3018RC3P RD3018RC3P RD3018RC3P RD3018F3P RD3024F3P RD3624F3P RD3624F3P RD3624F3P	53 52 52 52 52 53 33 33 57 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH2448EA5M6A 57 RWH30601A5M8 56 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWH3060EA5M6A 57 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6A 56 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5M8 56 RWHS30601A5W6 56 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV3060EA5M6 57 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6A 57 RWHV2448EA5M6A 57 RWHV2448EA5M6A 57 RWHV2448EA5M6A 56 RWHV2448EA5M6A 57 RWHV30601A5W8 56
APRBENCH040 APRBENCH090 APRBENCH120 APRBENCH150 APRD APRD APRD040 APRD080 APRD090 APRD110Y APRD120Y APRD142 APRD150Y APRD162 APRD162 APRD170Y APRD182 APRDAST APRDAST APRDAST APRDAST APRDAST0 APRDMOBILE APRD36442B APRS APRS APRS APRS APRS APRS APRS APRS	15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 15 21 15 21 15 21 15 21 15 21	ASC1279162	20 20 20 20 20 20 20 39 39 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2878 27 R214HE 48 R215HE 48 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS2236 27 R216CS2236 27 R216CS2236 27 R216CS2236 27	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018C43P RD3018F3P RD3024F3P RD3624F3P RD3624F3P	53 52 52 52 52 53 33 33 57 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56
APRBENCH040 APRBENCH090 APRBENCH120 APRBENCH150 APRD APRD APRD040 APRD080 APRD090 APRD110Y APRD120Y APRD120Y APRD150Y APRD162 APRD170Y APRD182 APRD182 APRDAST APRDAST APRDAST APRDAST APRDAST0 APRDMOBILE APRD36442B APRD36442B APRS APRS APRS040 APRS090 APRS110Y APRS120Y APRS130Y APRS130Y APRS130Y APRS130Y APRS130Y APRS130Y APRS1142	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 20 15 20 15	ASC1279162	20 20 20 20 20 20 20 39 39 38	R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXI 48 R1B5HRXI 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2878 27 R214HE 48 R215HE 48 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R216CS2386 27 R216CS2836 27 </td <td>R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018AC3P RD3018CE3P RD3018RC3P RD3018RC3P RD3018RC3P RD3018RC3P RD3018F3P RD3024F3P RD3624F3P RD3624F3P RD3624F3P</td> <td>53 52 52 52 52 53 33 33 57 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49</td> <td>RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56</td>	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018AC3P RD3018CE3P RD3018RC3P RD3018RC3P RD3018RC3P RD3018RC3P RD3018F3P RD3024F3P RD3624F3P RD3624F3P RD3624F3P	53 52 52 52 52 53 33 33 57 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56
APRBENCH040 APRBENCH090 APRBENCH120 APRBENCH150 APRD APRD APRD040 APRD080 APRD1090 APRD110Y APRD120Y APRD130Y APRD142 APRD162 APRD170Y APRD162 APRD170Y APRD182 APRD182 APRDAST APRDAST APRDAST APRDAST APRDAST APRDAST APRDAST APRDAST APRDS040 APRDS040 APRS040 APRS090 APRS110Y APRS120Y APRS120Y APRS130Y APRS142 APRS150Y APRS162	15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 15 21 15 15 21 15 21 15 21 15 21 21 15 21	ASC1279162	20 20 20 20 20 20 20 39 39 38	R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1B5HRXL 48 R1S5HRXL 47 R1S5HR 47 R1S5HR2LD 47 R1S8FP2 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2841 27 R214CS2859 27 R214HE 48 R215HE 48 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R2178MRB 55 R221812MRB 55 R221812MRB 55	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718RC3P RD2718RC3P RD3018AC3P RD3018AC3P RD3018C3P RD3018RC3P RD3624AC3P	53 52 52 52 53 53 33 33 57 57 57 42 33 51 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56
APRBENCH040 APRBENCH090 APRBENCH120 APRBENCH150 APRD APRD APRD040 APRD080 APRD1090 APRD110Y APRD120Y APRD130Y APRD142 APRD162 APRD162 APRD170Y APRD182 APRD182 APRDAST APRS APRS APRS APRS APRS APRS APRS APRS	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 21 21 15	ASC1279162	20 20 20 20 20 20 20 39 39 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR2 47 R2188MR2 47 R2125MRB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2859 27 R214CS2878 27 R214HE 48 R215HE 48 R216CS2236 27 R216CS2236 27 R216CS2236 27 R2178MRB 55 R2183MRB 55 R221812MRB 55 R2258516MRB 55 R2258516MRB 55	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAFS338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718RC3P RD3018AC3P RD3018RC3P RD3624AC3P RD3624AC3P RD3624AC3P RD3624RSP RD4824FSP RD4824FSP RD4824FSP RD4824FSP	53 52 52 52 53 53 33 33 57 57 57 42 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56
APRBENCH040	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 15	ASC1279162	20 20 20 20 20 20 20 39 39 38	MA4824P2 46 R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR 47 R1S8MR2 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1878 27 R214CS2841 27 R214CS2878 27 R214HE 48 R215HE 48 R216BMRB 55 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS238 27 R2198SMRB 55 R221812MRB 55 R2258516MRB 55 R2ST5HR 47	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAFS338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416R3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD4824F3P RD4824F4P RD4824F4P RD4824F4P	53 52 52 52 53 53 33 33 57 57 57 42 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56
APRBENCH040 APRBENCH190 APRBENCH120 APRBENCH150 APRD APRD040 APRD080 APRD090 APRD110Y APRD130Y APRD142 APRD150Y APRD162 APRD162 APRD170Y APRD182 APRDAST APRDAST APRDAST APRDAST APRDAST APRDS6442B APRD APRS090 APRS110Y APRS120Y APRS120Y APRS120Y APRS130Y APRS142 APRS150Y APRS150Y APRS162 APROMOBILE APROMOBILE APROMOBILE APROMOBILE APROMOBILE APROMOBILE APROMOBILE APRS1642B APRS APRS090 APRS110Y	15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 21 21 15 15 15 15 21 15 1	ASC1279162	20 20 20 20 20 20 39 39 38 39 39 39 39 38	R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR 47 R1S8MR 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1878 27 R214CS2841 27 R214CS2878 27 R214CS2878 27 R214BBMRB 55 R216BMRB 55 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R2178MRB 55 R221812MRB 55 R2258516MRB 55 R2258516MRB 55 R25T5HR 47 R2T5HR1830 48	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA776MR RA776MR RAT78MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416R3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018F3P RD30	53 52 52 52 53 33 33 33 57 57 57 42 42 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56
APRBENCH040 APRBENCH190 APRBENCH120 APRBENCH150 APRD APRD APRD040 APRD080 APRD090 APRD110Y APRD120Y APRD142 APRD150Y APRD162 APRD170Y APRD182 APRDAST APRDAST APRDAST APRDAST APRDAST APRDAST APRDS APROSO APRS110Y APRS110Y APRS110Y APRS110Y APRS110Y APRS182 APRS110Y	15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 15 21 15 15 21 15	ASC1279162	20 20 20 20 20 20 39 39 38 39 39 39 39 38	R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR2 47 R1S8MR2 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2878 27 R214HE 48 R215HE 48 R216MRB 55 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R2178MRB 55 R221812MRB 55 R2258516MRB 55 R2258516MRB 55 R2258516MRB 55 R2258516MRB 55 </td <td>R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018C3P RD3018C3P RD3018F3P RD3018</td> <td>53 52 52 52 52 53 33 33 57 57 42 33 51 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49</td> <td>RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56</td>	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018C3P RD3018C3P RD3018F3P RD3018	53 52 52 52 52 53 33 33 57 57 42 33 51 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56
APRBENCH040 APRBENCH190 APRBENCH120 APRBENCH150 APRD APRD040 APRD080 APRD090 APRD110Y APRD130Y APRD142 APRD150Y APRD162 APRD162 APRD170Y APRD182 APRDAST APRDAST APRDAST APRDAST APRDAST APRDS6442B APRD APRS090 APRS110Y APRS120Y APRS120Y APRS120Y APRS130Y APRS142 APRS150Y APRS150Y APRS162 APROMOBILE APROMOBILE APROMOBILE APROMOBILE APROMOBILE APROMOBILE APROMOBILE APRS1642B APRS APRS090 APRS110Y	15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 15 21 15 15 21 15	ASC1279162	20 20 20 20 20 20 20 20 39 39 38	R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRXL 48 R1B5HRXL 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR 47 R1S8MR 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1878 27 R214CS2841 27 R214CS2878 27 R214CS2878 27 R214BBMRB 55 R216BMRB 55 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R2178MRB 55 R221812MRB 55 R2258516MRB 55 R2258516MRB 55 R25T5HR 47 R2T5HR1830 48	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA776MR RA776MR RAT78MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416R3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018F3P RD30	53 52 52 52 52 53 33 33 57 57 42 33 51 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56
APRBENCH040 APRBENCH190 APRBENCH120 APRBENCH150 APRD APRD APRD040 APRD080 APRD090 APRD110Y APRD120Y APRD142 APRD150Y APRD162 APRD170Y APRD182 APRDAST APRDAST APRDAST APRDAST APRDAST APRDAST APRDS APROSO APRS110Y APRS110Y APRS110Y APRS110Y APRS110Y APRS182 APRS110Y	15 15 15 15 15 15 15 15 15 15 15 15 15 20 15 20 15 21 15 15 15 21 15	ASC1279162	20 20 20 20 20 20 20 39 39 38	R R R1130 49 R1151 49 R1B5HR 48 R1B5HRL 48 R1B5HRX 48 R1B5HRXL 48 R1B5HRXL 48 R1S10FP2 47 R1S5HR 47 R1S5HR2LD 47 R1S8MR2 47 R1S8MR2 47 R2108FPB 55 R2125MRB 55 R214CS1841 27 R214CS1859 27 R214CS2841 27 R214CS2878 27 R214HE 48 R215HE 48 R216MRB 55 R216CS2236 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R216CS2239 27 R2178MRB 55 R221812MRB 55 R2258516MRB 55 R2258516MRB 55 R2258516MRB 55 R2258516MRB 55 </td <td>R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018C3P RD3018C3P RD3018F3P RD3018</td> <td>53 52 52 52 52 53 33 33 57 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49</td> <td>RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56</td>	R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018C3P RD3018C3P RD3018F3P RD3018	53 52 52 52 52 53 33 33 57 57 57 42 33 51 51 49 49 49 49 49 49 49 49 49 49 49 49 49	RWH2448EA5M6 57 RWH30601A5M8 56 RWH30601A5M8 56 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6 57 RWH3060EA5M6A 56 RWHS24481A5M8 56 RWHS24481A5W8 56 RWHS24481A5Y6 56 RWHS2448EA5M6 57 RWHS2448EA5M6 57 RWHS30601A5M8 56 RWHS30601A5Y6 56 RWHS30601A5W6 57 RWHS3060EA5M6 57 RWHS3060EA5M6 57 RWHV24481A5Y6 56 RWHV24481A5W8 56 RWHV24481A5W8 56 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV2448EA5M6 57 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5W8 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56 RWHV30601A5Y6 56

Ready, Set, Organize!™

Our broad range of durable plastic containers combined with metal cabinets, shelving and racks, will improve storage and organization efficiency, shorten assembly times and optimize parts protection. Akro-Mils will help you improve your productivity and your bottom line!







A. ProHANGERp. 7
B. Heavy-Duty Work Benchp. 59
C. Super-Size AkroBin Cartp. 27
D. Louvered Hanging Systemsp. 9
E. AkroBinsp. 4-6
F. Super-Size AkroBinsp. 26-27

G. Steel Shelving Systems	p. 40-42
H. Security Bin Cabinet	p. 43-44
I. Super Modular Cabinet .	p. 17
J. System Bins	p. 24
K. Double-Sided Louvered	
Floor Rack	n 9

L. Platform Truckp. 56-57
M.Storage-Go-Roundp. 34
N. Roto-Shelfp. 35
O. Single-Sided Louvered
Floor Rackp. 9
P. ShelfMax Binsp. 13

Q. Akro-Grids
U. Pick Rack with System Binsp. 15 V. AkroDrawersp. 16–20
•• / 1111 OD 1411 C13

W. ReadySpace Wall Unitp. 10
X. Shelf Cartp. 4
Y. ReadySpace Bench Unitp. 10
Z. VantageBinp. 22
AA. 33" Wide AkroBin p. 4-5
BB. Quick-View Mini Cabinet p. 19

CC. ProCart.....p. 45



To learn more, contact us today: 800.253.2467

1293 South Main Street, Akron, Ohio 44301 • www.akro-mils.com • Fax: 330.761.6348 • sales@akro-mils.com In Canada: 8030 Torbram Road, Brampton, Ontario L6T 3T2 • Tel: 877.877.9680 • Fax: 905.791.4084 • sales@akro-milscanada.com



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Akro Mills manufacturer:

Other Similar products are found below:

<u>41460 10764 10123 10164 35231RED 06318 10744 19320 10144 09514 10724 30-239-GRN 40716 30250BLUE 30230ESD 05905 30-239-BLU 05805 30150BLUE 30210RED</u>