



LED-301




MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 1




MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-301A





MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 1




MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-305




MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 2




MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-306




MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 2




MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-306A




MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 2




To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-306B




MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 2






To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-307



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 2






MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-308



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 2






MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-312



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 1






MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-313



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 1






MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-314



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 1






MOUNTING HOLES

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-316



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 1





MOUNTING HOLES

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-322



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 2





MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-323




MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 2




MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-324




MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 2



To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-325






MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 1

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-330



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 3






MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-331





MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 3




MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-340





MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 4




MOUNTING HOLE

To weld $\phi 3$ LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-319




MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 1




MOUNTING HOLE

To weld $\phi 3$ 3PIN LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-310





MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 2




To weld $\phi 3$ 3PIN LED on board with 90 degrees, and same height, but avoid pins broken.

FIX-LED-343



MATERIAL: NYLON 66(UL)
 FLAME CLASS: 94V-2
 COLOR:BLACK
 UNIT:mm
 RECOMMEND ASSEMBLING LED SIZE : 3
 NUMBER OF ASSEMBLING LED : 1



To weld $\phi 3$ 3PIN LED on board with 90 degrees, and same height, but avoid pins broken.