
## BERNSTEIN



# SPECIAL ELECTRONIC PLIERS EUROline-Conductive

Box joint

3-675-15

4 1/2



Double leaf spring

High quality steel

Fine polished and bright burnished, for dazzle free working

Ergonomically formed bicoloured hand-guard from

conductive anti-slide material

The pliers of this program have been tested with good results by several testing laboratories adequate to DINEN 61340-5-1, 61340-2-1, 61340-2-3 for work in ESD protected areas

## **CUTTING PLIERS**

No.	Ler	ngth inches	Finish	cuttir Copper- wire	g capac Soft wire	city mm Ø Hard wire	Weight g
			JROline-Condu for finest operations	ctive			
3-651-15	120	4 3/4	without side face	1.2	0.6		65
3-651-15 DR	120	4 3/4	without side face, with retaining spring	1.2	0.6		65
			JROline-Condu or finest operations	ctive			
3-652-15	120	4 3/4	without side face	1.0	0.6	-	60
3-653-15	120	4 3/4	without side face, with special flat cutting	1.0 ng edge	0.6	-	60
Side cutte with slim, round			ine-Conductive				
3-654-15	125	5	with side face	1.5	1.0	0.4	70
3-655-15	125	5	without side face	1.5	1.0	-	70
Side cutte with slim, point			ine-Conductive	•			
3-656-15	125	5	with side face	1.2	1.0	0.4	70
3-657-15	125	5	without side face	1.2	1.0	7	70
	withou	ut side fa	ne-Conductive ice,for precision h				
3-671-15	130	5 1/8	straight	0.6	350	7	65
3-672-15	130	5 1/s	cutting edge 20° angular	0.6	2		70
	, withou g direc	ut side fa tly in fron	ne-Conductive ace, head 45° angular, at of and				
3-673-15	130	5 1/e	cutting edge inside	0.6	-	- 2	60
3-674-15	130	5 1/8	cutting edge outside	0.6			60

without side face

1.2 1.0

0.4



# SPECIAL ELECTRONIC PLIERS EUROline-Conductive

## UTTING PLIERS

					city mm Ø	
No.	Length	Finish	Medium	Hard	Piano-	Weight
	mm inches	30000000	hard wire	wire	wire	g

#### Carbide mini side cutters EUROline-Conductive

for continuous heavy work, with inserted carbide cutting edges,

only for tough nickel and electrode wires

3-661-15	120	4 3/4	with side face very slim rounded head	1.2	1.0	0.6	70
3-663-15	120	4 %	with side face very slim pointed with special flat cu		0.5	2	65

#### Carbide oblique top cutters EUROline-Conductive

for continuous heavy work, with inserted carbide cutting edges, cutting plane 29° angular, for horizontal and vertical use,

only for tough nickel and electrode wires

3-667-15 115 4 1/2 without side face

#### Glas fibre mini side cutters EUROline-Conductive

for continuous heavy work, with inserted carbide cutting edges, with special side face, for cutting glass fibre only, max. Ø 2.0 mm

3-665-15 120 4 3/4 very slim rounded head 70



No.	Length	Finish	Weight	
	mm inches		g	

#### Round nose pliers EUROline-Conductive

extremely slim

3-681-15 130 5 1/8 short plain jaws

### Flat nose pliers EUROline-Conductive


extremely slim

3-682-15	130	5 1/8	snort plain jaws	70
3-688-15	130	5 1/a	short, ultra slim plain jaws	60

### Snipe nose pliers EUROline-Conductive

extremely slim

3-683-15	130	5 1/8	short plain jaws	70
3-685-15	140	5 1/2	long plain jaws	70
3-686-15	140	5 1/2	long serrated jaws	70
3-687-15	130	5 1/8	short plain jaws, ultra slim pointed for precise handling of tiny components	70





## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pliers & Tweezers category:

Click to view products by Bernstein manufacturer:

Other Similar products are found below:

0026 32750 G77015 0037 2890-180 571 76C RX 8130 RX 8145 RX 8152 DRP10N 0036 44 21 J41 49 31 A0 49 41 A11 64 11 115 0020 0032 44593 1212819 1212834 1212817 1212812 1212818 1212625 1212811 00 19 72 V01 00 20 72 V06 1006 30 11 140 30 21 160 30 25 160 72 01 160 102ACA 72 11 160 HLCP180 72 21 160 7224 32954 33507 33521 3400 34 12 130 34688 34689 34690 34700 35 21 115 3-653-15 3-657-15