


# NSYMF44

Microperforated mounting plate H400xW400 w/  
holes diam 3,6mm on 12,5mm pitch



Price\* : 15.81 GBP



## Main

|                                    |                                                           |
|------------------------------------|-----------------------------------------------------------|
| Range                              | Spacial                                                   |
| Accessory / separate part category | Mounting accessory                                        |
| Product or component type          | Mounting plate                                            |
| Application                        | Multi-purpose                                             |
| For enclosure nominal dimensions   | 400 mm W: 400 mm                                          |
| Mounting location                  | Step slide<br>Direct fixing on backstuds                  |
| Mounting plate description         | Microperforated                                           |
| Range compatibility                | Spacial CRN<br>Spacial S3D<br>Spacial S3X<br>Thalassa PLM |
| Quantity per set                   | Set of 1                                                  |
| Material                           | Galvanised steel                                          |

## Complementary

|                            |                                                           |
|----------------------------|-----------------------------------------------------------|
| Fixing mode                | Screwed on backstuds - screw type M8<br>By fixing element |
| Permanent permissible load | 60 kg                                                     |
| Height                     | 365 mm                                                    |
| Width                      | 350 mm                                                    |
| Depth                      | 125 mm                                                    |
| Thickness                  | 1.8 mm                                                    |
| Product weight             | 1.9 kg                                                    |

## Offer Sustainability

|                          |                                                                       |
|--------------------------|-----------------------------------------------------------------------|
| Sustainable offer status | Green Premium product                                                 |
| RoHS (date code: YYWW)   | Compliant - since 0940 - Schneider Electric declaration of conformity |

 [Schneider Electric declaration of conformity](#)

|                                  |                                                                                                                                              |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| REACH                            | Reference not containing SVHC above the threshold<br><a href="#">Reference not containing SVHC above the threshold</a>                       |
| Product environmental profile    | Available<br> <a href="#">Product Environmental Profile</a> |
| Product end of life instructions | Need no specific recycling operations                                                                                                        |

### [Contractual warranty](#)

|                 |           |
|-----------------|-----------|
| Warranty period | 18 months |
|-----------------|-----------|

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

***Click to view similar products for [Electrical Enclosures](#) category:***

***Click to view products by [Schneider](#) manufacturer:***

Other Similar products are found below :

[120-902](#) [120-905](#) [120-403](#) [120-475](#) [120-901](#) [127-410](#) [130-504](#) [130-506](#) [MR-25L+](#) [30-8739](#) [PIP-11774SCREW](#) [30-9715](#) [MR-25LW+](#) [110-407](#) [111-004](#) [111-008](#) [110-402](#) [110-901](#) [110-907](#) [111-002](#) [110-406](#) [110-910](#) [110-404](#) [110-409](#) [110-410](#) [120-405](#) [106-009](#) [106-505](#) [105-401](#) [106-006](#) [104-406](#) [137-002](#) [105-405](#) [111-005](#) [127-909](#) [106-502](#) [130-475](#) [130-503](#) [127-401](#) [106-010](#) [127-455](#) [127-475](#) [110-903](#) [R260-180-300](#) [9511020](#) [9822029](#) [9820014](#) [P61603000P](#) [9823009](#) [R103-164-000](#)