Product data sheet Characteristics

NSYCRN108300

Spacial CRN plain door w/o mount.plate. H1000xW800xD300 IP66 IK10 RAL7035...





Spacial
Spacial CRN
Multi-purpose
Compact enclosure
1000 mm
800 mm
300 mm
Wall-mounting
Lock 1 Door 1 Body 1 Cable gland plate 2 bottom
Plain
Without mounting plate

Complementary

Variant particularity	Sides made from a single folded section Back welded with double profile forming a protected sealed area	•
Number of doors	1 front face	·
Door opening side	Reversible 120 °	
Lock type	3 mm double-bar lock	
Type of gland plate	Standard	
Accessibility for operation	Front	
Removable parts	Door by hinges Cable gland plate by screws	:
Material	Steel for body	
Surface finish	Epoxy-polyester powder	
Colour	Grey RAL 7035	
Standards	IEC 62208	

Product certifications	CUL
	ÜL
Environment	
IP degree of protection	IP66 conforming to IEC 60529
IK degree of protection	IK10 conforming to IEC 62262
Offer Sustainability	
Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0940 - Schneider Electric declaration of conformity
	Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
	Reference not containing SVHC above the threshold
Product environmental profile	Available
	Product environmental
Product end of life instructions	Need no specific recycling operations
Contractual warranty	
Warranty period	18 months

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Schneider manufacturer:

Other Similar products are found below:

HMIGTO2310 GS1AE21 METSEPM8240 LC1DT25B7 LU9M1 7D 7S 7XA1 8501RS44V24 8501RSD14P14V51 8501XM4

8501XO20V03Y414 9001KXRK 9001SKR9P35RH25 9001SKT35L31 9003K2C003GA 9007AA1 9007BA1 9007C54D 9007C62A2

9007C68T5 9007CA11 9007FA3 9007HA4 9007HA6 9007KA1 9007KB11 9007MS01S0206 9007MS10S0100 9012GAR4 9012GAW2

9012GBW1 9012GDW5E3 9012GFW1 9012GNG1 9012GNG3 9012GNG6 9013FHG39J69 9013GHG2J30 9050JCK2F30V14 GZ1E02

A9F07125 ATS01N222RT ATV12H018F1 RSL1PRJU 9001KA35 9001KA3G 9001KR1GH5 9001KXSDC 9007C52A2