


Overview

- Single gang device, white color.
- Compatible with decora style devices.
- Includes cover plate.
- Mounts in standard electrical boxes or low voltage brackets.
- Bluetooth 3.0 compliant - 32' range
- 3.5mm stereo and screw terminal outputs
- Includes AC adapter



Specifications & Features


- Audio Inputs: Bluetooth receiver or stereo audio line level.
- AUX input is automatically selected when 3.5mm connector is inserted.
- Audio output: Stereo audio phone jack or 3-pin Screw terminal.
- Power input (5VDC): Power jack or 3-pin Screw terminal.
- Stereo audio output: For connection to standard amplifier inputs or powered speakers.
- Bluetooth version: 3.0 EDR compliant.
- Bluetooth receive Distance: 10 Meters.
- Power source: 5VDC/1A

Bluetooth Blue LED Status


- Pairing mode: 1s on/off flash 1 times
- Linked mode: Always on
- AUX mode: LED off

Bluetooth pairing


- § Press button 3 seconds to boot, press button 3 seconds to off.
- § The first pairing, hold down button 5 seconds to make the Bluetooth pairing boot.
- § The pairing timeout limit is 90 seconds.
- § If pairing timeout, you need hold down button 1 second to re-pairing.




AUX IN



Audio Source



Back View



AMPLIFIER

Setup Diagram

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [MCM](#) manufacturer:

Other Similar products are found below :

[NWTBATCAPMB13](#) [25-020](#) [27-505](#) [27-4155](#) [27-840](#) [28-0755](#) [28-5958](#) [50-10820](#) [37-330](#) [PI-UPTIMEUPS](#) [27-5918](#) [27-5977](#) [12-3410](#) [28-6023](#) [55-3230](#) [35SPS-3](#) [28-6008](#) [22-26180](#) [17705](#) [55-5675](#) [27-6020](#) [24-12352](#) [21-7655](#) [28-6017](#) [53-1230](#) [28-5965](#) [21-18966](#) [22-1640](#) [27-4200](#) [83-17607](#) [27-5833](#) [27-5925](#) [24-12344](#) [12-3404](#) [PCM-2100-50](#) [21-19004](#) [28-6080](#) [22-665](#) [24-1040](#) [27-5917](#) [28-6005](#) [55-5670](#)
[HD15MM35N-100F](#) [21-4605](#) [21-12825](#) [24-5360](#) [27-4270](#) [27-5940](#) [27-5949](#) [27-6112](#)