



5F, No.7, Lane 130, Ming-Chung Rd., Hsin-Tien Dist, New Taipei City, Taiwan, R.O.C TEL: 886 2 2218 3233 FAX: +886 2 2218 2722 E-mail: pk@mail.prokits.com.tw http://www.prokits.com.tw

PRODUCT SPECIFICATION

EN#: 4710810406676

SD-2314M 25 In 1 Reversible Ratchet Screwdriver W/Bits & Sockets Set









Safety and environmental protection:

• RoHS & Pb free: RoHS

Handle:

• Material of handle: PP, TPR

• Handle O.D. (mm): 31.5

Blade:

• Color of blade: Primary colors, Black

• Blade hardening: Quench hardening process

• Shape of blade: Round head

• 單顆套筒_規格內容

The first type symbol	e first type symbol 六角孔電鍍 Socket Length		材質打印	規格打印	PK LOGO打印	Quick way binding site
O _{Nut}	shine-sided	25	Yes	Yes	Non	Non
			1			

O _{Nut}	shine-sided	25	Yes	Yes	Non	Non
Nut	shine-sided	25	Yes	Yes	Non	Non
Nut	shine-sided	25	Yes	Yes	Non	Non
O _{Nut}	shine-sided	25	Yes	Yes	Non	Non
O _{Nut}	shine-sided	25	Yes	Yes	Non	Non
O _{Nut}	shine-sided	25	Yes	Yes	Non	

• 延長桿_規格內容

The first type	鐵桿外徑 D2	本體電	全長L	材質打	PK LOGO打	球型雙用設	快拆裝	滾珠裝	Joints binding
symbol	(mm)	鍍	(mm)	印	印	計	置	置	mode
Square	10	shine-	60	Non	Non	Non	Non	Non	Non

• 棘輪手柄_規格內容

The first type	Surface Specifications Ma		ons Material PK Angle and		Angle and	Ratchet direction	Joints binding
symbol	Finish	Print	Print	LOGO	teeth	switch	mode
O _{Nut}	Satin finish	Non	Non	Yes	Non	Non	Non

• Torx

The first type symbol	Head Specifications	六角對邊尺寸	Surface Finish	Bit Length (mm)	Color	規格打印	材質打印
Torx	T15	6.35mm (1/4")	Sand blasting	25	Non	Yes	Yes
Torx	T20	6.35mm (1/4")	Sand blasting	25	Non	Yes	Yes

• specification contents

The first type symbol	Head Specifications	六角對邊尺寸	Surface Finish	Bit Length (mm)	本體色環	規格打印	材質打印
Slotted	SL3.0mm	6.35mm (1/4")	Sand blasting	25	Non	Yes	Yes
Slotted	SL4.0mm	6.35mm (1/4")	Sand blasting	25	Non	Yes	Yes
Slotted	SL5.0mm	6.35mm (1/4")	Sand blasting	25	Non	Yes	Yes
Slotted	SL6.0mm	6.35mm (1/4")	Sand blasting	25	Non	Yes	Yes
Slotted	SL7.0mm	6.35mm (1/4")	Sand blasting	25	Non	Yes	Yes
Slotted	SL7.0mm	6.35mm (1/4")	Sand blasting	110	Non	Yes	Non
Phillips	PH0	6.35mm (1/4")	Sand blasting	25	Non	Yes	Yes
Phillips	PH1	6.35mm (1/4")	Sand blasting	25	Non	Yes	Yes
Phillips	PH2	6.35mm (1/4")	Sand blasting	25	Non	Yes	Yes
_							

Phillips	PH3	6.35mm (1/4")	Sand blasting	25	Non	Yes	Yes	
Phillips	PH2	6.35mm (1/4")	Sand blasting	65	Non	Yes	Non	
Phillips	PH2	6.35mm (1/4")	Sand blasting	65	Non	Yes	Non	
Phillips	PH2	6.35mm (1/4")	Sand blasting	150	Non	Yes	Non	

Product Weight (w/o package):

Weight(g)	Measurement						
744.8	L(mm)	W(mm)	H(mm)				
/44.8	223	183	37				

Individual Packing

• Packing: Shink Parking

Master Packing:

	Diagos	Pieces N.W.			CUFT		
	rieces	(Kg)	(Kg)	L(cm)	W(cm)	H(cm)	CUFI
Individual Packing	1	-	0.75	22.3	18.3	3.7	-
Inner Box	6	4.5	4.71	24	20	21	0.36
CTN	24	18.4	19.4	49	42	23.5	1.71

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for proskit manufacturer:

Other Similar products are found below:

1PK-940KN-F 22-21720 1PK-639 5SS-331-H PM-736 PD-395A 1PK-3616 1PK-202B 1PK-932-WDM 1PK-940KN MS-525 8PK-CT150 5SI-216N-2.4D 6PK-330K 1FB-SC 1PK-940-WDM 22-11620 608-391E PM-755 5SI-216N-3.2D 22-21745 72-8740 903-133S 908-501B 9SN-310G 1PK-301-WDM 22-21715 22-14670 8PK-022 SD-2309 DK-2039 SD-9326M 22-3745 22-8618 HW-609A 1PK-SD006 DP-033C DP-033B 1PK-5101 1PK-102T MT-3102 5SI-216N-3C DP-033E SN-390 1PK-106 SD-081F 608-391B MS-526 PK-652 1PK-212