







3M™ COAXPRESS INDUSTRIAL CAMERA CABLE ASSEMBLY, 1CXx-xx-OG SERIES

ORDERING INFORMATION



CONNECTOR OPTION




CABLE	
TEMPERATURE AND VOLTAGE RATING	105° C / 300 V
IMPEDANCE	75 Ohm
CURRENT RATING	1A
SHEATH MATERIAL	PVC
COLOR	BLACK
OUTER DIAMETER	4.3mm
RECOMMENDED MIN. BENDING RADIUS	40mm
FLAMMABILITY	UL AWM VW-1

PERFORMANCE	
CXP SUPPORTING TRANSMISSION DISTANCE	10m(CXP-12), 13m(CXP-6) *
FLEX DURABILITY	OVER 50 MILLION CYCLES ** (WITH DRAG CHAIN R50mm)

* AVAILABLE LONGER FUNCTIONAL DISTANCE IN EACH TEST AND BOARD CONDITION.
** RESULT UNDER 3M TEST CONDITIONS.

ENVIRONMENTAL	
OPERATING TEMPERATURE	0 to 70° C

TOLERANCES EXCEPT AS NOTED	DFTG	M.NAITOU	DATE	10/13/23	3M 3M Center St. Paul, MN 55144	DIVISION DEPP		MODEL	
	CHKD	T.HAYAUCHI	DATE	10/13/23		DIVISION CODE			
	INCHES	MFG		DATE		TITLE 3M™ COAXPRESS INDUSTRIAL CAMERA CABLE ASSEMBLY 1CXx-xx-OG SERIES			
	•0 ± •00 ± •000 ±	APPVL	Y.KAWATE	DATE					
MILLIMETERS	© 3M COPYRIGHT 2023 THIS DOCUMENT CONTAINS INFORMATION WHICH IS PROPRIETARY TO 3M COMPANY. NO REPRODUCTION OR PUBLICATION OF THIS DOCUMENT, IN WHOLE OR IN PART, SHALL BE MADE WITHOUT AUTHORIZATION FROM 3M.								
•0 ± .5 •00 ± .20 •000 ± N/A	 THIRD ANGLE PROJECTION								
ANGLES ±5°					FSCM NO.		SIZE A3	DRAWING NO. 78-5100-2783-8	REV. C
					SCALE		DET LISTS ☐ YES ☐ NO		SHT 2 OF 3

DRAWING NO. 78-5100-2783-8
REV. C

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Specialised Cables](#) category:

Click to view products by [3M](#) manufacturer:

Other Similar products are found below :

[60605](#) [706000D02F200](#) [910640](#) [AC172](#) [1302260080](#) [1365323-1](#) [1589946-2](#) [20240400003](#) [20886510030](#) [2-22733-8](#) [CCS-FCB-5](#)
[426122200-3](#) [426066300-3](#) [426101100-3](#) [427492400-3](#) [4721](#) [05AD05X](#) [10075358-F0200YYLF](#) [RTPADPTR02](#) [CCS-FCB-10](#) [83010-0157](#)
[ZY180L480](#) [5-1589943-0](#) [N12601](#) [XW2Z100JF1](#) [C200H-CN220-EU](#) [5-1589827-8](#) [R88A-CRWA003C-DE](#) [20886110100](#) [VMMP4P](#)
[AXXCBL450HD7S](#) [GATELEAD L=500 PB34-60_2](#) [GATELEAD-1101256](#) [1701200220](#) [861084-1](#) [563S3S144](#) [564S4S144](#) [1201140211](#)
[2327779-2](#) [CA-628485-E83](#) [10125195-R0070EULF](#) [33272435000018](#) [CA-628485-2D8](#) [3004-352-1M](#) [427525400-3](#) [017039](#) [017040](#) [60037](#)
[I2C cable](#) [GPIO cable](#)