

| LOC | DIST | REVISIONS |     |                           |      |             |      |    |
|-----|------|-----------|-----|---------------------------|------|-------------|------|----|
|     |      | P         | LTR | DESCRIPTION               | DATE | DWN         | APVD |    |
| A1  | -    |           | C25 | REVISED PER ECR-15-010828 |      | 28 JUL 2015 | NK   | FL |
|     |      |           | C26 | ECR-15-011321             |      | 30 JUL 2015 | KD   | RR |
|     |      |           | C27 | ECR-15-013489             |      | 14 SEP 2015 | KD   | RR |
|     |      |           | C28 | ECR-15-015988             |      | 30 OCT 2015 | FL   | RR |

REMARKS/Bemerkungen

- 1

CAVITY SUITABLE FOR STANDARD TIMER CONTACTS LISTED IN PROD.SPEC. 108-18049, ITEM 3.3.2  
Kammer geeignet für Standard Timer Kontakte gelistet in Prod. Spec. 108-18049, Punkt 3.3.2
- 2

CONTACT CAVITY NO.  
Kontaktkammernummerierung
- 3

MATING STOP  
Tiefenanschlag
- 4

AREA FOR TE LOGO ACC: TO SPEC 202-36  
Bereich für TE Logo nach Spec. 202-36
- 5

POLARIZATION RIB POSITION "a" AND/OR "b"  
Polarisierungsrippe Position "a" und/oder "b"
- 6

KEYING RIB POSITION "c" AND/OR "d"  
Kodierrippe Position "c" und/oder "d"
- 6a

KEYING RIB POSITION "c" AND/OR "d" AT THE END WALLS OF THE HOUSING  
Kodierrippe Position "c" und/oder "d" an den Gehäusestirnseiten
- 7

LOCKING LATCH  
Rasthaken
- 8

TE PART NO (PN)  
TE Bestell Nr. (PN)
- 9

DESIGN OF THE HOUSINGS ACC. TO RAST 5 STANDARD  
Gehäuseausführung gemäss RAST 5 Vorgabe
- 10

GENERAL SUITABLE TAB HEADER SEE RAST 5 PERFORMANCE  
Generell passende Flachsteckerwannen siehe RAST 5 Vorgabe
- 11






PACKAGING: BULK PACKAGING IN CORRUGATED BOX PN 740580-2  
2 POS, 2500 PIECES PER BOX / 3 POS, 2000 PIECES PER BOX  
Verpackung: Schüttgut in Versandkarton Pn 740580-2  
2pol, 2500 Stück per Karton / 3pol, 2000 Stück per Karton
- 12

DIMENSION A, B AND C SEE SHEET 2 OF 3
- 13


MATERIAL CORRESPONDS TO THE REQUIRMENT EN 60335  
(INCL. GLOW WIRE TEST 750° WITHOUT FLAME)  
Material entspricht den Anforderungen der EN 60335  
(inkl. Glühdrahttest 750° ohne Flamme)
- 14

RATIO NUMBER OF THE KEYING VERSION,INKJET PRINTED. SEE SHEET 2  
Kodierungskennnummer, mit Tintenstrahl drucker aufgebracht, siehe Blatt 2
- 15

PRELIMINARY- NOT RELEASED FOR PRODUCTION




SECTION A-A / Schnitt A-A




SECTION B-B / Schnitt B-B

5 POSITION  
STD. TIMER MARK-II HOUSING



SCALE 2:1

|                                                                                       |                                        |                           |          |                                                                                                       |  |                 |  |
|---------------------------------------------------------------------------------------|----------------------------------------|---------------------------|----------|-------------------------------------------------------------------------------------------------------|--|-----------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |                                        | OWN<br>Kishor M           | 18-10-07 |  TE Connectivity |  |                 |  |
| DIMENSIONS:<br>mm                                                                     |                                        | CHK<br>K.Munz             | 18-10-07 |                                                                                                       |  |                 |  |
|  | TOLERANCES UNLESS OTHERWISE SPECIFIED: | APVD<br>Th. Klenner       | 18-10-07 | NAME<br>STANDARD TIMER HSG. RAST 5 MARK II<br>Standard Timer Gehäuse RAST 5 Mark II                   |  |                 |  |
|                                                                                       |                                        | PRODUCT SPEC<br>108-18049 |          | SIZE<br>A 1                                                                                           |  |                 |  |
| MATERIAL<br>SEE TABLE<br>SHEET 2 OF 3                                                 | FINISH                                 | APPLICATION SPEC          |          | CAGE CODE<br>00779                                                                                    |  |                 |  |
|                                                                                       |                                        | ANGLES                    |          | DRAWING NO<br>1241961                                                                                 |  |                 |  |
|                                                                                       |                                        |                           |          | WEIGHT                                                                                                |  | RESTRICTED TO   |  |
|                                                                                       |                                        |                           |          | Customer Drawing                                                                                      |  | SCALE<br>5:1    |  |
|                                                                                       |                                        |                           |          |                                                                                                       |  | SHEET<br>1 OF 3 |  |
|                                                                                       |                                        |                           |          |                                                                                                       |  | REV<br>C28      |  |







8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC

DIST

P

LTR

REVISIONS

DESCRIPTION

DATE

OWN

APVD

SEE SHEET-01

2.00

0-969484-1

2.14

1-969484-1

2.13

2-969484-1

2.12

3-969484-1

2.11

4-969484-1

2.10

5-969484-1 OBSOLETE

2.09

6-969484-1

2.07

7-969484-1 OBSOLETE

2.06

8-969484-1

2.04

9-969484-1 OBSOLETE

2.03

0-969484-2

2.02

1-969484-2 OBSOLETE

2.08

2-969484-2

2.21

3-969484-2

2.99

4-969484-2

2.20

5-969484-2

2.19

6-969484-2

2.18

7-969484-2

2.17

8-969484-2

2.16

9-969484-2

2.31

0-969484-3

2.15

1-969484-3 OBSOLETE

2.05

2-969484-3 OBSOLETE

2.30

3-969484-3 OBSOLETE

Ohne/NONE

4-969484-3

Ohne/NONE

5-969484-3

Ohne/NONE

6-969484-3

Ohne/NONE

7-969484-3 OBSOLETE

2.1241961-2

3-1241961-2

PA6

6-1241961-2

PA6

7-1241961-2

PA6

8-1241961-2

PA6

9-1241961-2

PA6

0-1241961-3

PA6

3-1241961-3 OBSOLETE

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

8-1241961-3

PA6

9-1241961-3

PA6

0-1241961-3

PA6

1-1241961-3

PA6

2-1241961-3

PA6

3-1241961-3

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

8-1241961-3

PA6

9-1241961-3

PA6

0-1241961-3

PA6

1-1241961-3

PA6

2-1241961-3

PA6

3-1241961-3

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

8-1241961-3

PA6

9-1241961-3

PA6

0-1241961-3

PA6

1-1241961-3

PA6

2-1241961-3

PA6

3-1241961-3

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

8-1241961-3

PA6

9-1241961-3

PA6

0-1241961-3

PA6

1-1241961-3

PA6

2-1241961-3

PA6

3-1241961-3

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

8-1241961-3

PA6

9-1241961-3

PA6

0-1241961-3

PA6

1-1241961-3

PA6

2-1241961-3

PA6

3-1241961-3

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

8-1241961-3

PA6

9-1241961-3

PA6

0-1241961-3

PA6

1-1241961-3

PA6

2-1241961-3

PA6

3-1241961-3

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

8-1241961-3

PA6

9-1241961-3

PA6

0-1241961-3

PA6

1-1241961-3

PA6

2-1241961-3

PA6

3-1241961-3

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

8-1241961-3

PA6

9-1241961-3

PA6

0-1241961-3

PA6

1-1241961-3

PA6

2-1241961-3

PA6

3-1241961-3

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

8-1241961-3

PA6

9-1241961-3

PA6

0-1241961-3

PA6

1-1241961-3

PA6

2-1241961-3

PA6

3-1241961-3

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

8-1241961-3

PA6

9-1241961-3

PA6

0-1241961-3

PA6

1-1241961-3

PA6

2-1241961-3

PA6

3-1241961-3

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

8-1241961-3

PA6

9-1241961-3

PA6

0-1241961-3

PA6

1-1241961-3

PA6

2-1241961-3

PA6

3-1241961-3

PA6

4-1241961-3

PA6

<