
THIS DRAWING AND THE INFORMATION SET FORTH HEREON ARE THE PROPERTY OF TYCO ELECTRONICS AND ARE TO BE HELD IN TRUST AND CONFIDENT. PUBLICATION, DUPLICATION, DISCLOSURE, OR USE FOR ANY PURPOSE NOT EXPRESSLY AUTHORIZED IN WRITING BY TYCO ELECTRONICS IS PROHIBITED.

REVISION						
REV	DESCRIPTION	DATE	APPROVED			
1.0	PRELIMINARY RELEASE	11/08/13	S. GRAVANO			

Raychem Harness and Components



	RECOVERED WALL THICKNESS			
MIL Spec No.	SIZE	ID Ø AS SUPPLIED	ID Ø AS RECOVERED	AFTER HEATING (NOMINAL)
AMS-DTL-23053/13		D MINIMUM	d MAXIMUM	RW-200
-012	1/8	3.2 (.125)	1.6 (.062)	0.76 (.030)
-001	3/16	4.8 (.187)	2.4 (.093)	0.89 (.035)
-002	1/4	6.4 (.250)	3.2 (.125)	0.89 (.035)
-003	3/8	9.5 (.375)	4.8 (.187)	0.89 (.035)
-004	1/2	12.7 (.500)	6.4 (.250)	0.89 (.035)
-005	5/8	15.9 (.625)	7.9 (.312)	1.07 (.042)
-006	3/4	19.1 (.750)	9.5 (.375)	1.07 (.042)
-007	7/8	22.2 (.875)	11.1 (.437)	1.25 (.049)
-008	1	25.4 (1.000)	12.7 (.500)	1.25 (.049)
-009	1 1/4	31.8 (1.250)	15.9 (.625)	1.40 (.055)
-010	1 1/2	38.1 (1.500)	19.1 (.750)	1.40 (.055)
-011	2	50.8 (2.000)	25.4 (1.000)	1.65 (.065)

NOTES

- 1. THIS PRODUCT IS DESIGNED FOR A WIDE RANGE OF APPLICATIONS.

 MEETS PERFORMANCE REQUIREMENTS OF TE SPECIFICATION RW-3037 AND AMS-DTL-23053/13.
- 2. PACKAGED AND SUPPLIED ON A SPOOL AND LABELED WITH (example RW-200-3/8-0), PART NUMBERING NUMBERING SYSTEM: RW-200 IS PART NUMBER, -3/8 IS ORDER SIZE, -0 IS BLACK (STANDARD COLOR).
- 3. ALWAYS ORDER THE LARGEST SIZE THAT WILL SHRINK SNUGLY OVER THE COMPONENT TO BE COVERED.
- 4. FOR MATERIAL AND FINISH INFORMATION REFER TO RW-3037 SPECIFICATION. FOR SPECIAL ORDER SIZES CONTACT TE CONNECTIVITY.

If this document is printed it becomes uncontrolled. Check for the latest revision **CUSTOMER DRAWING** TYCO ELECTRONICS RESERVES THE RIGHT TO CHANGE THIS DRAWING AT ANYTIME. USERS SHOULD EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION. DATE: 05NOV2013 T. NGUYEN Connectivity CHECKED: S. GRAVANO 07NOV2013 UNLESS OTHERWISE SPECIFIED APPROVED: DATE: TITLE: J. KUSTER 08N0V2013 DIMENSIONS ARE IN INCHES. RW-200 TUBING - HEAT-SHRINKABLE, METRIC DIMENSIONS ARE IN APPROVED: P. DIXON BRACKETS AS REFERENCE. CHEMICAL-RESISTANT, HIGH-TEMPERATURE THIRD ANGLE PROJECTION: DECIMALS TOLERANCES: CAD FILE: DOCUMENT NO: XXX ± .005 **RW-200** [0.13mm] RW-200_CD.DWG $\oplus \mathrel{\hookleftarrow}$ XX ± .01 [0.25mm] ± .1 [0.50mm] RPN: CAGE CODE: SCALE: DO NOT SCALE ANGLES TOLERANCE: ± 1° N/A 06090 © 2013 TYCO ELECTRONICS, ALL RIGHT RESERVED 1 OF 1