

PRODUCT-DETAILS

CPS25B-25

BRAIDED SLEEVE BLK PLYE 25 DIA 25M



General Information

Extended Product Type	CPS25B-25
Product ID	7TCG054800R0042
EAN	5414363103363
Catalog Description	BRAIDED SLEEVE BLK PLYE 25 DIA 25M
Long Description	Non-Flame Retardant Braided Sleeve, Black Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 25mm (0.984 Inches), Expandable Diameter Range 18mm (0.709 Inches) to 34mm (1.34 Inches), Mini-Reel Length 25m (82.02 Feet)

Ordering

EAN	5414363103363
UPC	786210570990
Country of Origin	France (FR)
Customs Tariff Number	5609004000
Selling Unit of Measure	roll

Dimensions

Product Net Depth / Length	82.02 ft 25 m
----------------------------	------------------

Container Information

Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	8.3 in 211 mm
Package Level 2 Height	8.2 in 208 mm
Package Level 2 Depth / Length	10.2 in 259 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Black
Effective Date	19980621
Material	Polyester
Product Name	OTHER ARTICLES OF YARN
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CPS25B-25
Instructions and Manuals	CPS25B-25

Classifications

ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Spiral Wraps, Sleeves, Tubing & Conduit](#) category:

Click to view products by [ABB](#) manufacturer:

Other Similar products are found below :

[CTA-0053](#) [8429-9](#) [25](#) [202C302-13-0](#) [100-003A1000](#) [103-013-012](#) [121-103-1-1-09BFTTH](#) [8428-18](#) [8328](#) [100-003A750](#) [100-003A109](#)
[2030758-3](#) [22A00010-0DH16](#) [100-003A078](#) [CS-A900T](#) [THP6B](#) [330.012.3](#) [330.016.2](#) [330.020.3](#) [CYLG-29B](#) [61747000](#) [61806140](#)
[61806190](#) [166-30730](#) [161-45200](#) [348.016.1](#) [3110014011](#) [3110025011](#) [6100A-50P](#) [6110P](#) [6160-50P](#) [6166-25P](#) [UCS080050GE120MB1](#)
[UCS080050CR060MA1](#) [UCS080050BK120MA1](#) [UCS080050BU150MA1](#) [UCS080050BU150MC1](#) [UCS080050BK060MB2](#)
[UCS080050GE090MA1](#) [UCS080050CR060MA2](#) [UCS080050CR090MA2](#) [UCS080050BU060MC1](#) [UCS080050GE120MC1](#)
[UCS080050GE150MC1](#) [UCS080050GE090MC3](#) [UCS080050CR060MB1](#) [UCS080050BU120MB1](#) [UCS080050CR060MB2](#)
[UCS080050GE060MB2](#) [UCS080050BU090MB2](#)