




Intelligent LED Indicator

Light up when powered on
help fast find your device in the dark



3A High Current

Support Huawei FCP, Qualcomm QC
and other fast charging technologies
Widely compatible with USB-C devices

About **86** minutes
100% Xiaomi 11

About **70** minutes
100% Samsung S21



Note: All data are from Vention Lab

Charging and Data Transmission in Sync

USB2.0 interface, 480Mbps transmission speed

480Mbps


1G/30 sec.



Note: All data are from Vention Lab


Premium Internal Structure

30/21 AWG tinned copper conductor with multiple shieldings for enhanced anti-interference ability



Long Service Life

TPE + nylon braided jacket, flexible and more durable



Reinforced Tail


Can withstand repeated bending
and non-cracking with daily wear and tear



Durable in Plugging

One-piece interface, fit with devices

10000+ times
USB-C connector
plugging test



Note: All data are from Vention Lab

Product Parameters

Brand	Vention
Name	USB 2.0 C Male to C Male 3A Cable
Model	TAUB
Color	Black
Connector Type	USB-C Male
Interface Techniques	Gold-plated
Transmission Speed	480Mbps
Conductor	Tinned Copper
Shell	PVC
Shielding	Aluminum Foil+Metal Braided Mesh+GND
Jacket	TPE+Nylon Braided
AWG	21+30AWG
OD	4.2mm
Length	0.5/1/1.5/2/3m
Power Supply	3A
Warranty	1 Year
Packing	PE Bag



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance

Product Size



Note: Packing difference exists for different meters or batches.
The photo is for reference only



USB 2.0 Type-C Cable

Technical Features

Color	Black
Interface	USB-C
Connector Process	Nickel-Plated
Transmission Direction	USB-C - USB-C
Jacket	TPE + Nylon braided
Material	PVC
OD	4.2mm
Data transfer rates	480Mbps
Output current	3A Max
Rated power	60W Max

Length	Art.No.	EAN Code
0.5m	TAUBD	6922794766495
1m	TAUBF	6922794766501
1.5m	TAUBG	6922794766518
2m	TAUBH	6922794766525
3m	TAUBI	6922794766532



Package Contents

USB 2.0 Type-C Cable x 1

Packaging Information

Packing Dimension	22*15cm(0.5-2m)/ 26*19cm(3m)
Packing Weight	0.025kg(0.5m)/0.037kg(1m)/ 0.049kg(1.5m)/ 0.062kg(2m)/0.089kg(3m)
Carton Dimension	48*29*29cm
Carton Qty	300pcs(0.5m)/200pcs(1m)/ 200pcs(1.5m)/ 150pcs(2m)/100pcs(3m)
Carton Weight	8.5kg(0.5m)/8.4kg(1m)/ 10.8kg(1.5m)/ 10.3kg(2m)/9.9kg(3m)

www.vention.cn

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ribbon Cables / IDC Cables](#) category:

Click to view products by [Agilink](#) manufacturer:

Other Similar products are found below :

[13005](#) [1537955-1](#) [cab-LVDV-PWR-10-15](#) [9L28060-GRY-H300](#) [22009](#) [Ribbon Cable, 4 Pin, 350mm](#) [Ribbon Cable, 4 Pin, 700mm](#) [1-3636-600-5204](#) [WHU18-1818-120](#) [AWG28-34/G/300](#) [ACL-eSSI-2](#) [3801/09 \(100FT\)](#) [0044738](#) [0032805](#) [0012940](#) [0012842](#) [0012801](#) [0012814](#) [0012803](#) [0012828](#) [21201](#) [0021923](#) [0012914](#) [0012804](#) [22253](#) [22261](#) [22265](#) [22018](#) [22005](#) [22250](#) [XF-39603003P](#) [XF-20102003P3](#) [XF-10101502P2](#) [XF-25013004P](#) [XF-10101504P](#) [XF-12501504P](#) [XF-39603004P4](#) [XF-20102002P2](#) [CL2542320190BC10E](#) [XF-2501L3003P3](#) [XF-39603003P3](#) [XF-12501503P](#) [XF-12571503P](#) [XF-12571504P](#) [XF-12571502P2](#) [XF-12571502P](#) [XF-25013003P](#) [XF-25013003P3](#) [XF-20102004P4](#) [XF-25013002P2](#)