



THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

REV.	ECN NO.	DATE	SIGN	DESCRIPTION



Conn.



1 ABD-XXAFFM-LL7000
Color: Black



ABD-XXAFFM-LL7AXX
 02:2Pin
 :
 :
 08:8Pin

XX :01~99Meters
 01 :01Meter
 02 :02Meters
 :
 :
 99 :99Meters

Cable Length(L):01~99Meters

Note:
 * \varnothing Important Dimension To Check.
 * Waterproof Rate: IP67
 * Housing: Nylon+GF, Black.
 * Female Pin: Copper Alloy, Gold Plated.
 * Lock Nut: Nylon+GF, Black.
 * O-Ring: Silicone, Gray
 * Cable: UL2464 24AWG+D+AL/Wy
 PVC Jacket UV Resistant, Black.
 * Cable Length Tolerance: 01M:40mm
 02M~05M:±60mm
 06M~10M:±100mm
 11M~30M:±200mm
 31M~99M:±500mm


8P	PVC	5.5	24	ABD-08AFFM-LL7AXX
7P		5.8		ABD-07AFFM-LL7AXX
6P		5.8		ABD-06AFFM-LL7AXX
5P		5.0		ABD-05AFFM-LL7AXX
4P		5.8		ABD-04AFFM-LL7AXX
3P		4.5		ABD-03AFFM-LL7AXX
2P		4.2		ABD-02AFFM-LL7AXX
Contacts		Cable Jacket		Cable OD

UNIT:mm		TITLE	STANDARD CABLE LOCK F CONN F PIN		
TOLERANCE	±0.5mm	SCALE	1:1	SIZE	A4
		REV.	A	WC-REV.	A.1
				\varnothing	Inspection item
		SHEET	1	OF	2

Amphenol LTW
 安費諾亮泰企業股份有限公司

ITEM NO	DRAWN BY	DATE
DWG NO	CHECKED BY	DATE
CUSTOMER	APPROVED BY	DATE
ALTW	Ruru	2017-07-07
	Rita	2017-07-07
	Max	2017-07-07

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF AMPHENOL LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY AMPHENOL LTW.



1 2 3 4 5 6 7 8

F

E

D


C

B


A

8	Green 綠	7	White 白
7	Yellow 黃	6	Green 綠
6	Orange 橙	5	Brown 棕
5	Red 紅	4	Red 紅
4	Blue 藍	3	Yellow 黃
3	White 白	2	Orange 橙
2	Brown 棕	1	Blue 藍
1	Black 黑		
Pin # Wire		Pin # Wire	

Pin Out



8 Pin




7 Pin


Pin Assignments Front View

6	White 白	5	Green 綠	4	Yellow 黃	3	Black 黑	2	Red 紅
5	Red 紅	4	White 白	3	Red 紅	2	Blue 藍	1	Black 黑
4	Orange 橙	3	Black 黑	2	Green 綠	1	Brown 棕		
3	Yellow 黃	2	Blue 藍	1	White 白				
2	Green 綠	1	Brown 棕						
1	Blue 藍								
Pin # Wire		Pin # Wire		Pin # Wire		Pin # Wire		Pin # Wire	


Pin Out




6 Pin




5 Pin



4 Pin




3 Pin



2 Pin

Pin Assignments Front View



TITLE STANDARD CABLE LOCK F CONN F PIN			
SCALE 1:1	SIZE A4	SHEET 2 OF 2	
REV. A	WC-REV. A.1	QC: Inspection item	

Amphenol LTW
安費諾亮泰企業股份有限公司

ITEM NO	DRAWN BY Ruru	DATE 2017-07-07
DWG NO ABD-XXAFFM-LL7AXX	CHECKED BY Rita	DATE 2017-07-07
CUSTOMER ALTW	APPROVED BY Max	DATE 2017-07-07

1 2 3 4 5 6 7 8 FMM10702-01-02A1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Sensor Cables / Actuator Cables](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[60963](#) [60964](#) [M83513/19-F01CP](#) [703000D02F2002](#) [703000D02F300](#) [703001D02F1201](#) [704000D02F120](#) [802027213811-1](#) [84914-0235](#)
[883030A09M050](#) [884031A09M005](#) [8R4006A18M010](#) [1200980008](#) [1200980031](#) [1211810021](#) [1400637](#) [1401201](#) [1401348](#) [1405278](#)
[1408644/94F/8](#) [1455311](#) [1513981](#) [1550119](#) [1554212](#) [1R3006A20A120G](#) [1R4004A17A120](#) [1R4006A20A1202](#) [1R4006A39M005](#) [2289297-6](#)
[8R3006A16A1203](#) [8R5E36E03M020](#) [2R7004A20F060](#) [301000A01F200](#) [301002A01F120](#) [2289297-1](#) [2289297-8](#) [2289297-9](#)
[302000A01F120](#) [CONM6A-S2](#) [332021A01F200](#) [3R1006A20F030](#) [3R9006A20A1201](#) [403001A10M040](#) [4030P1A10M040](#) [41-01023](#)
[MBCC-412](#) [1R3G06A20A120](#) [543031A10M010](#) [884030A09M100](#) [883033A09M020](#)