




REV. A	SHEET 1 OF 2	DOCUMENT NO. 71-581680/699
REVISIONS		
LTR	DESCRIPTION	DATE
A	INITIAL RELEASE	



INTERFACE REQUIREMENTS			
CONTACT SIZE	SHELL SIZE	X	Y ±.040
16 SHORT	10SL, 14S, 16S	.087±.039	.079
16 LONG	16 THRU 40	.260 ^{+.052} _{-.041}	.102
12	16 THRU 40	.118 ^{+.039} _{-.056}	.102
0,4,8	16 THRU 40	.091±.039	.102




SEE SHEET 2

NOTES:

THE USE OF THIS DOCUMENT IS UNLIMITED. HOWEVER, DOCUMENTS REFERENCED HEREON MAY CONTAIN LIMITED RIGHTS DATA.

N/A	PRO/ENGINEER INFORMATION
N/A	Pro/e Model Used: GTS030A.ASSEM
NEXT ASSEMBLY	Drawing Name: 71-581680_699

UNLESS OTHERWISE SPECIFIED	SPECIFICATIONS
LINEAR DIMENSIONS ARE IN INCHES TOLERANCES: .XXXX = ±.0005 ANGLES= ±2° .XXX = ±.010 .XX = ±.03 .X = ±.1	MATERIAL SPEC. N/A
DIM. & TOL. PER ASME Y14.5M; DRM PER MIL-DTL-31000; OTHER Amphenol Sds. PER 9-3800	PROCESS SPEC. SEE NOTE 5
LEGENDS: = FLAG NOTE CALL OUT REFERENCE ONLY	

4	SEE NOTE 8		CONTACTS			
3	I	10-748XX-()	INSERT	4		
2	I	10-564867-XX3	ADAPTER	3		
I	I	SEE COLUMN	SHELL			
POS	QTY	PART NUMBER	DESCRIPTION	NOTE		
PARTS LIST						
APPROVALS		DATE	AMPHENOL CORPORATION 40-80 DELAWARE AVENUE SIDNEY, N.Y. 13838 CONNECTOR, ELECTRICAL RECEPTACLE, U TYPE GTC030A-(), OLIVE DRAB CADMIUM PLATED			
PREPARED BY A.Prescott		30-Aug-04				
ENGINEER IN CHARGE R.Barnes						
DESIGN MANAGER D.Gallusser						
DESIGN ACTIVITY GROUP C & I						
THIRD ANGLE PROJECTION						
			SIZE C	CAGE CODE 77820	DOCUMENT NO. 71-581680/699	REV. A
SCALE: 2.0			REF: 71-619020/039		SHEET 1 OF 2	

RELEASED / Sep . 02 2004, 11:19 AM

71-581680/699

SHEET 1 OF 2

REV. A

ASSEMBLY NUMBER	SIZE	GT NUMBER	SHELL	A THREAD CLASS 2A	B ±.008	D ±.008	F DIA MIN	G MIN	L MAX	R	S ±.012	T DIA +.004 -.000
71-581680-()	8S	N O T A V A I L A B L E										
71-581681-()	10S	N O T A V A I L A B L E										
71-581682-()	10SL	GTC030A10SL-()	10-580713-113	.6250-24 UNEF	.725	.110	.409	.374	1.969	.717	1.000	.126
71-581683-()	12S	N O T A V A I L A B L E										
71-581684-()	12	N O T A V A I L A B L E										
71-581685-()	14S	GTC030A-14S-()	10-580713-143	.7500-20 UNEF	.725	.126	.520	.374	1.969	.906	1.181	.126
71-581686-()	14	N O T A V A I L A B L E										
71-581687-()	16S	GTC030A16S-()	10-580713-163	.8750-20 UNEF	.725	.126	.638	.374	1.969	.969	1.280	.126
71-581688-()	16	GTC030A16-()	10-580713-173	.8750-20 UNEF	.854	.126	.638	.374	2.362	.969	1.280	.126
71-581689-()	18	GTC030A18-()	10-580713-183	1.0000-20 UNEF	.915	.157	.756	.374	2.362	1.063	1.378	.126
71-581690-()	20	GTC030A20-()	10-580713-203	1.1875-18 UNEF	.915	.157	.866	.374	2.362	1.157	1.496	.126
71-581691-()	22	GTC030A22-()	10-580713-223	1.1875-18 UNEF	.915	.157	.965	.374	2.362	1.252	1.614	.126
71-581692-()	24	GTC030A24-()	10-580713-243	1.4375-18 UNEF	.915	.157	1.094	.374	2.559	1.374	1.752	.146
71-581693-()	28	GTC030A28-()	10-580713-283	1.4375-18 UNEF	.955	.157	1.228	.374	2.559	1.563	2.000	.146
71-581694-()	32	GTC030A32-()	10-580713-323	1.7500-18 UNS	.955	.157	1.488	.433	2.559	1.752	2.244	.169
71-581695-()	36	GTC030A36-()	10-580713-363	2.0000-18 UNS	.955	.157	1.780	.465	3.150	1.937	2.500	.169
71-581696-()	40	GTC030A40-()	10-580713-403	2.2500-16UN	.955	.157	2.016	.465	3.150	2.185	2.752	.169
71-581697/99		N O T A V A I L A B L E										

TO COMPLETE ADD APPLICABLE INSERT
ARRANGEMENT SUFFIX PER 9-2437.

6. SEE WORK ORDER FOR PERMISSIBLE ADDITIONAL OR ALTERNATE STAMPING.
5. PROCESS SPEC:
ASSY 9-9238
TEST 9-3106-18
9-3856-5, 9-3895, 9-2437
4. INSERTS ARE NOT REMOVABLE.
3. DRAWING ILLUSTRATES FINAL ASSEMBLY. FOR STORAGE AND SHIPPING, ADAPTER MUST BE LOOSELY COUPLED.
2. FOR CONTACT SIZE, SPACING AND SERVICE RATING, SEE MIL-STD-1651 OR L-11908/48-().
1. UNIT MEETS APPLICABLE REQUIREMENTS OF MIL-C-5015.

9. PACKAGE PER PRODUCTION PROCESS SHEET.
8. SEE SEPARATE PARTS LIST FOR COMPONENT PART NUMBERS AND QUANTITIES.
7. FOR MATING CONNECTOR ASSEMBLIES, SEE 71-580450/469 AND OTHERS.

NOTES:
THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

RELEASED / Sep . 02 2004, 11:19 AM

SIZE C	CAGE CODE 77820	DOCUMENT NO. 71-581680/699	REV. A
SCALE: 2.0		REF. 71-619020/039	SHEET 2 OF 2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Circular MIL Spec Connector](#) ***category:***

Click to view products by [Amphenol](#) ***manufacturer:***

Other Similar products are found below :

[89075GULPR](#) [0025-262-542](#) [0025-264-3014](#) [58-570121-04S](#) [0134-213-1208](#) [0134-213-2209](#) [0025-258-000](#) [60-042022-07P](#) [60-042022-19P](#)
[60-042022-23P](#) [60-042217-10P](#) [0114-201-1278](#) [012-0467-000](#) [602GB06EG24-61SN](#) [0134-201-1207](#) [0134-213-1006](#) [6104-207-2302](#) [6104-](#)
[208-1902](#) [61-168211-04P](#) [61-168617-10P](#) [6131-202-19149P](#) [6131-204-21149P](#) [6131-208-13149P](#) [6131-209-17149P](#) [6131-210-11149P](#) [6131-](#)
[211-19149P](#) [6131-216-19149P](#) [6131-259-21149P](#) [6131-259-23149P](#) [6131-265-17149P](#) [6131-265-19149P](#) [CS3100A18-1P-472](#) [CS3100A-36-](#)
[77P](#) [CS3101A-16-55P](#) [CS3102A-10SL-55P](#) [CS3102A-14S-58P](#) [CS3102A-32-17P](#) [CS3102A32-25S](#) [CS3102C18-4P-472](#)
[CS3106A10SL3S004](#) [CS3106A-18-73S](#) [CS3108A-14S-52S](#) [CS3108A-28-51S](#) [6162-233-1277](#) [6162-324-1231](#) [M243082296Z](#)
[M2884010AC1S1](#) [CT0-24-10SC](#) [CT0M20-7PCAU](#) [M28840/17AC1G3](#)