

NOTES:

1. MATERIAL: UL94V-0 URETHANE

2. FABRIC: WOVEN CONDUCTIVE COATED.


4. PRESSURE SENSITIVE ADHESIVE, NON-CONDUCTIVE WITH POLY-RELEASE LINER





									2	1		REV.		TOLERANCES UNLESS OTHERWISE SPECIFIED		FAIRVIEW
									NG	CPD		IGE	l	Fractions ± 1/64 Decxx± .13 [3.30]	SPECTRUM CONTROL IN	
									1 1			9	[MILLIMETERS]	Decxxx± .010 [.25]	Dwn. KAUFFMAN	Description
									59939	976	W.	핑	DO NOT SCALE	Angles ±0° 30'	DATE 9-27-04	PROFILE, STD., "D", QUIETSHIELD
									l K	4	쏤	¥	THER AND F	CODE IDENT. NO.	Engr. STRUCHEN	F7D47 770F 7000
									몽	CN 12	REI	ರ	⊕ ← THIRD ANGLE PROJECTION	0LSP2	Sheet 1 of 1	57D13-3725-7200

Quality Products From The Specialists In Electro—Magnetic Compatibility



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for EMI Gaskets, Sheets, Absorbers & Shielding category:

Click to view products by Api Technologies manufacturer:

Other Similar products are found below:

8101010140 8563-0090-89 1194-7.7X10 1245-34"X18YD 1267 1345-3/8x18yrd 1380-2"X8" 1554907-1 2320002000 2320014700

SG293037DS ST005PCN50 55005107 38M4040AA0606 46J5N02020.NN00 1125-8X10 1126X1" 1170-3/4X18YDS 1170-7.7x10 1183
12"X18YD 6-34T-BD-0.315 SG125187D-24 SG125250R-24 SG187375R-24 SG284050DS 8402010540 KIT TECH CLIP 1194 10-40450
28S 1245 1267-1/2"x18yd 46J8501020.NN00 1170-1/4"x18yd AL-36FR-1x54.5 3013310A 1194X1" 3020604 3021302 3031313 260709

3021310 6-34UT-070-BD-16 303076048 46J5N03020.NN00 30206025 30395641 3030403 3690103020 HNY-LT15CU4241 1170
3/8"x18yd