

IP67 USB Type-C Connector

Harsh Environment Series

Stewart Connector introduces IP67 USB Type-C Connectors. These IP67 rated USB Type-C connectors support USB 3.0, USB 3.1 and USB 3.2, Gen 1 and Gen 2. USB Type-C connectors allow for a reversible mating interface, providing an easy and reliable mating of the plug to jack in any plug direction.

USB Type-C connectors are growing in popularity in new and emerging products, introducing the need for a connector that can support high-speed transmissions of audio and video signal output in harsh environments.

Features & Benefits

- Reflow solder compatible
- Current carrying capacity of 5 A
- SS-52400-004:
 - Mid-surface mount design feature
 - Packaged in tape and reel for pick and place operations
- SS-52400-012:
 - Vertical PCB mount
 - Packaged in tape and reel for pick and place operations
- SS-52400-007:
 - Bulkhead mount
- 67U3CD-XXXM-K:
 - USB C 3.1 IP67 male cable designed to mate with SS-52400-007

Applications

- Medical devices
- Industrial environments
- Military communication
- Renewable energy industry
- Rugged computing equipment



IP67 USB Type-C Connector

Harsh Environment Series


Stewart Connector

Connectors


Part Number	IP Rating	Operating Temperature	Performance Speed	PCB Height
SS-52400-004	IP67	-40°C to +80°C	USB 3.1	0.012 in (0.30 mm)
SS-52400-007	IP67	-30°C to +80°C	USB 3.2	0.012 in (0.30 mm)
SS-52400-012	IP67	-25°C to +85°C	USB 3.0	0.012 in (0.30 mm)

Mechanical Drawings


SS-52400-004



SS-52400-007



SS-52400-012



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [USB Connectors](#) category:

Click to view products by [Bel Fuse](#) manufacturer:

Other Similar products are found below :

[A-USB A-LP-SMT-C](#) [A-USB B-TOP-C](#) [217450-1](#) [KUSBX-AS2N-W](#) [30-498-6](#) [SK-60A-2](#) [30-489](#) [A-USB A-2P-C](#) [USBFTVSCCG](#) [E8110-001-01](#) [MUSBA81130](#) [USB3FTV7APEG](#) [4198](#) [17-200011](#) [1040870124](#) [914-614A2025S10200](#) [1002-001-BL-KIT](#) [MUSBR-AHD2-M41-SK](#) [GSB3116344HR](#) [GSB343K331HR](#) [USBF21GSCC](#) [U221-041N-1WVS62-F5D](#) [HYCW153-USBD05-500B](#) [HYCW219-USBD05-075B](#) [HYCW148-USBD05-117B](#) [HYCW149-USBD05-740B](#) [HYCW204-USBD05-108B](#) [HYCW214-USBA04-113B](#) [HYCW213-USBA04-113B](#) [KMMX-BSMT35S-1-B30TR](#) [GT-2A001F-CGNG1](#) [GT-USB-7010i](#) [HC-ST-003-07-J](#) [918-418K2022Y40028](#) [920-462A2021Y10104](#) [AF 90°](#) [WJDG ZB](#) [TYPE-C 6P LCH10.5](#) [AM 180°](#) [MINI 5PTP-GZ](#) [TYPE-C 16PLC-H10.0](#) [TYPE-C 6PLCH10.5 073](#) [MINI 5P 90°4J](#) [10.0](#) [180°ZCZB-HJ](#) [AF 180°WJB15.0](#) [TYPE-C 6P CC](#) [MICRO 5.9ZB5.0\(040\)](#) [10.0 HCHTZB6.3](#) [10.0 180° ZCJB-HJ](#) [TYPE-C 14PLC-H10.0](#) [10.0 QCHTZB6.3-BD](#)