


REV.	DESCRIPTION	ECN NO.	NAME	DATE

Product model	PIN	A	B	C	D
JCB381-HSKGC02P	2	18.01	12.61	3.81	8.41
JCB381-HSKGC03P	3	21.82	16.42	7.62	12.22
JCB381-HSKGC04P	4	25.63	20.23	11.43	16.03
JCB381-HSKGC05P	5	29.44	24.04	15.24	19.84
JCB381-HSKGC06P	6	33.25	27.85	19.05	23.65
JCB381-HSKGC07P	7	37.06	55.31	22.86	27.46
.....	....	....	.....	....	.....
JCB381-HSKGC16P	16	$3.81 \times (N-1) + 14.2$	$3.81 \times (N-1) + 8.8$	$3.81 \times (N-1)$	$3.81 \times (N-1) + 4.6$

General tolerances(mm)													0.1/10	
0 ~ 3	>3 ~ 6	>6 ~ 10	>10 ~ 18	>18 ~ 30	>30 ~ 50	>50 ~ 80	>80 ~ 120	>120 ~ 180	>180 ~ 250	>250 ~ 315	>315 ~ 400	>400 ~ 500		>500
±0.12	±0.18	±0.22	±0.26	±0.31	±0.37	±0.57	±0.80	±0.93	±1.05	±1.15	±1.60	±2.20	±2.50	±2*

UL Standard	B	C	D
Rated Voltage(V)/Current(A)	300/8	/	/
IEC Standard			
Overtoltage Category/Pollution Degree	/	/	II/2
Rated Voltage(V)/Current(A)	/	/	250/7
Rate Impulse Voltage(KV)	/	/	2.5
Torque Tightening(N·m/Lb.in)	M2, 0.2/1.77		
Wire Range(rigid and flexible)(mm <sup>2</sup> /AWG)	0.2~1.5/28~16		
Pitch(mm)/Poles	$3.81/N=02\sim16P$		
Stripping length(mm)	6-7		
Operating temperature(°C)	-40~+105		
Conform to RoHS	Yes		

ITEM	NAME OF PART	MATERIAL	NOTES
6	Screw cap	Copper Alloy	M2.5
5	Screw	steel	M2/Zn plated
4	Cage	Copper Alloy	M2/Ni plated
3	Pin	Copper	Sn plated
2	Cover	PA66	UL94V-0
1	Housing	PA66	UL94V-0



GENERAL TOLERANCE		DONGGUAN BAOXUN PRECISION TECHNOLOGY CO., LTD			
DIM.	TOL.	TITLE: Socket-type terminal			
X		DWG. NO.: JCB381-HSKGCNP		DRAWN: MAX	
X.X	±0.30	PART NO.: JCB381-HSKGCNP		CHECKED: ELLA	
X.XX	±0.25	UNIT: mm SCALE: none SHEET: 1 of 1 DWG. SIZE: A4 LAYER: bxconn APPROVED: WILL			
X.XXX	±0.15				
GENERAL ANGLE:	±3°				

**BXCONN**<sup>®</sup>



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Pluggable Terminal Blocks](#) category:*

*Click to view products by [BXCONN](#) manufacturer:*

Other Similar products are found below :

[57.510.0053](#) [721-104/026-047](#) [721-204/026-045](#) [ET02015000J0G](#) [860505](#) [860516](#) [GBPACX-12](#) [93.731.4953.0](#) [950-FB/03](#) [950-NLFL-DS/03](#) [PVS02-5,00](#) [1-1986160-3](#) [121-A-111/03](#) [121-A-111/05](#) [121-M-121/04](#) [121-M-211/03](#) [121-M-221/06](#) [1377680000](#) [1546228-5](#) [ELFP03110](#) [ELFT07250](#) [ELXH071G0E](#) [1725220000](#) [1760336](#) [1800482](#) [1855000000](#) [19346](#) [1946309](#) [1973592](#) [19892](#) [2-1546857-6](#) [231-110/031-000](#) [25.320.4053.1](#) [25.320.4553.9](#) [25.320.4753.1](#) [25.340.0353.1](#) [25.340.1053.1](#) [25.345.3553.0M001](#) [25.640.3553.1](#) [931-HSL/03-HT](#) [950-FL-DS/04](#) [950-LH-DS/02](#) [950-NLFL-DS/06](#) [SH04-3,50](#) [SH08-5,08](#) [SH08-5,08-K](#) [SH12-5,08](#) [SH15-5,00](#) [SHS04-5,00](#) [30.303](#)