

HP Series Snap-in Type 105°C

Features

- ◆ Highly reliable capacitors that with high ripple current.
- ◆ Terminal spacing fixed at 10 mm for printed circuit board plug in.
- ◆ Aluminum case designed explosion-proof vent.
- ◆ Best for switching power supplies.
- ◆ For detail specifications, please refer to Engineering Bulletin No. E107
- ◆ RoHS Compliant



Specifications


Item	Performance Characteristics										
Operating Temperature Range	-40 to +105℃							-25 to +105℃			
Rated Voltage Range	10 to 100 VDC							160 to 450 VDC			
Capacitance Range	330 to 68000 μ F							33 to 2200 μ F			
Capacitance Tolerance	± 20% (120Hz, +20℃)										
Leakage Current (+20℃,max.)	I ≤ 0.02CV After 5 minutes with rated working voltage applied.										
Dissipation Factor (tan δ , at 20℃ , 120Hz)	Less than the value under table (%)										
	μ F \ VDC	10~16	25~35	50~63	80~100	160~250	315~450				
	47~390	—	—	—	15	15	20				
	470~3900	25	20	20	20	15	20				
	4700~8200	35	30	30	25	—	—				
	10000~22000	40	35	30	—	—	—				
	27000~47000	45	40	35	—	—	—				
	56000~68000	50	45	—	—	—	—				
Low Temperature Characteristics (at 120Hz)	Impedance ratio max.										
	Rated voltage(V)	10	16	25	35	50	63	100	160	200~250	400~450
	Z - 25℃ / Z +20℃	5	5	4	4	4	4	4	4	4	8
	Z - 40℃ / Z +20℃	15	15	15	12	12	12	12	—	—	—
Load Life	Test conditions										
	Duration time	:2000 Hrs									
	Ambient temperature	:+105℃									
	Applied voltage	:Rated DC working voltage									
	After test requirement at +20℃										
	Capacitance change	:≦ ±20% of the initial measured value									
	Dissipation factor	:≦ 200% of the initial specified value									
	Leakage current	:≦ The initial specified value									
Shelf Life	Test conditions										
	Duration time	:1000 Hrs									
	Ambient temperature	:+105℃									
	Applied voltage	:None									
	After test requirement at +20℃ : Same limits as Load life. Pre-treatment for measurements shall be conducted after application of DC working voltage for 30 minutes.										

Multiplier for Ripple Current vs. Frequency

CAP(μ F) \ Frequency(Hz)	50(60)	120	400	1K	10K	50K-100K
10 < CAP $\leq$ 100	0.8	1	1.23	1.36	1.48	1.53
100 < CAP $\leq$ 1000	0.8	1	1.16	1.25	1.35	1.38
1000 < CAP	0.8	1	1.11	1.17	1.25	1.28

Diagram of Dimensions:(unit:mm)

SYMBOL G : P.C.B. TERMINAL (SNAP-IN)



Case Size

φ D x L (mm)

Cap (μF)	WV(SV) φ D		10 (13)								16 (20)							
			22		25		30		35		22		25		30		35	
	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple
3300	22x26	1.24									22x26	1.17						
4700											22x26	1.53	25x26	1.55				
											22x31	1.65						
6800	22x26	1.56	25x26	1.56							22x31	2.02	25x26	2.02	30x26	2.02		
8200	22x26	2.04	25x26	2.04							22x31	2.20						
10000	22x31	2.20	25x26	2.20	30x26	2.20					22x31	2.79	25x26	2.79	30x26	2.81		
											22x36	2.97	25x31	2.97				
12000	22x31	2.34									22x36	3.06	25x31	3.06	30x26	3.06		
	22x36	2.49	25x26	2.40														
15000	22x36	2.76	25x26	2.60	30x26	2.80					22x41	3.24	25x36	3.24	30x26	3.24	35x32	3.24
			25x31	2.76									25x41	3.42				
18000	22x36	2.94	25x31	2.94							22x51	3.51	25x46	3.51	30x36	3.51	35x32	3.54
22000	22x41	3.12	25x36	3.12	30x26	3.08	35x27	3.20					25x46	4.08	30x36	4.08	35x32	4.08
					30x31	3.30							25x51	4.25				
27000	22x46	3.48	25x36	3.48	30x31	3.48	35x27	3.48					25x51	4.30	30x41	4.30	35x32	4.30
			25x46	3.72	30x36	3.72	35x27	3.65							30x46	4.83	35x37	4.83
33000							35x32	3.85										
39000			25x51	4.10	30x41	4.10	35x32	4.10							30x51	5.78	35x42	5.78
47000					30x46	4.38	35x37	4.38									35x47	6.32
56000					30x51	4.64	35x42	4.64									35x52	7.05
68000							35x52	4.80										

Cap (μF)	WV(SV) φ D		25 (32)								35 (44)							
			22		25		30		35		22		25		30		35	
	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple
1500											22x26	1.26						
2200	22x26	1.03									22x26	1.35	25x26	1.45				
											22x31	1.45						
3300	22x26	1.48	25x26	1.48							22x26	1.80	25x26	1.90	30x26	1.92		
3900											22x31	1.90						
											22x31	2.23						
4700	22x26	1.88	25x26	1.90	30x26	1.92					22x36	2.42	25x26	2.30	30x26	2.54		
	22x31	1.92											25x31	2.44				
5600	22x31	2.25									22x36	2.89	25x31	2.89	30x26	2.89		
6800	22x31	2.60	25x26	2.60	30x26	2.60					22x41	3.24	25x36	3.24	30x26	3.21	35x27	3.24
															30x31	3.43		
8200	22x36	3.14	25x31	3.14	30x26	3.14					22x51	3.57	25x41	3.57	30x31	3.57	35x27	3.57
10000	22x41	3.50	25x36	3.50	30x31	3.50	35x27	3.50					25x46	3.96	30x36	3.96	35x27	3.75
																	35x32	4.00
12000	22x46	4.02	25x41	4.02	30x31	4.02	35x27	4.02					25x51	4.21	30x41	4.21	35x32	4.21
15000			25x46	4.58	30x36	4.58	35x32	4.58							30x46	4.69	35x37	4.69
			25x51	4.82	30x41	4.82	35x32	4.79									35x42	5.07
18000							35x37	4.82										
22000					30x46	5.12	35x37	5.12									35x52	5.50
							35x42	5.30										
27000							35x47	5.47										
33000							35x52	6.09										

Cap (μF)	WV(SV) φ D		50 (63)								63 (79)							
			22		25		30		35		22		25		30		35	
	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple
680											22x26	0.70						
1000	22x26	0.84									22x26	0.85	25x26	0.85				
1200											22x26	0.98						
1500	22x26	1.10	25x26	1.12							22x26	1.10	25x26	1.12	30x26	1.14		
	22x31	1.12									22x31	1.15						
1800	22x26	1.50									22x31	1.40	25x26	1.40				
	22x331	1.62																
2200	22x31	1.65	25x26	1.65	30x26	1.65					22x36	1.65	25x31	1.65	30x26	1.65		
	22x31	1.85	25x26	1.85							22x41	2.07	25x36	2.07	30x26	2.07		
2700	22x36	1.97	25x31	1.98														
3300	22x36	2.24	25x31	2.24	30x26	2.24					22x46	2.46	25x36	2.40	30x31	2.48	35x27	2.48
											22x51	2.55	25x41	2.54				
3900	22x41	2.54	25x36	2.54	30x26	2.49							25x41	2.92	30x36	3.05	35x27	3.05
					30x31	2.66							25x46	3.07				
4700	22x46	2.95	25x36	2.80	30x31	2.95	35x27	2.95					25x51	3.43	30x41	3.43	35x32	3.43
			25x41	3.01														
5600	22x51	3.10	25x41	3.02	30x36	3.14	35x27	3.10							30x46	3.86	35x37	3.86
			25x46	3.15	30x41	3.20	35x32	3.20										
6800			25x46	3.23	30x41	3.26	35x32	3.26							30x51	4.64	35x42	4.64
			25x51	3.35														
8200					30x46	3.58	35x37	3.58									35x47	5.05
10000					30x51	4.11	35x42	4.11									35x52	5.75
12000							35x47	4.62										
15000							35x52	5.05										

φ DxL(mm)

WV(SV) Cap (μF) φ D	80 (100)								100 (125)							
	22		25		30		35		22		25		30		35	
	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple
330									22x26	0.54						
470	22x26	0.63							22x26	0.79	25x26	0.81				
									22x31	0.85						
560	22x26	0.70							22x26	0.90	25x26	0.95				
	22x31	0.75							22x31	0.97						
680	22x26	0.81	25x26	0.86					22x31	1.02	25x26	1.02	30x26	1.14		
	22x31	0.87														
820	22x31	1.02	25x26	1.02					22x31	1.26	25x26	1.26	30x26	1.32		
			25x31	1.09												
1000	22x31	1.11	25x31	1.16	30x26	1.16			22x36	1.38	25x31	1.38	30x26	1.38		
	22x36	1.18														
1200	22x36	1.46	25x31	1.46	30x26	1.46			22x41	1.65	25x36	1.65	30x31	1.65		
					30x31	1.56										
1500	22x41	1.74	25x36	1.74	30x26	1.70			22x46	1.83	25x41	1.83	30x31	1.83	35x27	1.83
					30x31	1.82										
1800	22x46	1.95	25x36	1.89	30x31	1.95	35x27	1.95			25x41	2.52	30x36	2.52	35x32	2.52
			25x41	1.99												
2200	22x51	2.25	25x41	2.20	30x31	2.20	35x27	2.25			25x51	3.03	30x41	3.03	35x32	3.03
			25x46	2.31	30x36	2.31	35x32	2.40								
2700			25x46	2.58	30x36	2.58	35x32	2.68					30x46	4.10	35x37	4.10
			25x51	2.70	30x41	2.72	35x37	2.85								
3300			25x51	3.30	30x41	3.30	35x37	3.30					30x56	4.59	35x47	4.59
			25x56	3.45	30x46	3.50	35x42	3.50								
3900					30x46	3.73	35x37	3.73							35x47	4.98
					30x51	3.90	35x42	3.93								
4700					30x51	4.29	35x42	4.29							35x52	5.43
5600							35x47	5.10								
6800							35x52	5.66								

WV(SV) Cap (μF) φ D	160 (200)								200 (250)							
	22		25		30		35		22		25		30		35	
	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple
100									22x26	0.38						
150	22x26	0.37							22x26	0.54	25x26	0.54				
220	22x26	0.42							22x31	0.92	25x26	0.92	30x26	0.92		
270	22x26	0.74							22x31	1.03	25x26	1.03	30x26	1.05		
330	22x31	0.98	25x26	0.98	30x26	1.00			22x36	1.21	25x31	1.21	30x26	1.21		
	22x31	1.09	25x31	1.10	30x26	1.10			22x36	1.33	25x31	1.34	30x31	1.45		
390	22x36	1.15							22x41	1.41	25x36	1.43				
470	22x36	1.21	25x31	1.21	30x26	1.21			22x41	1.57	25x36	1.59	30x31	1.65	35x27	1.65
									22x46	1.65	25x41	1.68				
560	22x41	1.40	25x36	1.40	30x31	1.40	35x27	1.40	22x46	1.81	25x41	1.85	30x31	1.85	35x27	1.85
									22x51	1.90	25x46	1.94	30x36	1.94		
680	22x46	1.64	25x36	1.58	30x31	1.65	35x27	1.71	22x51	2.04	25x46	2.07	30x31	2.04	35x32	2.17
			25x41	1.67	30x36	1.75	35x32	1.80	22x56	2.12	25x51	2.17	30x36	2.17		
820			25x41	1.76	30x36	1.85	35x32	1.85			25x51	2.30	30x36	2.30	35x37	2.31
			25x46	1.85							25x56	2.40	30x41	2.40		
1000			25x51	2.15	30x41	2.15	35x32	2.15					30x41	2.62	35x37	2.62
													30x46	2.75	35x42	2.75
1200			25x56	2.46	30x46	2.46	35x37	2.46					30x51	3.00	35x42	3.00
1500					30x51	2.80	35x42	2.80							35x47	3.28
															35x52	3.46
1800					30x51	3.13	35x42	3.13							35x52	4.01
							35x52	3.26								
2200							35x57	3.39								

WV(SV) Cap (μF) φ D	220 (270)								250 (300)							
	22		25		30		35		22		25		30		35	
	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple
68									22x26	0.27						
100									22x31	0.44	25x26	0.44				
150	22x26	0.50	25x26	0.50					22x31	0.60	25x26	0.60	30x26	0.60		
180	22x26	0.60	25x26	0.60					22x31	0.69	25x26	0.69	30x26	0.69		
220	22x31	0.85	25x26	0.85	30x26	0.85			22x36	1.00	25x31	1.00	30x26	1.00		
270	22x31	1.05	25x26	1.05	30x26	1.05			22x41	1.16	25x36	1.16	30x31	1.16		
330	22x36	1.15	25x31	1.15	30x26	1.15			22x46	1.28	25x36	1.28	30x31	1.28	35x27	1.28
	22x41	1.25	25x31	1.20	30x26	1.25			22x46	1.48	25x36	1.48	30x31	1.48	35x27	1.48
390			25x36	1.28	30x31	1.33										
470	22x46	1.35	25x36	1.31	30x31	1.35	35x27	1.35			25x41	1.76	30x36	1.76	35x32	1.76
			25x41	1.38							25x46	1.85				
560	22x51	1.60	25x46	1.60	30x36	1.60	35x27	1.60			25x51	1.93	30x41	1.93	35x32	1.93
680	22x56	1.70	25x51	1.75	30x41	1.75	35x32	1.75					30x46	2.22	35x37	2.22
820			25x56	2.00	30x46	2.00	35x37	2.00					30x51	2.48	35x42	2.48
1000					30x51	2.30	35x42	2.30							35x47	2.80
1200							35x47	2.35							35x52	3.17
1500							35x52	2.40								
1800							35x56	2.50								

φ D×L(mm)

Cap (μF)	WV(SV) φ D	400 (450)								420 (470)							
		22		25		30		35		22		25		30		35	
		Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple
33		22x26	0.39							22x26	0.32						
47		22x26	0.56	25x26	0.56					22x26	0.45	25x26	0.45				
56		22x26	0.63	25x26	0.68					22x26	0.52	25x26	0.52				
		22x31	0.68														
68		22x31	0.72	25x26	0.72	30x26	0.72			22x31	0.64	25x26	0.64	30x26	0.64		
82		22x31	0.77	25x31	0.82	30x26	0.85			22x31	0.75	25x31	0.75	30x26	0.75		
		22x36	0.82														
100		22x36	0.82	25x31	0.82	30x26	0.82			22x36	0.78	25x31	0.78	30x26	0.78		
120		22x36	0.90	25x31	0.90	30x26	0.90			22x36	0.84	25x36	1.84	30x26	0.84		
150		22x41	0.98	25x36	0.98	30x31	0.95	35x27	0.95	22x41	0.97	25x36	0.97	30x31	0.97		
180		22x46	1.14	25x41	1.14	30x36	1.14	35x32	1.14	22x46	1.02	25x41	1.02	30x36	1.02	35x27	1.02
220				25x46	1.21	30x41	1.21	35x32	1.21			25x46	1.22	30x41	1.22	35x32	1.22
270						30x46	1.40	35x37	1.40					30x46	1.5	35x37	1.5
330						30x51	1.57	35x42	1.57					30x51	1.68	35x42	1.68
390								35x42	1.71							35x47	1.76
								35x47	1.79								
470								35x47	1.94							35x52	1.87
								35x52	2.03								
560								35x52	2.23								

Cap (μF)	WV(SV) φ D	450 (500)							
		22		25		30		35	
		Size	Ripple	Size	Ripple	Size	Ripple	Size	Ripple
33		22x26	0.24						
47		22x31	0.35	25x26	0.35				
56		22x31	0.41	25x26	0.41				
68		22x36	0.55	25x31	0.55	30x26	0.55		
82		22x36	0.64	25x31	0.64	30x26	0.64		
100		22x41	0.74	25x31	0.74	30x31	0.74		
120		22x46	0.82	25x36	0.82	30x31	0.82		
150		22x51	0.96	25x41	0.96	30x36	0.96	35x27	0.96
180				25x46	1.14	30x36	1.10	35x32	1.14
						30x41	1.16		
220						30x41	1.24	35x37	1.24
270						30x51	1.48	35x42	1.48
330								35x47	1.64
390								35x52	1.86
470									
560									

Ripple Current (A, rms) at 105°C 120Hz

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Aluminium Electrolytic Capacitors - Radial Leaded](#) ***category:***

Click to view products by [Capxon](#) ***manufacturer:***

Other Similar products are found below :

[NRELS102M35V16X16C.140LLF](#) [ESRG160ETC100MD07D](#) [227RZS050M](#) [335CKR250M](#) [476CKH100MSA](#) [477CKR100M](#)
[107CKR010M](#) [107CKH063MSA](#) [RJH-25V222MI9#](#) [RJH-35V221MG5#](#) [B43827A1106M8](#) [RJH-50V221MH6#](#) [EKYA500ELL470MF11D](#)
[B41022A5686M6](#) [ESRG250ELL101MH09D](#) [EKMA160EC3101MF07D](#) [RJB-10V471MG3#](#) [ESMG160ETD221MF11D](#)
[EKZH160ETD152MJ20S](#) [RJH-35V122MJ6#](#) [EGXF630ELL621ML20S](#) [RBD-25V100KE3#N](#) [EKMA350ELL100ME07D](#)
[ESMG160ETD101ME11D](#) [ELXY100ETD102MJ20S](#) [EGXF500ELL561ML15S](#) [EKMG350ETD471MJ16S](#) [35YXA330MEFC10X12.5](#)
[RXW471M1ESA-0815](#) [ELXZ630ELL221MJ25S](#) [ERR1HM1R0D11OT](#) [LPE681M30060FVA](#) [LPL471M22030FVA](#) [HFE221M25030FVA](#)
[LKMD1401H221MF](#) [B41888G6108M000](#) [EKMA160ETD470MF07D](#) [UHW1J102MHD6](#) [EKMG500ETD221MJC5S](#) [LKMK2502W101MF](#)
[LKMD1401H181MF](#) [LKMI2502G820MF](#) [LKMJ2001J122MF](#) [LKML2501C472MF](#) [LKMJ4002C681MF](#) [450MXH330MEFCSN25X45](#)
[450MXK330MA2RFC22X50](#) [63ZLH560MEFCG412.5X30](#) [ELH2DM331O25KT](#) [ELH2DM471P30KT](#)