



Product Catalogue 2017

# TRADITIONALLY CRAFTED TOOLS

C.K Classic products reflect the heritage and quality associated with the C.K brand. A range of dependable garden tools, cutlery and durable hardware products that combine traditional manufacturing methods with the latest technology.

C.K Classic products are meticulously crafted to ensure lasting performance and appeal to both the dedicated professional and DIY enthusiast.



- Shearing 248-249
- Pruning 250-251
- Lopping & Felling 252-253
- Cultivating 254-255
- Agricultural 256
- Scissors 257-259
- Knives 259-260
- Kitchen Accessories 260
- Cabinet Hinges 260-261
- End Mills 261
- Snap Hooks 261







## SHEARING

The original wavy edge shears. Beloved by professionals, a seemingly abuse resistant hedge shear designed for years of hard work.

- 1 Hot drop forged and hard chrome armoured waved edge blades
- 2 Precisely hollow ground, self sharpening blades
- 3 Oversize, shock absorbing wood and rubber buffers to prevent jarring
- 4 Barbed tangs and heavy duty, steel ferrules
- 5 Lacquered, hardwood handles
- 6 Fully adjustable blade tension
- 7 Cutting notch



## SHEARING



### Legend Golden Shears

| Item Number |             |            |       |   |
|-------------|-------------|------------|-------|---|
| G5029       | 560mm (22") | 230mm (9") | 1.3kg | 1 |



### Legend Silver CeKa Shears

Hot drop forged and hard chrome armoured straight edge blades. Precisely hollow ground, self sharpening blades. Lacquered, hardwood handles. Fully adjustable blade tension. Cutting notch.

| Item Number |               |                |      |   |
|-------------|---------------|----------------|------|---|
| G5022A 8    | 400mm (15.7") | 190mm (7 1/2") | 584g | 1 |
| G5022A 6    | 480mm (19")   | 190mm (7 1/2") | 800g | 2 |



### Maxima Light Weight Hedge Shears

Lightweight, design for fatigue free use. Non-stick coated and chrome plated blades for low friction use and resistance to rust. Precision ground, hardened carbon steel blades. Hardwood handles with soft, non-slip grips. Fully adjustable blade tension.

| Item Number |                 |            |      |   |
|-------------|-----------------|------------|------|---|
| G5010       | 520mm (20 1/2") | 180mm (7") | 844g | 6 |



## Maxima Long Reach Hedge Shears

Non-stick coated and chrome plated blades for friction free use and resistance to rust. Precision ground, hardened carbon steel blades. Hardwood handles with soft, non-slip grips. Fully adjustable blade tension.

| Item Number |             |            |      |   |
|-------------|-------------|------------|------|---|
| G5011       | 600mm (24") | 200mm (8") | 994g | 6 |



## Legend Heavy Duty Lawn Edging Shears

Steel ferrules are pinned through the handles. Hot drop forged and hard chrome armoured blades. Precisely hollow ground, self sharpening blades. Lacquered, hardwood handles. Fully adjustable blade tension.

| Item Number |             |                |       |   |
|-------------|-------------|----------------|-------|---|
| G5051       | 950mm (37") | 209mm (8 1/4") | 2.4kg | 1 |



## Legend Multi Purpose Shears

Lightweight and ideal for many uses. Hollow contour, non-stick coated, self sharpening blades. Adjustable blade tension.

| Item Number |                 |                |      |   |
|-------------|-----------------|----------------|------|---|
| G5640       | 290mm (11 1/2") | 105mm (4 1/8") | 271g | 3 |



## Legend Adjustable Lawn Edging Shears

Hardened and tempered steel blades. Self sharpening. Professional quality lightweight construction. Telescopic arms – adjustable from 64cm to 105cm.

| Item Number |   |
|-------------|---|
| G5057       | 0 |



## Maxima Grass Shears

Blades rotate 180° to cut awkward areas. Lightweight and clean cutting. Non-stick coated and chrome plated blades for low friction use and resistance to rust. Blades can cut either vertically or horizontally.

| Item Number |             |                |      |   |
|-------------|-------------|----------------|------|---|
| G5637       | 355mm (14") | 115mm (4 1/2") | 357g | 3 |



## Maxima Lawn Edging Shears

Lightweight shears give a professional finish to the lawn edges. Non-stick coated and chrome plated blades for low friction use and resistance to rust. Tubular steel handles with soft, non-slip grips. Fully adjustable blade tension.

| Item Number |             |            |       |   |
|-------------|-------------|------------|-------|---|
| G5015       | 940mm (37") | 175mm (7") | 1.5kg | 6 |

## PRUNING



### Legend Heavy Duty Bypass Pruners

Strong, heavy duty pruner complete with its own holster. Non-stick coated blades. Shock absorbing buffer. Adjustable blade tension. Double sided safety lock.

| Item Number |                |             |      |   |
|-------------|----------------|-------------|------|---|
| G5610       | 215mm (8 1/2") | 20mm (3/4") | 300g | 3 |



### Legend Power Pruners

Lightweight and versatile, equally at home cutting delicate flowers or slicing through the toughest branches. The composite body and moulded grips ensure a comfortable days pruning for both professional and keen gardeners. Non-stick coated blades. Safety lock.

| Item Number |                |             |      |   |
|-------------|----------------|-------------|------|---|
| G5675       | 195mm (7 3/4") | 20mm (3/4") | 315g | 3 |



### Legend Bypass Pruners

General purpose pruner with 2 stage lock for partial or full blade opening. Complete with its own holster. Non-stick coated blades. Adjustable blade tension. Double sided safety lock.


| Item Number |                |             |      |   |
|-------------|----------------|-------------|------|---|
| G5612       | 215mm (8 1/2") | 18mm (5/8") | 300g | 3 |



### Maxima Ratchet Pruners

Easy ratchet action. Light, bright and right for all gardeners. Non-stick coated blade for low friction use and resistance to rust. Safety catch.

| Item Number |                |             |      |   |
|-------------|----------------|-------------|------|---|
| G5674       | 185mm (7 1/4") | 16mm (5/8") | 100g | 6 |



### Legend Bypass Pruners

Extra thin sharp blade producing a fine cutting action. Non-stick coated blade. Shock absorbing buffer. Fine adjustment blade tension. Safety lock.

| Item Number |               |            |      |   |
|-------------|---------------|------------|------|---|
| G5631       | 215m (8 1/2") | 20mm(3/4") | 300g | 3 |



### Maxima Anvil Pruners

For pruning older wood. Anvil grips the branch for easier cutting. Non-stick coated and chrome plated blades for low friction use and resistance to rust. Fully adjustable blade tension. Thumb-control safety catch. Two component handles.

| Item Number |                |             |      |   |
|-------------|----------------|-------------|------|---|
| G5636       | 190mm (7 1/2") | 16mm (5/8") | 179g | 3 |



## Maxima Bypass Pruners

Lightweight, pocket sized pruner ideal for delicate pruning work. Non-stick coated and chrome plated blades for low friction use and resistance to rust. Fully adjustable blade tension. Thumb-control safety catch. Two component handles.

| Item Number |                |             |      |   |
|-------------|----------------|-------------|------|---|
| G5635       | 190mm (7 1/2") | 16mm (5/8") | 175g | 3 |



## Maxima Pruning Snips

Ideal for delicate pruning work. Lightweight, easy to use snips for dead heading, vine pruning and other precise tasks. Non-stick coated and chrome plated blades for low friction use and resistance to rust. Fully adjustable blade tension. Two component handles.

| Item Number |            |             |      |   |
|-------------|------------|-------------|------|---|
| G5634       | 200mm (8") | 10mm (3/8") | 175g | 3 |



## Locking Pruning Knife

Pruning knife with brass riveted plastic scales and locking function. Fine polished, blade with flat back.

| Item Number |                |     |  |   |
|-------------|----------------|-----|--|---|
| G9068L      | 110mm (4 1/4") | 70g |  | 3 |



## Pruning Knife

Pruning knife with brass riveted plastic scales. Fine polished, blade with flat back.

| Item Number |               |     |  |   |
|-------------|---------------|-----|--|---|
| G9066       | 95mm (3 3/4") | 55g |  | 3 |



## Long Pruning Saw

Precision, taper ground, razor sharp teeth cut on both push and pull strokes without clogging. Comfortable, cushioned handle. Robust holster with belt loop.

| Item Number |                 |      |  |   |
|-------------|-----------------|------|--|---|
| G0923       | 460mm (18 1/2") | 446g |  | 3 |



## Foldaway Pruning Saw

Precision, taper ground, razor sharp teeth cut on both push and pull strokes without clogging. Comfortable, cushioned handle. Secure safety catch.

| Item Number |                 |      |             |   |
|-------------|-----------------|------|-------------|---|
| G0922       | 400mm (15 3/4") | 200g | -           | 6 |
| G0920       | -               | -    | Spare blade | 3 |

## LOPPING & FELLING



### Legend Bypass Loppers

Fully forged, hardened and tempered special steel blades. Barbed tangs. Lacquered hardwood handles.

| Item Number |                 |               |       |   |
|-------------|-----------------|---------------|-------|---|
| G5043       | 750mm (29 1/2") | 45mm (1 1/2") | 1.8kg | 1 |



### Maxima Telescopic Loppers

Power lever cutting action provides clean, easy cuts. Non-stick coated and chrome plated blades for low friction use and resistance to rust. Precision ground, hardened carbon steel blades. Extendable tubular steel handles with soft, non-slip grips. Fully adjustable blade tension to reduce jarring.

| Item Number |                           |               |       |   |
|-------------|---------------------------|---------------|-------|---|
| G5014       | 660 to 990mm (26" to 39") | 35mm (1 3/8") | 1.8kg | 6 |



### Legend Power Loppers

Bypass loppers for green/soft wood. Fully forged, hardened and tempered special steel blades. Barbed tangs and deep ferrules. Wood and rubber buffers to prevent jarring. Lacquered hardwood handles.

| Item Number |             |               |       |   |
|-------------|-------------|---------------|-------|---|
| G5028       | 660mm (26") | 30mm (1 1/4") | 1.2kg | 1 |



### Maxima Heavy Duty Bypass Loppers

Heavy duty loppers ideal for tougher wood. Non-stick coated and chrome plated blades for low friction use and resistance to rust. Precision ground, hardened carbon steel blades. Fully adjustable blade tension. Shock absorbing buffer.

| Item Number |                 |               |       |   |
|-------------|-----------------|---------------|-------|---|
| G5013       | 730mm (28 3/4") | 30mm (1 1/2") | 1.2kg | 6 |



### Legend Heavy Duty Anvil Loppers

Anvil cut with cantilever action increases power and reduces effort by 'drawing' the cut. Fully forged, hardened and tempered special steel blades. Non-stick coated blade. Barbed tangs. Lacquered hardwood handles.

| Item Number |             |           |       |   |
|-------------|-------------|-----------|-------|---|
| G5042       | 720mm (28") | 50mm (2") | 1.6kg | 1 |



### Maxima Light Weight Bypass Loppers

Compact size allows easy, fatigue free, two handed cutting of small branches. Precision ground, hardened carbon steel blades. Tubular steel handles with soft, non-slip grips. Fully adjustable blade tension. Shock absorbing buffer to reduce jarring.

| Item Number |             |           |      |   |
|-------------|-------------|-----------|------|---|
| G5012       | 480mm (19") | 25mm (1") | 881g | 6 |



## Hatchet - Steel

High quality drop forged steel head with high strength tubular steel chromed shaft. Contoured sure-grip rubber handle for comfort and control. Button down protective leather sheath with belt loop.

| Item Number |             |       |   |
|-------------|-------------|-------|---|
| G5162       | 330mm (13") | 1.8lb | 2 |



## Hatchets

Hot drop forged, hardened steel head for durability. Head lacquered and polished for corrosion protection. Waxed ash handle for strength.

| Item Number |             |         |   |
|-------------|-------------|---------|---|
| G5155 24    | 360mm (14") | 1 1/2lb | 1 |
| G5155 32    | 400mm (16") | 2lb     | 1 |



## Felling Axes

Hot drop forged, hardened steel head for durability. Head lacquered and polished for corrosion protection. Lacquered premium grade hickory handle for strength.

| Item Number |             |     |   |
|-------------|-------------|-----|---|
| G5156 4     | 800mm (32") | 4lb | 1 |
| G5156 5     | 890mm (36") | 5lb | 1 |

## Replacement Parts for Shears, Pruners and Loppers

| Item Number | i                                                    |   |
|-------------|------------------------------------------------------|---|
| G5200       | Bolt, Nut & Washers for 5047 6" & 8", and 5056       | 1 |
| G5203       | Nut & Washer for 5047 6" & 8", and 5056              | 1 |
| G5210       | Bolt, Nut & Washer for 5022, 5047 9", 5029, and 5054 | 1 |
| G5217       | Nut & Washer for 5022, 5047 9", 5029, and 5054       | 1 |
| G5211       | Spring Washer for 5022, 5047 9", 5029, and 5054      | 1 |
| G5213       | Rubber Buffer for 5028 and 5029                      | 1 |
| G5214       | Wood Buffer for 5028 and 5029                        | 1 |
| G5215       | Metal Cup for 5028 and 5029                          | 1 |
| Z5014 2     | Anvil for 5014                                       | 1 |
| Z5041 1     | Spare Blades for 5041 & 5042                         | 1 |
| Z5041 2     | Anvil for 5041 & 5042                                | 1 |
| Z5043 1     | Bolts & Nuts 5043                                    | 1 |
| Z5631 2     | Spare Blade for 5631                                 | 1 |
| Z5631 3     | Nut Bolt Assembly for 5631                           | 1 |
| Z5631 4     | Screw for 5631                                       | 1 |
| Z5634 1     | Spring for 5634, 5635 & 5636                         | 1 |
| Z5675 1     | Spare Blades for 5675                                | 1 |

## CULTIVATING



### Digging Spade Stainless Steel

Manufactured from fully hardened, highly polished stainless steel for low friction digging and easy cleaning. Plastic shaft with steel inner core for strength and durability.

| Item Number |              |       |   |
|-------------|--------------|-------|---|
| G5142       | 1040mm (41") | 2.2kg | 3 |



### Border Fork Stainless Steel

Stainless steel fork. Strong plastic shaft with steel core for durability.

| Item Number |                  |       |   |
|-------------|------------------|-------|---|
| G5141       | 1000mm (39 1/2") | 1.7kg | 3 |



### Digging Fork Stainless Steel

Stainless steel fork. Strong plastic shaft with steel core for durability.

| Item Number |              |       |   |
|-------------|--------------|-------|---|
| G5143       | 1040mm (41") | 2.2kg | 3 |



### Lawn Edger Stainless Steel

Stainless steel blade. Strong plastic shaft with steel core for durability.

| Item Number |              |     |   |
|-------------|--------------|-----|---|
| G5144       | 1040mm (41") | 1kg | 3 |



### Border Spade Stainless Steel

Manufactured from fully hardened, highly polished stainless steel for low friction digging and easy cleaning. Plastic shaft with steel inner core for strength and durability.

| Item Number |                  |       |   |
|-------------|------------------|-------|---|
| G5140       | 1000mm (39 1/2") | 1.7kg | 3 |



### Legend Stainless Steel Weeding Fork

Professional quality construction. Manufactured from forged, highly polished stainless steel for low friction digging and easy cleaning. Hardwood handle permanently secured with a plated heavy duty steel ferrule.

| Item Number |             |      |   |
|-------------|-------------|------|---|
| G5125       | 250mm (10") | 200g | 3 |



### Legend Stainless Steel Rockery Fork

Stainless steel prongs. Lacquered hardwood handle.

| Item Number |                |      |   |
|-------------|----------------|------|---|
| G5129       | 285mm (1 1/4") | 200g | 3 |



### Maxima Rockery Trowel

Strong, chrome-plated blade. Hardwood handle with soft, non-slip grip.

| Item Number |  |      |    |
|-------------|--|------|----|
| G5731       |  | 180g | 10 |



### Maxima Hand Fork

Traditional style three pronged fork, ideal multi purpose cultivator. Chrome-plated blade. Hardwood handle with soft, non-slip grip.

| Item Number |                 |      |    |
|-------------|-----------------|------|----|
| G5732       | 270mm (10 1/2") | 186g | 10 |



### Mist Spray 1Ltr

Efficient hand held spray for house, greenhouse or garden. Adjustable from very fine mist to jet.

| Item Number |  |      |   |
|-------------|--|------|---|
| G6276 1     |  | 100g | 6 |



### Maxima Garden Trowel

Strong, chrome-plated blade. Hardwood handle with soft, non-slip grip.

| Item Number |  |      |    |
|-------------|--|------|----|
| G5730       |  | 208g | 10 |



### Eco-Flex Hose Pipes

Quality 1/2" bore hose pipe ideal for general gardening/household use. Patented inner ribbed construction for greater kink resistance. Polyester reinforcement and PVC outer for extra strength and durability. Burst pressure 25 bar.

| Item Number |     |       |    |
|-------------|-----|-------|----|
| G7620 15    | 15m | 1.8kg | 10 |
| G7620 30    | 30m | 3.4kg | 5  |

## AGRICULTURAL



### Fencing Pliers

Heavy duty drop forged steel construction for strength and long term performance. Original German pattern designed for hammering, drawing staples, tensioning, twisting, shearing and splicing wires.

| Item Number |                 |      |   |
|-------------|-----------------|------|---|
| T3866       | 270mm (10 5/8") | 645g | 3 |



### Hoof Cutter

Manufactured from forged carbon steel with polished blades and chequered handles.

| Item Number |                |      |   |
|-------------|----------------|------|---|
| T5720       | 240mm (9 1/2") | 394g | 3 |



### Hoof Cutter - Serrated

One sharply pronounced serrated edge blade.

| Item Number |                |      |   |
|-------------|----------------|------|---|
| T5721       | 240mm (9 1/2") | 394g | 3 |



### Grease Gun High Pressure

Heavy duty construction grease gun with pressure head. Multiple loading: cartridge, grease gun filler or bulk. Precision machined piston and pump cylinder. Air release valve. Wide safety knurls for a sure grip. Supplied complete with angled delivery tube and 4 jaw hydraulic coupler. Delivery pressure 400/5800 psi.

| Item Number |        |     |   |
|-------------|--------|-----|---|
| T6270       | 500cm³ | 66g | 1 |

### Grease Gun Accessories

| Item Number |       |      |                  |   |
|-------------|-------|------|------------------|---|
| T6270 2     | 300mm | 32g  | Flexible Hose    | 6 |
| T6270 3     | 450mm | 84g  | Flexible Hose    | 6 |
| T6270 4     | -     | 32g  | Coupler          | 6 |
| T6270 5     | -     | 446g | Grease Cartridge | 6 |



### Metal Funnel

Bright tin plated funnel with flexible, detachable metal hose, plastic spout and brass filter. 3.2ltr capacity.

| Item Number |                 |   |
|-------------|-----------------|---|
| T6274 2     | 3.2ltr / 300mmØ | 6 |



## Plastic Funnel

Polythene funnel with flexible, detachable metal hose, plastic spout and brass filter. 1.3ltr capacity.

| Item Number |                 |    |
|-------------|-----------------|----|
| T6275 1     | 1.3ltr / 160mmØ | 10 |



## Cut Out Scissors

Fully forged and nickel plated. Screw adjustment.

| Item Number |            |     |   |
|-------------|------------|-----|---|
| C80766      | 155mm (6") | 70g | 3 |
| C80767      | 180mm (7") | 90g | 3 |

## SCISSORS



## Tailors Shears

Designed specifically for cutting fabric on work surface. Fully forged polished blades with black japanned handles. Bearing bolt adjustment. Side bent.

| Item Number |             |      |   |
|-------------|-------------|------|---|
| C809510     | 260mm (10") | 350g | 3 |



## Ladies Scissors

Forged and hardened steel for long term performance. Nickel plated for protection. Screw adjustment.

| Item Number |            |     |   |
|-------------|------------|-----|---|
| C80746      | 155mm (6") | 70g | 3 |



## Trimmer Scissors

Fully forged and nickel plated. Black japanned handles. Screw adjustment. Side bent.

| Item Number |            |      |   |
|-------------|------------|------|---|
| C80787      | 180mm (7") | 130g | 3 |
| C80788      | 205mm (8") | 170g | 3 |
| C80789      | 230mm (9") | 220g | 3 |



## Pocket Scissors

Forged and hardened steel for long term performance, Nickel plated for protection. Screw adjustment. Blunt ended blades.

| Item Number |                |     |   |
|-------------|----------------|-----|---|
| C807245     | 115mm (4 1/2") | 35g | 3 |



### Hairdressing Scissors

Forged and hardened steel for long term performance, Finely polished and chrome plated for protection. With cockade for precise control. Screw adjustment.

| Item Number |            |     |   |
|-------------|------------|-----|---|
| C8080       | 180mm (7") | 50g | 3 |



### Trimmer Scissors

Stainless steel blades with comfortable side bent moulded plastic handles. Screw adjustment.

| Item Number |                |      |   |
|-------------|----------------|------|---|
| C8431       | 210mm (8 1/4") | 100g | 3 |



### Nail Scissors

Forged and hardened steel for long term performance. Nickel plated for protection. Screw adjustment. Straight blades.

| Item Number |               |     |   |
|-------------|---------------|-----|---|
| C8060       | 90mm (3 1/2") | 15g | 3 |



### Trimmer Scissors

Stainless steel with comfortable side bent moulded plastic handles. Serrated cutting edge. Heavy duty screw adjustment.

| Item Number |                |      |   |
|-------------|----------------|------|---|
| C8432       | 220mm (8 1/2") | 100g | 3 |



### Nail Scissors - Curved Blades

Forged and hardened steel for long term performance, Nickel plated for protection. Screw adjustment. Curved blades.

| Item Number |               |     |   |
|-------------|---------------|-----|---|
| C8061       | 90mm (3 1/2") | 15g | 3 |



### Kitchen Scissors

Stainless steel with comfortable moulded plastic handles. Serrated cutting blade. Integral lid opener. Dishwasher safe.

| Item Number |                |     |   |
|-------------|----------------|-----|---|
| C8434       | 220mm (8 1/2") | 90g | 6 |



## Ladies Scissors

Stainless steel with moulded plastic handles. Riveted blades.

| Item Number |                |     |   |
|-------------|----------------|-----|---|
| C8419       | 160mm (6 1/4") | 40g | 6 |



## Embroidery Scissors

Stainless steel with moulded plastic handles. Riveted blades.

| Item Number |            |     |   |
|-------------|------------|-----|---|
| C8417       | 105mm (4") | 20g | 3 |

## KNIVES



## Locking Pocket Knife - Clip Point

Locking pocket knife with a polished and durable, sharp, hardened steel clip point blade.

| Item Number |                |      |   |
|-------------|----------------|------|---|
| C9035L      | 110mm (4 1/4") | 100g | 3 |



## Locking Pocket Knife - Lambsfoot

Locking pocket knife with lambsfoot blade. Black plastic scales. Brass riveted. Lanyard shackle.

| Item Number |                |     |   |
|-------------|----------------|-----|---|
| C9038L      | 110mm (4 1/4") | 70g | 3 |



## Pocket Knife - Lambsfoot Knife

Pocket knife with a durable, sharp, high carbon steel lambsfoot blade.

| Item Number |               |     |   |
|-------------|---------------|-----|---|
| C9036       | 95mm (3 3/4") | 60g | 3 |



## Pocket Knife Counter Boxes - Lambsfoot

| Item Number |           |   |
|-------------|-----------|---|
| C9036R 1    | 20 knives | 1 |
| C9036R 2    | 50 knives | 1 |



## Pocket Knife - Spear Point

With spear point blade. Black plastic scales. Brass riveted. Lanyard shackle.

| Item Number |               |     |   |
|-------------|---------------|-----|---|
| C9037       | 95mm (3 3/4") | 55g | 3 |



## Waiters Friend

Patented design with double centre pivot, giving a straight pull to prevent damaged corks. Nickel plated with black plastic scales. Includes: corkscrew, bottle opener, can piercer, crown cork lifter and a serrated blade for bottle neck foil.

| Item Number |            |     |   |
|-------------|------------|-----|---|
| C6096       | 150mm (6") | 70g | 6 |

## KITCHEN ACCESSORIES



## Gas Lighter

Triggered, Piezo Electric spark. Stainless steel trim. Wall mounting bracket. Mixed colours.

| Item Number |                |      |   |
|-------------|----------------|------|---|
| C6000A      | 220mm (8 3/4") | 100g | 6 |

## CABINET HINGES



## Cabinet Hinges - 90° Opening

Heavy duty steel construction, nickel plated for protection. 90 degree opening arc. Three way adjustable. Suitable for doors with a minimum thickness of 16mm. Unsprung.


| Item Number |      |      |                         |   |
|-------------|------|------|-------------------------|---|
| T0213S 1    | 26mm | 133g | Display packed in pairs | 6 |
| T0213S 2    | 35mm | 186g | Display packed in pairs | 1 |



## Corkscrew

With sharp edged spiral and nylon ring in bell mouth to hold bottle securely. Crown cork lifter. Mixed chrome and brass plated finishes.

| Item Number |                |      |   |
|-------------|----------------|------|---|
| C6059       | 165mm (6 1/2") | 140g | 6 |



## Spring Loaded Cabinet Hinges - 175° Opening

Heavy duty steel construction, nickel plated for protection. 175 degree opening arc. Three way adjustable. Suitable for doors with a minimum thickness of 16mm. Spring loaded.

| Item Number |      |      |                         |    |
|-------------|------|------|-------------------------|----|
| T0211S 2    | 35mm | 409g | Display packed in pairs | 6  |
| T0212S 2    | 35mm | 178g | Bulk packed loose       | 10 |



## Spring Loaded Cabinet Hinges - 90° Opening

Heavy duty steel construction, nickel plated for protection. 90 degree opening arc. Three way adjustable. Suitable for doors with a minimum thickness of 16mm . Spring loaded.

| Item Number |      |      |                         |    |
|-------------|------|------|-------------------------|----|
| T0208S 1    | 26mm | 139g | Display packed in pairs | 6  |
| T0208S 2    | 35mm | 190g | Display packed in pairs | 1  |
| T0209S 1    | 26mm | 56g  | Bulk packed Loose       | 20 |
| T0209S 2    | 35mm | 83g  | Bulk packed Loose       | 20 |

## END MILLS



## End Mills

For drilling bling holes for concealed cabinet hinges. High quality alloy steel construction. For use in electrical drills (5000 rpm max). Brad point for accurate positioning. Twin cutting edges and periphery-blades.

| Item Number |      |            |     |    |
|-------------|------|------------|-----|----|
| T0297 1     | 26mm | 10mm shank | 73g | 20 |
| T0297 2     | 35mm | 10mm shank | 98g | 20 |

## SNAP HOOKS



## Heavy Duty Snap Hooks

Nickel plated heavy duty hook with swivel ring. Snap opening: 9mm

| Item Number |     |    |
|-------------|-----|----|
| T7055 275   | 39g | 12 |
| T7055 4375  | 85g | 12 |



## Heavy Duty Snap Hooks with Key Ring

Nickel plated hook with stainless steel spring. Key ring. Snap opening: 6mm.

| Item Number |               |     |    |
|-------------|---------------|-----|----|
| T7056       | 85mm (3 1/8") | 33g | 10 |



## Heavy Duty Snap Hook

Nickel plated with swivel ring.

| Item Number |               |     |    |
|-------------|---------------|-----|----|
| T7061       | 85mm (3 1/8") | 43g | 12 |

Carl Kammerling International Ltd. reserves the right to alter products and / or specifications without prior notice. Prices are correct at time of printing E. & O.E. All trademarks are acknowledged. All photographs are for guidance only and do not necessarily represent the products illustrated.

©2017. Published by Carl Kammerling International Ltd. No part of this publication may be produced without prior permission from Carl Kammerling International Ltd.

M4000ENG 10k / 03-17

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

***Click to view similar products for [CK Tools](#) manufacturer:***

Other Similar products are found below :

[330012](#) [424001](#) [424002](#) [424006](#) [424008](#) [424013](#) [424017](#) [424020](#) [424032](#) [424041](#) [424043](#) [424046](#) [430007](#) [431001](#) [431004](#) [431009](#)  
[431018](#) [440013](#) [495005](#) [495006](#) [495007](#) [495022](#) [495024](#) [495028](#) [495057](#) [C8060](#) [C8061](#) [C80766](#) [C80787](#) [C80788](#) [C80789](#) [C8080](#)  
[C809510](#) [C8417](#) [C8419](#) [C8431](#) [C8432](#) [C9035L](#) [G0922](#) [G5015](#) [G5029](#) [G5051](#) [G5057](#) [G5634](#) [G7621 15](#) [G7621 30](#) [G7621 50](#) [G7625 15](#)  
[G7625 30](#) [G7625 50](#)