CUI DEVICES

date 10/18/2019

page 1 of 9

SERIES: CP30H | DESCRIPTION: PELTIER MODULE

FEATURES

- arcTEC™ structure on select models
- enhanced reliability for high thermal cycling
- superior thermal performance
- silicon sealed
- wide ΔT max
- low profile
- precise temperature control
- solid state construction





MODEL	input voltage¹	input current²	internal resistance ³	output Qmax⁴		output ∆Tmax⁵	
	max (Vdc)	max (A)	$ ext{typ} \ (\Omega \pm 10\%)$	T _h =27°C (W)	T _h =50°C (W)	T _h =27°C (°C)	T _h =50°C (°C)
CP30138H	3.8	3.0	1.0	7.3	8.0	70	77
CP30238H	8.8	3.0	2.20	16.6	18.0	70	77
CP30239H	6.0	3.0	1.5	10.3	11.3	70	77
CP30301538H	7.6	3.0	1.95	14.7	16.1	70	77
CP303385H ⁶	15.7	3.0	4.0	29.8	32.5	70	77
CP30444 ⁶	19.5	3.0	4.8	34	37	70	77

Notes:


- 1. Maximum voltage at ΔT max and $T_{\rm h}{=}27^{\rm o}{\rm C}$ 2. Maximum current to achieve ΔT max
- 3. Measured by AC 4-terminal method at 25°C
- 4. Maximum heat absorbed at cold side occurs at $I_{max'}$ $V_{max'}$ and $\Delta T=0$ °C 5. Maximum temperature difference occurs at $I_{max'}$ $V_{max'}$ and Q=0W (ΔT max measured in a vacuum at 1.3 Pa)
- 6. Designed with arcTEC™ structure.

SPECIFICATIONS


parameter	conditions/description	min	typ	max	units
solder melting temperature	connection between thermoelectric pairs	235			°C
assembly compression				1	MPa
RoHS	yes				


MECHANICAL DRAWING






	MATERIAL	PLATING	
ceramic plate	96% AL ₂ O ₃		
wire leads (CP30444)	20 AWG	tin	
wire leads (all other models)	22 AWG	tin	
sealer	silicon rubber 703 RTV (between cold and hot side plates)		
joint cover	silicon rubber 703 RTV		
marking	P/N & S/N printed on cold side surface		






MODEL NO.	LENGTH (mm)	WIDTH (mm)	THICKNESS (mm)
CP30138H	15 ±0.3	15 ±0.3	3.8 ±0.025
CP30238H	20 ±0.3	20 ±0.3	3.8 ±0.025
CP30239H	20 ±0.3	20 ±0.3	3.9 ± 0.1
CP30301538H	30 ±0.3	15 ±0.3	3.8 ± 0.025
CP303385H	30 ±0.3	30 ±0.3	3.85 ±0.02
CP30444	40 ±0.3	40 ±0.3	4.4 ±0.1


CP30138H PERFORMANCE (Th=27°C)




CP30138H PERFORMANCE (Th=50°C)




CP30238H PERFORMANCE (Th=27°C)




CP30238H PERFORMANCE (Th=50°C)




CP30239H PERFORMANCE (Th=27°C)




CP30239H PERFORMANCE (Th=50°C)




CP30301538H PERFORMANCE (Th=27°C)




CP30301538H PERFORMANCE (Th=50°C)




CP303385H PERFORMANCE (Th=27°C)




CP303385H PERFORMANCE (Th=50°C)



CP30444 PERFORMANCE (Th=27°C)



CP30444 PERFORMANCE (Th=50°C)



Additional Resources: Product Page | 3D Model

CUI Devices | SERIES: CP30H | DESCRIPTION: PELTIER MODULE date 10/18/2019 | page 9 of 9

REVISION HISTORY

rev.	description	date
1.0	initial release	09/08/2016
1.01	updated datasheet	09/25/2017
1.02	added new models	05/21/2018
1.03	added model CP30444, brand update	10/18/2019

The revision history provided is for informational purposes only and is believed to be accurate.

CUI DEVICES

CUI Devices offers a one (1) year limited warranty. Complete warranty information is listed on our website.

CUI Devices reserves the right to make changes to the product at any time without notice. Information provided by CUI Devices is believed to be accurate and reliable. However, no responsibility is assumed by CUI Devices for its use, nor for any infringements of patents or other rights of third parties which may result from its use.

CUI Devices products are not authorized or warranted for use as critical components in equipment that requires an extremely high level of reliability. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Thermoelectric Peltier Modules category:

Click to view products by CUI Devices manufacturer:

Other Similar products are found below:

C3100-1980 C3200-0504 C3200-0505 C3200-371 C3400-0262 430084-505 C3400-215 430866-501 CP39136H CP35447 CP85204035 CP60131H CPM-2F CP853345H CP85138 CP35347 430077-523 CP081030-M CP12437 CP30138H CP30338 CP303385H CP35247 CP39236H CP393365H CP40236 CP40247 CP40347 CP50441 CP60231H CP60233 CP60239H CP60240 CP60301540 CP60333 CP603395H CP60340 CP60440 CP70437 CP854345H CP854705-2 CP10205033 CP10304033 CP1054033H CP115035335 CP144745325 CP200543636 CP2020405H CP203475H