






REV.	REVISION DESCRIPTION	DATE	APPD

NOTES

Available in 01 through 01 Circuits.
Mates with DL80005-Y Series Housing.
Material : Nylon UL94V-0 (2) .
 $\varnothing 2.36\text{mm}$ Square Pin.
Pin Material : Brass / Tin-Plated.



GENERAL TOLERANCES (UNLESS SPECIFIED)		ZHE JIANG DELI CONNECTORS CO ., LTD	
.X: ± 0.25	X° : $\pm 3.0^\circ$	PRODUCT NAME: DL80005 (HP2. 2. 36) -1A	TITLE: 8.0...5.0 mm Pitch Wire To Board Housing
.XX: ± 0.15	.X° : $\pm 2.0^\circ$	DR: Yuan Jun Rong	DATE:21/08/01
.XXX: ± 0.01	.XX° : $\pm 1.0^\circ$	DATE:21/08/01	PART NO:
FINISH: _____		CHKD:Wu Hui	SCALE: N/A
DRAWING NO:		DATE:21/08/01	PAGE: 1/1
		UNITS: mm	REV. : A0


7		8	
REV.	REVISION DESCRIPTION	DATE	APPD




NOTES

Available in 02 through 02 Circuits.
Mates with DL80005-Y Series Housing.
Material : Nylon UL94V-0 (2) .
Ø2.36mm Square Pin.
Pin Material : Brass / Tin-Plated.



GENERAL TOLERANCES (UNLESS SPECIFIED)		ZHE JIANG DELI CONNECTORS CO., LTD			
.X: ± 0.25	X°: ± 3.0°	PRODUCT NAME: DL80005 (HP2.36) -2A		TITLE: 8.0...5.0 mm Pitch Wire To Board Housing	
.XX: ± 0.15	.X°: ± 2.0°				
.XXX: ± 0.01	.XX°: ± 1.0°	DR: Yuan Jun Rong	DATE: 21/08/01	PART NO:	
FINISH: _____		CHKD: Wu Hui	DATE: 21/08/01		
DRAWING NO:	APPD: Ren An De	DATE: 21/08/01	UNITS: mm	SCALE: N/A	PAGE: 1/1
				REV.: AO	




REV.	REVISION DESCRIPTION	DATE	APPD

NOTES

Available in 03 through 03 Circuits.
Mates with DL80005-Y Series Housing.
Material : Nylon UL94V-0 (2) .
Ø2.36mm Square Pin.
Pin Material : Brass / Tin-Plated.

GENERAL TOLERANCES (UNLESS SPECIFIED)		ZHE JIANG DELI CONNECTORS CO ., LTD	
.X: ± 0.25	X° : ± 3.0°	PRODUCT NAME: DL80005 (HP2.36) -3A	TITLE: 8.0...5.0 mm Pitch Wire To Board Housing
.XX: ± 0.15	.X° : ± 2.0°	DR: Yuan Jun Rong	DATE:21/08/01
.XXX: ± 0.01	.XX° : ± 1.0°	DATE:21/08/01	PART NO:
FINISH: 		CHKD:Wu Hui	DATE:21/08/01
DRAWING NO:		APPD:Ren An De	DATE:21/08/01
		SCALE: N/A	PAGE: 1/1
		UNITS: mm	REV. : A0




REV.	REVISION DESCRIPTION	DATE	APPD

NOTES

Available in 01.02 Circuits.
Mates with DL80005-A Series WAFER.
Material : Nylon UL94V-0(2).
Accepts DL80005-T Crimp Terminal.

Circuits	Type	Dimension mm	
		A	B
1	HP2.36-1Y	-	7.3
2	HP2.36-2Y	8.0	15.55


GENERAL TOLERANCES (UNLESS SPECIFIED)		ZHE JIANG DELI CONNECTORS CO ., LTD			
.X: ± 0.25	X° : ± 3.0°	PRODUCT NAME:		TITLE: 8.0....5.0 mm pitch WTB Connector Housing	
.XX: ± 0.15	.X° : ± 2.0°	DL80005 (HP2.36) -Y		PART NO:	
.XXX: ± 0.01	.XX° : ± 1.0°	DR: Yuan Jun Rong	DATE: 21.08.01	SCALE: N/A	
FINISH: _____		CHKD: Wu Hui	DATE: 21.08.01	PAGE: 1/1	
DRAWING NO:		APPD: Ren An De	DATE: 21.08.01	UNITS: mm	REV. : A




REV.	REVISION DESCRIPTION	DATE	APPD

NOTES

Available in 03 Circuits.
Mates with DL80005-A Series WAFER.
Material : Nylon UL94V-0(2).
Accepts DL80005-T Crimp Terminal.

GENERAL TOLERANCES (UNLESS SPECIFIED)		ZHE JIANG DELI CONNECTORS CO ., LTD			
.X: ± 0.25	X° : ± 3.0°	PRODUCT NAME: DL80005 (HP2. 36) -3Y		TITLE: 8.0....5.0 mm pitch WTB Connector Housing	
.XX: ± 0.15	.X° : ± 2.0°	DR: Yuan Jun Rong	DATE: 21.08.01	PART NO:	
.XXX: ± 0.01	.XX° : ± 1.0°	CHKD: Wu Hui	DATE: 21.08.01	SCALE: N/A	PAGE: 1/1
FINISH: 		APPD: Ren An De	DATE: 21.08.01	UNITS: mm	REV.: A
DRAWING NO:					



REV.	REVISION DESCRIPTION	DATE	APPD

NOTES

Used in DL80005-Y Series Housing.

Accepts AWG #24~18 Wire Range.

Insulation O.D.=1.7~3.0 mm.

Material : Phosphor Bronze .

Finish: Tin plated.

Thickness: 0.25 mm.

GENERAL TOLERANCES (UNLESS SPECIFIED)		ZHE JIANG DELI CONNECTORS CO.,LTD	
.X: ± 0.25	X° : $\pm 3.0^\circ$	PRODUCT NAME: DL80005 (HP2.36)-T	TITLE: 8.00...5.0 mm Pitch Wire To Board Terminal
.XX: ± 0.15	.X° : $\pm 2.0^\circ$		
.XXX: ± 0.01	.XX° : $\pm 1.0^\circ$	DR: Yuan Jun Rong	DATE:21.8.1
FINISH:		CHKD:Wu Hui	DATE:21.8.1
DRAWING NO:		APPD:Ren An De	DATE:21.8.1
		SCALE: N/A	PAGE: 1/1
		UNITS: mm	REV.: A

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) *category:*

Click to view products by [DLL](#) *manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [0010894062](#) [0010977306](#) [0015477636](#) [0015917161](#) [0022104068](#) [0022121042](#) [0022155065](#) [0022281023](#) [57102-F02-18ULF](#) [PCN6B-10P-2.5DS](#) [58102-G61-06LF](#) [582553-1](#) [0015911208](#) [01.001.5753.1](#) [0022285048](#) [0050291907](#) [02.125.8002.8](#)
[CSU011177004](#) [622-0430](#) [63453-116](#) [636-1030](#) [636-4007](#) [641938-9](#) [65692-001LF](#) [65781-018](#) [65781-047](#) [65817-010LF](#) [67095-007LF](#)
[67601157](#) [68631-112](#) [68645-018](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5028](#) [71.350.2428.0](#) [733-134](#) [733-162](#) [760-3052](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#) [803-43-024-10-001000](#) [803-93-012-10-001000](#)
[8-1437020-4](#) [819-22-004-30-001101](#)