

# Actuator

46-  
2231.31G0.000



<https://testing.eao.com/p/46-2231.31G0.000>

Your product:

---



## 46-2231.31G0.000

### Actuator

#### FRONT

|                       |           |
|-----------------------|-----------|
| Front bezel material: | Metal     |
| Front form:           | round     |
| Front bezel colour:   | Silver    |
| Front dimension:      | Ø 29,5 mm |

#### MOUNTING

|                   |           |
|-------------------|-----------|
| Mounting cut-out: | Ø 22.3 mm |
| Design:           | raised    |

#### OPERATING-/INDICATION PART

|                    |              |
|--------------------|--------------|
| Lens material:     | Plastic      |
| Lens optics:       | transparent  |
| Lens shape:        | flush        |
| Lens colour:       | Yellow       |
| Lens illumination: | illuminative |

#### ELECTRICAL CHARACTERISTICS

|                   |    |
|-------------------|----|
| Protection class: | II |
|-------------------|----|

#### MECHANICAL CHARACTERISTIC

|                    |                                  |
|--------------------|----------------------------------|
| Tightening torque: | 2 ... 3 Nm (17.7 ... 26.6 Lb-in) |
| Switching action:  | Momentary                        |

**Mechanical lifetime:** 1 Mio. cycles of operation

**Weight:** 0.033 kg

## AMBIENT CONDITION

**IK front protection:** IK03

**Climate resistance:** +25°C-97%RH / +45°C-93%RH (IEC-EN60068-2-30)

**IP front protection:** IP65

**Operating temperature:** – 25 °C ... + 55 °C

**Shock resistance:** 30g, 18ms (EN-IEC 60068-2-27)  
50g, 11ms (EN-IEC 60068-2-27)

**Vibration resistance:** 5g f= 2...500Hz (EN-IEC 60068-2-6)

## CERTIFICATE

**Conformities:** CE

**Standards:** CSA C22-2, IEC EN 60947-1, IEC EN 60947-5-1, UL508

## OTHER


**max. number of switching elements:** 6

**Housing material:** Plastic

**Short Description:** Actuator, Ø 22.3 mm, Ø 29,5 mm, flush, illuminative, Yellow, Plastic, transparent, round, Silver, Metal, Momentary, IP65, IK03

**Housing colour:** Black

**Dimension drawings:**



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Switch Actuators](#) category:*

*Click to view products by [EAO](#) manufacturer:*

Other Similar products are found below :

[LW1B-M0](#) [9PA24](#) [A019307](#) [HW1F-3G](#) [HW4L-M0](#) [200-.704-00](#) [JS-10008](#) [JS-10083](#) [JS-10133](#) [JS-10277](#) [JS-150](#) [JS-555](#) [JS-6-B](#) [JS-91](#)  
[SAPT654133](#) [SW53AA2](#) [LW2L-A0](#) [3E-12.0](#) [JM-13](#) [JS-138-B](#) [JS-49](#) [JS-551](#) [KRR12](#) [500-102](#) [0714-0260](#) [6PA187-E6](#) [JS-85](#)  
[SAPT654133/BLK](#) [DM20/25](#) [FS/012-016](#) [3SU1030-0AA30-0AA0](#) [52PP3W1](#) [CW4P-00](#) [JS-556](#) [A018327](#) [SMCA2DP](#) [3206](#) [2713](#) [LS2Z52E](#)  
[KRR22NXXXX33](#) [LB6MS-2Y](#) [45-2D36.1820.000](#) [45-2D36.2820.000](#) [CP1-11G-10 24V](#) [ZB4BS8447](#) [ZB5AA7340](#) [ZB4BW0G45](#) [ZB4BP38](#)  
[ZB4BA27](#) [ZB5AV6](#)