

Actuator

46-
2531.1920.000



<https://testing.eao.com/p/46-2531.1920.000>

Your product:



46-2531.1920.000 Actuator

FRONT

Front bezel colour:	Yellow
Front bezel material:	Plastic
Front form:	round
Front dimension:	Ø 40 mm

MOUNTING

Design:	raised
Mounting cut-out:	Ø 22.3 mm

OPERATING-/INDICATION PART

Lens optics:	opaque
Lens shape:	mushroom-head
Lens illumination:	non illuminative
Lens colour:	Red
Lens material:	Plastic

ELECTRICAL CHARACTERISTICS

Protection class:	II
--------------------------	----

MECHANICAL CHARACTERISTIC

Weight:	0.036 kg
Mechanical lifetime:	1 Mio. cycles of operation

Switching action: Momentary
Tightening torque: 2 ... 3 Nm (17.7 ... 26.6 Lb-in)

AMBIENT CONDITION

Shock resistance: 30g, 18ms (EN-IEC 60068-2-27)
50g, 11ms (EN-IEC 60068-2-27)
Operating temperature: - 25 °C ... + 55 °C
Climate resistance: +25°C-97%RH / +45°C-93%RH (IEC-EN60068-2-30)
IP front protection: IP65
Vibration resistance: 5g f= 2...500Hz (EN-IEC 60068-2-6)
IK front protection: IK03


CERTIFICATE

Approbations: CSA, EAC, UL
Standards: CSA C22-2, IEC EN 60947-1, IEC EN 60947-5-1, UL508
Conformities: CE


OTHER

Short Description: Actuator, Ø 22.3 mm, Ø 40 mm, mushroom-head, non illuminative, Red, Plastic, opaque, round, Yellow, Plastic, Momentary, IP65, IK03

max. number of switching elements: 6
Housing colour: Yellow
Housing material: Plastic
Mounting cut-outs:



Dimension drawings:



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Switch Actuators](#) category:

Click to view products by [EAO](#) manufacturer:

Other Similar products are found below :

[LW1B-M0](#) [9PA24](#) [A019307](#) [HW1F-3G](#) [HW4L-M0](#) [200-.704-00](#) [JS-10008](#) [JS-10083](#) [JS-10133](#) [JS-10277](#) [JS-150](#) [JS-555](#) [JS-6-B](#) [JS-91](#)
[SAPT654133](#) [SW53AA2](#) [LW2L-A0](#) [3E-12.0](#) [JM-13](#) [JS-138-B](#) [JS-143-B](#) [JS-49](#) [JS-551](#) [KRR12](#) [500-102](#) [0714-0260](#) [6PA187-E6](#) [JS-85](#)
[SAPT654133/BLK](#) [DM20/25](#) [FS/012-016](#) [3SU1030-0AA30-0AA0](#) [52PP3W1](#) [CW4P-00](#) [JS-556](#) [A018327](#) [SMCA2DP](#) [3206](#) [2713](#) [LS2Z52E](#)
[KRR22NXXXX33](#) [LB6MS-2Y](#) [45-2D36.1820.000](#) [45-2D36.2820.000](#) [CP1-11G-10 24V](#) [ZB4BS8447](#) [ZB5AA7340](#) [ZB4BW0G45](#) [ZB4BP38](#)
[ZB4BA27](#)