Switching element

46-311.1Z70

Your product:

46-311.1Z70
Switching element

FRONT

Colour: Green

ELECTRICAL CHARACTERISTICS

Insulation voltage: Ui 690V - Uimp 4KV (IEC-EN60947-1)

Thermal current Ith: 10 A (IEC-EN60947-1)

Contacts: 1 NO

Pollution degree: 3

Switching voltage and switching current:

at AC-15				
Voltage	24 V	120 V	240 V	600 V
Current	10 A	6 A	3 A	1,2 A
at DC-13				
Voltage	24 V	120 V	240 V	
Current	5 A	1,1 A	0,55 A	

MECHANICAL CHARATERISTIC

Switching system: Slow-make switching element

Weight: 0.011 kg

Operating force: 2 N

Terminal: Ring cable lug screw terminal

Contact material: Silver

Tightening torque: 0.8 ... 1 Nm for screw terminal

Mechanical lifetime: 1 Mio. cycles of operation

AMBIENT CONDITION

IP Protection: IP20

|	
Vibration resistance:	5g f= 2...500Hz (EN-IEC 60068-2-6)
Climate resistance:	+25°C-97%RH / +45°C-93%RH (IEC-EN60068-2-30)
Operating temperature:	– 25 °C ... + 55 °C
Shock resistance:	30g, 18ms (EN-IEC 60068-2-27) 50g, 11ms (EN-IEC 60068-2-27)

CERTIFICATE

|	
Standards:	CSA C22-2, IEC EN 60947-1, IEC EN 60947-5-1, UL508
Conformities:	CE

OTHER

Material:	Plastic
Short Description:	Switching element, Slow-make switching element, Silver, 1 NO, Ring cable lug screw terminal

Wiring diagrams:

Dimension drawings:

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switch Contact Blocks / Switch Kits *category:*

Click to view products by EAO *manufacturer:*

Other Similar products are found below :

84-8512.2320 A01RTC8 A02512 190-17505-001 190-17508-001 A02506 190-17501-001 190-17506-001 190-17509-003 190-17509-005 51401 190-17507-002 190-17510-001 WCH-01-CONNECTOR-BLACK GLZ346 XESD1281 ZB5AW065 09-0A72.3142 46-312.1Z10 46-2M00.1000.000 A0150B-D 1.20.125.022/0000 71-671.026 92-800.042 LSZ3A LSZ3C LSZ3K 1MK1 5.00100.1410000 5.00100.1390000 2MN6 ZALVB5 1.20126.0020000 1.20122.0610000 1.20122.0420000 1.20122.0220000 1.20122.0620000 1.20126.3050000 1.20.126.514/0000 1.20126.7010000 3SU1501-1AG20-1CA0 1.20126.0040000 1.20126.0010000 1.20124.0190000 1.20123.0030000 1.20122.0210000 1.20122.0010000 LZZ41 5.05510.9350000 5.05510.9360000