

Eaton 20NHG01BI

Catalog Number: 20NHG01BI

Fuse-link, LV, 20 A, AC 500 V, NH01, gL/gL, IEC, dual indicator, insulated gripping lugs



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	20NHG01BI
	Packing Unit
	Case Pack
	Pack
EAN	Quantity
5027590342360	36
5027590145848	3
Gross Weight	Length
11.208 kg	325 mm
0.884 kg	137 mm
Width	Height
290 mm	155 mm
102 mm	68 mm
Volume	ERP Name
14608.75 cm ³	SAP-UNITY
950.232 cm ³	SAP-UNITY
Product Length/Depth	Product Height
135 mm	58 mm
Product Width	Product Weight
30 mm	295 g
Compliances	Certifications
RoHS Compliant	IEC 60269-1
CE Marked	IEC 60269-2
	DIN 43620

Electrical data

Amperage Rating

20 A

Voltage rating

500 V

Voltage type

AC

Breaking capacity

120 kA

Product specification

Fuse size

NH01

Insulated metal gripping lugs (IMGL)

Yes

Accessories

Suitable for

Microswitch 170H0235

Do pobrania

Biuletyny usług serwisowych

[Datasheet - 20NHG01BI \(PL\)](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. Wszelkie
prawa zastrzeżone.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Industrial & Electrical Fuses](#) category:

Click to view products by [Eaton](#) manufacturer:

Other Similar products are found below :

[BP/NON-30](#) [KTN-R-10](#) [382000](#) [382010](#) [382015](#) [382030](#) [381455](#) [381325](#) [381360](#) [381390](#) [382110](#) [382115](#) [382120](#) [382125](#) [384510](#) [397180](#)
[397270](#) [365020](#) [365025](#) [365030](#) [365035](#) [365045](#) [365050](#) [365055](#) [365060](#) [365065](#) [365075](#) [365080](#) [365085](#) [365225](#) [365230](#) [365235](#)
[365240](#) [365245](#) [365250](#) [365255](#) [365260](#) [365270](#) [365280](#) [365282](#) [365290](#) [365350](#) [365360](#) [365380](#) [365387](#) [365390](#) [365392](#) [365395](#)
[365397](#) [365465](#)