

Eaton BSF-315G-3XL15-B

Catalog Number: BSF-315G-3XL15-B

Fuse-link, high speed, 350 A, DC 1500 V, 3L, 74 x 91 x 201 mm, gBat, IEC, with indicator, bolted connections

General specifications



Product Name

Eaton Bussmann series XL battery
storage fuse

Catalog Number

BSF-315G-3XL15-B

Product Length/Depth

201 mm

Product Height

91 mm

Product Width

73 mm

Product Weight

1795 g

Compliances

CE Marked
RoHS Compliant

Certifications

IEC 60269-7

Electrical data

Amperage Rating

315 A

Voltage rating

1500 Vdc

Voltage type

DC

Clearing (I₂T)

533000

Pre arc (I₂T)

150000

Watt losses

52 W

Breaking capacity

100 kA

Class

Class gBat

Product specification

Application

Battery storage

Fuse type

BSF-3XL15-B

Fuse indicator

Centre fuse status indicator

Fuse size

3XL

Fitted with:

Bolted blade

Compatible microswitch

Accessories

170H0069 microswitch

Do pobrania

Compliance information

[DA-DC-00004516.pdf](#)

[DA-DC-00004533.pdf](#)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Specialty Fuses](#) category:

Click to view products by [Eaton](#) manufacturer:

Other Similar products are found below :

[FIL125](#) [ECF-4](#) [170M1418](#) [N-2-1/2](#) [170M2616](#) [170M4241](#) [170M6814D](#) [ABS-30](#) [FWP-25A14FI](#) [FWP-80A22FI](#) [30CIF06](#) [32CMLC](#) [KAB-25](#) [WUE](#) [NITD25](#) [04450080FX850](#) [NITD16](#) [170M3509](#) [DEO200](#) [NITD32M40](#) [45ET](#) [170M5810D](#) [10H07C](#) [CBW57-ES-4A](#) [CBW57-ES-7A-5H](#) [CBW57-HB-15A-P](#) [CBW57-PS-20A-5X](#) [CBW58-HL4-30A-5C](#) [CBW58-HS-15A-5C](#) [CBW58-HS-20A-5C](#) [170M8211](#) [BFW-1-1/2](#) [4D27FB](#) [AD32](#) [25H07C](#) [170M2665](#) [315SB1F1-1](#) [170M4955](#) [500MMT](#) [170M5811D](#) [170M5808D](#) [HC10aR10U5](#) [RT28-32](#) [RO15](#) [20A](#) [DHC45-30A](#) [HC10gPV15U0](#) [Fuse](#) [SGT520-8A-L](#) [DHC45-60A](#) [UT-F08](#) [FLUKE-FUSE11A](#) [FLUKE-FUSE0.44A](#)