

**Series 802 “Aqua Mouse”
Hermetic Receptacles**
802-004-07 & 802-005-00



Series 802
Submersible



How to Order Series 802 Hermetic Receptacles

Series 802 Hermetic Receptacles offer a 3500 PSI Hydrostatic Pressure Rating, Less Than 1 X 10^{-6} cc/sec Helium Leak Rate at 1 Atmosphere, and are available in two shell styles:

Front Mount Jam Nut

Rear Mount Jam Nut

How To Order Series 802 Hermetic Receptacles

Series / Shell Style	Shell Material / Finish	Shell Size / Insert Arrangement	Contact Type	Shell Key Position
802-004-07 Rear Mount Jam Nut 	Z1 Stainless Steel, with Passivated Finish	6-4 4 Contacts 	P Pin	N Normal
		6-7 7 Contacts 		Alternate Key Positions x y z
802-005-00 Front Mount Jam Nut 		9-19 19 Contacts 		

Part Number Example

802-004-07

Z1



9—19

P



N

Series 802 Hermetic Receptacle Dimensions

Series 802 Hermetic Rear Mount Jam Nut Receptacle Dimensions



Series 802 Hermetic Front Mount Jam Nut Receptacle Dimensions



Series 802 Crimp Receptacle Dimensions

Layout	A Flat	Ø B Max	C Thread	Ø D Max	E Thread	Ø F ± .005 (0.13)
6-4	.500 (12.7)	.906 (23.0)	.5625-20 UN-2A	.78 (19.8)	.438-28 UNEF-2A	.448 (11.4)
6-7	.500 (12.7)	.906 (23.0)	.5625-20 UN-2A	.78 (19.8)	.438-28 UNEF-2A	.448 (11.4)
9-19	.688 (17.5)	1.062 (27.0)	.750-20 UNEF-2A	1.00 (25.4)	.625-24 UNEF-2A	.635 (16.1)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Circular MIL Spec Connector](#) ***category:***

Click to view products by [Glenair](#) ***manufacturer:***

Other Similar products are found below :

[89075GULPR](#) [0025-262-542](#) [0025-264-3014](#) [58-570121-04S](#) [0134-213-1208](#) [0134-213-2209](#) [0025-258-000](#) [60-042022-07P](#) [60-042022-19P](#)
[60-042022-23P](#) [60-042217-10P](#) [60-042217-11P](#) [0114-201-1278](#) [012-0467-000](#) [602GB06EG24-61SN](#) [0134-201-1207](#) [0134-213-1006](#) [6104-](#)
[207-2302](#) [6104-208-1902](#) [61-168211-04P](#) [61-168617-10P](#) [6131-202-19149P](#) [6131-204-21149P](#) [6131-208-13149P](#) [6131-209-17149P](#) [6131-](#)
[210-11149P](#) [6131-211-19149P](#) [6131-216-19149P](#) [6131-259-21149P](#) [6131-259-23149P](#) [6131-265-17149P](#) [6131-265-19149P](#) [CS3100A18-1P-](#)
[472](#) [CS3100A-36-77P](#) [CS3101A-16-55P](#) [CS3102A-10SL-55P](#) [CS3102A-14S-58P](#) [CS3102A-18-1P116](#) [CS3102A-32-17P](#) [CS3102A32-25S](#)
[CS3102C18-4P-472](#) [CS3106A10SL3S004](#) [CS3106A-18-73S](#) [CS3108A-14S-52S](#) [CS3108A-28-51S](#) [6162-233-1277](#) [6162-324-1231](#)
[M243082296Z](#) [M2884010AC1S1](#) [CT0-24-10SC](#)