

## Han Brid-USB-F Wanddurchführung




Image is for illustration purposes only. Please refer to product description.

|                    |   |
|--------------------|---|
| Part number        | 09 12 001 2794  |
| Specification      | Han Brid-USB-F Wanddurchführung   |
| HARTING eCatalogue | <a href="https://b2b.harting.com/09120012794">https://b2b.harting.com/09120012794</a> |

### Identification

|                |               |
|----------------|---------------|
| Category       | Inserts       |
| Series         | Han-Brid®     |
| Identification | Han-Brid® USB |
| Specification  | USB 2.0       |

### Version

|                    |             |
|--------------------|-------------|
| Gender             | Male        |
| Size               | 3 A         |
| Number of contacts | 2           |
| further contacts   | + USB       |
| Details            | Device side |

### Technical characteristics

|                       |                          |
|-----------------------|--------------------------|
| Rated current         | 1 A                      |
| Rated voltage         | 50 V                     |
| Rated impulse voltage | 0.8 kV                   |
| Pollution degree      | 3                        |
| Insulation resistance | $>10^{10} \Omega$        |
| Contact resistance    | $\geq 4 \text{ m}\Omega$ |
| Limiting temperature  | -40 ... +85 °C           |
| Mating cycles         | $\geq 500$               |



Pushing Performance

## Material properties

|   |                                     |
|---|-------------------------------------|
| Material (insert)                         | Polycarbonate (PC)                  |
| Colour (insert)                           | RAL 7032 (pebble grey)              |
| Material flammability class acc. to UL 94 | V-0                                 |
| RoHS                                      | compliant                           |
| ELV status                                | compliant                           |
| China RoHS                                | e                                   |
| REACH Annex XVII substances               | No                                  |
| REACH ANNEX XIV substances                | No                                  |
| REACH SVHC substances                     | No                                  |
| California Proposition 65 substances      | Yes                                 |
| California Proposition 65 substances      | Nickel<br>Lead<br>Antimony trioxide |

## Specifications and approvals

|                |  |
|----------------|--|
| Specifications | EN 60664-1<br>IEC 61984                                    |
| UL / CSA       | UL 1977 ECBT2.E235076<br>CSA-C22.2 No. 182.3 ECBT8.E235076 |

## Commercial data

|                                |   |
|--------------------------------|---|
| Packaging size                 | 1   |
| Net weight                     | 13.58 g   |
| Country of origin              | Germany   |
| European customs tariff number | 85366990  |
| eCl@ss                         | 27440205 Contact insert for industrial connectors |

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [USB Connectors](#) category:*

*Click to view products by [HARTING](#) manufacturer:*

Other Similar products are found below :

[65-647-8-BK-BU](#) [950](#) [E8144-B01021-L](#) [A-USB A-LP-SMT-C](#) [A-USB B-TOP-C](#) [MUSBA511N5](#) [MUSBD11135](#) [217450-1](#) [CA 6 W LD](#)  
[KMBVX-TH-5S-B30](#) [896-30-004-00-000000](#) [KUSBVX-BS1N-W30](#) [KUSBX-AP-KIT-SCBLK](#) [KUSBX-AS2N-W](#) [KUSBX-SMT2AP1S-W](#)  
[KUSBX-SMT2AP1S-W30](#) [935](#) [957](#) [30-498-6](#) [1734082-1](#) [30-1574](#) [30-470](#) [30-489](#) [30-541](#) [30-572-3](#) [MAB 8 SN V](#) [A-USB A-2P-C](#)  
[MIKROE-1451](#) [USBFTV2PEM2G](#) [USBFTVC6ZN](#) [KUSBX-AS2N-W30](#) [KUSBX-SLAS1N-W](#) [KUSBX-SMT-AS1N-W30](#) [4689-1](#) [1-](#)  
[1734084-2](#) [E8110-001-01](#) [MUSBA81130](#) [33UBARS1-04SW11](#) [33UBAR-04SW11](#) [USBF21ZNSCC](#) [USBBFTV6ZC](#) [10135326-001LF](#)  
[M9177/3-1](#) [925](#) [4198](#) [690-024-633-031](#) [KUSBEX-BSFS1N-W](#) [USBFTVC6MRG](#) [UA-20BMFA-SL8001](#) [17-200011](#)