







△數 COUNT	訂正事項 DESCRIPTION OF REVISIONS	擔當 B Y	檢圖 CHKD	年 月 日 DATE	△數 COUNT	訂正事項 DESCRIPTION OF REVISIONS	擔當 B Y	檢圖 CHKD	年 月 日 DATE
△				. .	△				. .
△				. .	△				. .
△				. .	△				. .



- NOTE
1. SOLDERING TEMPERATURE : 250°C PEAK, 10sec MAX.
 2. OPERATING TEMPERATURE : -55°~105°C
 3. USED REFLOW SYSTEM : IN THE AIR OR NITROGEN
 4. NO. OF CYCLES : 2 MAX
 5. MATING PART
FEMALE : DF51K-2S-2C
 6. CO-PLANARITY : 0.12 MAX.
 7. RECOMMENDED PCB THICKNESS IS 1.6mm.
 8. RECOMMENDED SOLDER THICKNESS IS 0.15mm
 9. UL(File No. E132750) AUTHORIZATION ARTICLE.
C-UL(File No. E132750) AUTHORIZATION ARTICLE.




3	BRASS	TIN PLATED : 1μm MIN UNDER PLATING : NICKEL 1μm MIN	
2	BRASS	CONTACT AREA : GOLD 0.1μm MIN SMT LEAD : GOLD 0.05μm MIN UNDER PLATING : NICKEL 1μm MIN	7 PS REEL BOBBIN
			6 PET COVER TAPE
			5 CONNECTOR DF51K-2P-2H
1	LCP	BLACK	4 PS EMOSS CARRIER TAPE
NO.	MATERIAL	FINISH,REMARKS	NO. MATERIAL FINISH,REMARKS
CODE NO. (OLD)		DRAWN CHO 22.04.20 J.S	DESIGNED CHO 22.04.20 J.S
		CHECKED LIM 22.04.20 S.M	APPROVED LIM 22.04.20 S.M
		RELEASED	
DRAWING NO. EDC3-633489		PART NO. DF51K-2P-2H (805)	
SCALE 4:1		CODE NO. CL 6652-0073-2-805	
UNITS mm		1/2	


May.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window

PACKING STYLE

PACKING STYLE DRAWING



REEL DIMENTSION (FREE)



	DRAWING NO.	PART NO.	2/2
	EDC3-633489	DF51K-2P-2H (805)	
	HIROSE KOREA CO.,LTD.	CL 6652-0073-2-805	
SCALE 4:1		CODE NO	
UNITS mm			

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by Hirose manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [0010894062](#) [0010977306](#) [0015477636](#) [0015917161](#) [0022104068](#) [0022121042](#) [0022155065](#) [0022281023](#) [57102-F02-](#)
[18ULF](#) [58102-G61-06LF](#) [582553-1](#) [0015911208](#) [01.001.5753.1](#) [0022285048](#) [0050291907](#) [02.125.8002.8](#) [CSU011177004](#) [622-0430](#) [622-](#)
[3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [65495-038](#) [65692-001LF](#) [65781-018](#) [65781-047](#) [65817-010LF](#)
[65817-015LF](#) [67095-007LF](#) [67601157](#) [68631-112](#) [68645-018](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5028](#)
[71.350.2428.0](#) [733-134](#) [733-162](#) [760-3052](#) [MHR-64-VUAL](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [801-43-002-10-013000](#)