



Technical drawing of a component with the following dimensions:

- Top width: 13 ± 0.3
- Top height: 10.4 ± 0.3
- Side height: 14.5 ± 0.25
- Side thickness: 3 ± 0.3
- Bottom width: 10.8 ± 0.15

Callouts 1 and 2 point to the top width and side height respectively.

CONTACT MOUNTING DRA



RECOMMENDED PC BOARD PATTERN

Technical drawing of a mechanical part showing dimensions and hole patterns. The top horizontal dimension is 1.5 ± 0.05 . The bottom horizontal dimension is 0.5 ± 0.05 . The vertical distance between the top and bottom horizontal lines is 0.5 ± 0.05 . On the left, a callout indicates $2-\varnothing 2.4 \pm 0.05$ HOLE. On the right, a callout indicates $4-\varnothing 0.8 \pm 0.05$ HOLE. The total width of the part is 10.8 ± 0.1 . The height of the part is 2 ± 0.1 . The thickness of the part is 4.54 ± 0.1 .

NOTES 1 INDICATES THE DIMENSIONS ON THE CONNECTOR MOUNTING SURFACE OF THE PCB.
2 PC BOARD THICKNESS: TO BE 1.6 mm THICK.

2	PHOSPHOR BRONZE	CONTACT AREA GOLD 1.27μm min LEAD AREA GOLD 0.03μm min UNDER PLATING NICKEL 1.27μm min	4	PHOSPHOR BRONZE	TIN PLATING 1μm min		
			3	PBT	UL94V-0 (BLACK)		
1	PBT	UL94V-0 (DARK GRAY)					
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS		
UNITS mm	◎ ▶	SCALE 2 : 1	COUNT △	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
 HIROSE ELECTRIC CO., LTD.	APPROVED : HO. MIWA		07.09.20	DRAWING NO.	EDC3-023802-03		
	CHECKED : HO. MIWA		07.09.20	PART NO.	TM5RE2-44(20)		
	DESIGNED : TS. ITO		07.09.20	CODE NO.	CL222-1222-1-20		
	DRAWN : YK. SATO		07.09.19		△	1	

HRS HIRO
ELEC
CO.,

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Modular Connectors / Ethernet Connectors category:

Click to view products by Hirose manufacturer:

Other Similar products are found below :

[8949-H88/06BLKA/SN](#) [74441-0010/BKN](#) [MP1010RX-1000](#) [MP44RX-1000](#) [PHP-6P6C-5](#) [GAX-3-66](#) [GAX-8-62](#) [GDCX-PA-66-50](#) [GDCX-PN-64](#) [GDCX-PN-66-50](#) [GDLX-A-66](#) [GDLX-N-66](#) [GDLX-S-66](#) [GDLX-S-88K](#) [GDTX-S-88-50](#) [GDX-PA-1010](#) [GLX-N-1010M-BLK](#) [GLX-S-88M-BLK](#) [GMX-N-1010](#) [GMX-S-1010](#) [GMX-S-66](#) [GMX-SMT4-N-88](#) [GPX-2-64](#) [GSGX-N-2-88](#) [GSGX-N-4-88](#) [GSX-NS2-88-3.05](#) [GSX-NS2-88-3.05-50](#) [GSX-NS-88-3.05-50](#) [PT-108A-8C-UL](#) [PT-J951-8C](#) [PTS-J531-8CS-50UL](#) [1-1775629-2](#) [A-2014-0-4](#) [GWLX-S-88-GR](#) [GWLX-S9-88-YG](#) [DC-1021-8-WH-6](#) [1300530003](#) [1324640-4](#) [RJ11FTVC2G](#) [RJ11FTVC2N](#) [RJFTVX2SA1G](#) [132764-001](#) [1413235](#) [MP88X-1000](#) [MPS88RX-5000](#) [MRJR-5481-0F2](#) [E5288-S000K3-L](#) [E5908-15A242-L](#) [155302-001](#)