


Measuring leads

MLS GG 200/1



Product	MLS GG 200/1
description	Safety measuring lead, at either end 4 mm diameter safety connector with straight outlet. Nickel-plated copper beryllium contact spring. Highly flexible, double insulated stranded lead, shatter-proof grip sleeve and lead. Color indicator for the recognition of damage to the insulation. In accordance to IEC 61010 standard.
operating instruction	BA453
article-no. / *colour	9340761xx <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> 00 black</div> <div style="text-align: center;"> 01 red</div> <div style="text-align: center;"> 02 blue</div> <div style="text-align: center;"> 03 yellow</div> <div style="text-align: center;"> 04 green</div> </div> <div style="text-align: right; margin-top: 5px;">Ni</div>
drawing	
technical data	
rated voltage	AC/DC 1000 V
measurement cat. acc. to IEC 61010	CAT III
rated current (consider derating curve)	16 A
material plug	brass, nickel plated
housing material	PA
temperature range acc. To IEC61010 ⁽¹⁾	-15 °C to +70 °C
flammability class acc. to UL 94 (only valid for basic material of housing)	V-2
cable length	200 cm
conductor size	1 mm ²
cable material	PVC

4 mm safety system

⁽¹⁾ contact the manufacturer for applications at deviating temperature ranges
stand: 21.06.2022

stand: 21.06.2022

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Test Leads](#) category:

Click to view products by [Hirschmann](#) manufacturer:

Other Similar products are found below :

[855705](#) [1510-24-105](#) [BU-1149-A-36-0](#) [1894676](#) [1894690](#) [1895013](#) [1895051](#) [1895114](#) [1895263](#) [1895320](#) [1895484](#) [1895504](#) [1895632](#)
[1908984](#) [1919532](#) [1922532](#) [1923162](#) [1923196](#) [1927617](#) [2450](#) [2524-A-60](#) [2530650](#) [LB1F-2R-RED](#) [LB1F-2R-YLW](#) [1632463](#) [1888570](#)
[1888581](#) [1894629](#) [1894879](#) [1894978](#) [1909291](#) [1911755](#) [1923205](#) [2157713](#) [2524-A-48](#) [2788216](#) [3158598](#) [3190611](#) [BU-1481-E-12-2](#) [BU-](#)
[1481-E-24-2](#) [LB1F-2R-BLK](#) [LB1F-2R-WHT](#) [6345](#) [6432](#) [CT3158-100](#) [66.9391-10023](#) [TL1550EXT](#) [1510-24-102](#) [924963](#) [1894846](#)