










- NOTES:
1. MATERIAL SPECIFICATION:
 - 1-1. HOUSING: LCP+40%GF
UL94V-0, COLOR: BLACK.
 - 1-2. CONTACT: COPPER ALLOY.
 - 1-3. TAB: S50C.
 2. PLATING SPECIFICATION:
 - 2-1. CONTACT:
50u" MIN.NICKEL UNDER PLATING OVER ALL.
G/F PLATING ON SOLDER AREA.
GOLD PLATING ON CONTACT AREA:SEE TABLE
 - 2-2. TAB:
50u" MIN. NICKEL UNDER PLATING OVER ALL .
80u" MIN. MATTE TIN PLATING ON SOLDER AREA.
 3. HF COMPLIANT.
 4. DATE CODE: XXXXXX

 5. MECHANICAL PERFORMANCE:
 - 5-1. DURABILITY: 25 CYCLES.
 6. ELECTRICAL PERFORMANCE:




8. ELECTRICAL PERFORMANCE:
6-1. CURRENT: 0.5A PER PIN.
6-2. LLCR: INITIAL 55mΩ MAX.FINAL ΔLLCR=20mΩ MAX.
7. RESISTANCE TO HEAT:
THE TEMPERATURE SHALL BE 260±5°C MAINTAINING
10±1 SECONDS.


深圳市华宇创精密电子有限公司

6. ELECTRICAL PERFORMANCE:
 6-1. CURRENT: 0.5A PER PIN.
 6-2. LLCR: INITIAL 55mΩ MAX.FINAL Δ LLCR=20mΩ MAX.

7. RESISTANCE TO HEAT:
 THE TEMPERATURE SHALL BE 260±5°C MAINTAINING
 10±1 SECONDS.








RECOMMENDED PCB LAYOUT
DEFAULT TOLERANCE $\pm 0.05\text{MM}$






深圳市华宇创精密电子有限公司

TOLERANCE: X.X ± 0.30 X.XX ± 0.25 X.XXX ± 0.15 X." ± 2 " X.X" ± 0.5 "	DRAWN BY : 陈一鸣	DATE : 2014-02-23	PART NAME: NGFF M.2 M KEY 1.5H 沉板0.5PH
	CHECKED BY: 马跃	DATE : 2014-02-23	PART NO. HYCW13M-05NGFF-150B
 UNIT: mm [inch] SCALE:1:1 SIZE: A4	APPROVED BY: 邱敏	DATE : 2014-02-23	MOLD NO.
			DRAW NO: HYC-2309111105
			SHEET NO. 1 OF 1



深圳市华宇创精密电子有限公司

TOLERANCE: X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X.' ±2" X.X" ±0.5"	DRAWN BY :	DATE :	PART NAME:
	陈一鸣	2014-02-23	NGFF M.2 M KEY 1.5H 沉板0.5PH
	CHECKED BY:	DATE :	PART NO.
	马跃	2014-02-23	HYCW13M-05NGFF-150B
	APPROVED BY:	DATE :	DRAW NO:
	邱敏	2014-02-23	HYC-2309111105
SCALE:1:1	SIZE: A4		SHEET NO. 1 OF 1



1400	8400
PCS/REEL	PCS/CARTON



深圳市华宇创精密电子有限公司

TOLERANCE: X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X." ±2" X.X" ±0.5"		DRAWN BY : 陈一鸣		DATE : 2014-02-23		PART NAME: 包装图	
 UNIT: mm [inch]		CHECKED BY: 马跃		DATE : 2014-02-23		PART NO.	
		APPROVED BY: 邱敏		DATE : 2014-02-23		MOLD NO.	
SCALE:1:1 SIZE: A4						DRAW NO:	
						SHEET NO. 1 OF 1	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [I/O Connectors](#) category:

Click to view products by [HOAUC](#) manufacturer:

Other Similar products are found below :

[571763P](#) [59811-0000](#) [67-06P12-60SX](#) [D20419-211](#) [75-107636-15G](#) [PCR-E20LMD-SL+](#) [PCR-E36PM](#) [PCS-XE26LKA](#) [G38A71314B](#)
[1571250010](#) [157-22500-3](#) [B1005A1-001-N](#) [192991-0703](#) [FCN-260C024-AL0](#) [2000314-1](#) [200331-1](#) [PCS-E28FS+](#) [PCS-XE26SLFDT+](#)
[G730VID08BDC24](#) [HDR-E14MSG1+](#) [54182-0605](#) [38113800006](#) [DP3AR020WQ1R200](#) [DRA-26PC-F0R](#) [Z4.102.0680.0](#) [500-1040](#) [ZP-](#)
[4008-66L](#) [0760665001](#) [5554841-1](#) [0756405005](#) [10099439-003C-TRLF](#) [226-0348-000](#) [10137239-0011LF](#) [70.060.1028.0](#) [109029-ZZ](#) [GT1-](#)
[DA04CST](#) [231-303](#) [FCN-260C024-C/S3](#) [FCN-261R024-G/5L](#) [FCN-260C024-A/S3](#) [10148298-101LF](#) [10148112-101LF](#) [B7B-ZR](#) [1-1888321-](#)
[2](#) [1-1888321-3](#) [UPFS-4M08-00C6](#) [10137846-0010LF](#) [52370-2670](#) [171224-1013](#) [10031567-001C-TRLF](#)