


Quick start guide

SEMPER™ S25HL512T memory module



- SEMPER™ S25HL512T memory module is Pmod compatible
- Connects to any host platform (MCU/SoC), which supports either SPI, dual SPI, or quad SPI with 3.3 V I/Os
- Ideal for use with SEMPER™ SDK

PEEL
HERE


Visit www.infineon.com/semper-solutions-hub to learn more.



Features

- SPI, dual SPI, and quad SPI
- Supports 1S-1S-1S, 1S-2S-2S 1S-1S-4S, 1S-4S-4S, 1S-4D-4D, 4S-4S-4S, 4S-4D-4D protocols
- ASIL-B compliant and ASIL-D ready:
Meets ISO 26262 standard for automotive functional safety
- Endurance flex architecture: Multiple partitions, each configurable to provide up to 25 years of data retention or 1+ million cycles endurance
- Diagnostics: SafeBoot and error checking to ensure safe and reliable operation

www.infineon.com/semper-solutions-hub



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Memory IC Development Tools](#) *category:*

Click to view products by [Infineon](#) *manufacturer:*

Other Similar products are found below :

[EB-HPSNB](#) [4899](#) [MIKROE-4698](#) [1897](#) [AC500100](#) [MIKROE-2768](#) [MFSUSANOEMMC](#) [MKR SD PROTO SHIELD](#) [1895](#) [2574](#) [4682](#)
[4718](#) [4763](#) [5632](#) [5633](#) [5634](#) [5635](#) [5636](#) [5683](#) [6021](#) [6038](#) [HLDC-DDR4-A](#) [HLDC-QDRIV-A](#) [ASX00008](#) [CY15FRAMKIT-001](#) [410-340](#)
[410-380](#) [EVALCY15V116QSNTBO1](#) [EVAL-S25FS256T](#) [EVAL-S25HL512T](#) [EVALS26HL512TTOBO1](#) [EVALS28HL512TTOBO1](#)
[HLDC-DDR3-A](#) [HLDC-DDR4-4GB-A](#) [DV243003](#) [MIKROE-3762](#) [MIKROE-3780](#) [MIKROE-3817](#) [MIKROE-4067](#) [MIKROE-4129](#)
[MIKROE-4293](#) [MIKROE-4440](#) [MIKROE-1199](#) [MIKROE-1200](#) [MIKROE-1486](#) [MIKROE-2267](#) [MIKROE-2374](#) [MIKROE-3191](#) [MIKROE-](#)
[448](#) [MIKROE-4987](#)