Site Search...

TECHNICAL RESOURCES ▼

GLOBAL NETWORK ▼

ABOUT JAE ▼

CONTACT US

APPLICATION ▼

SEARCH PART NUMBER 2



HOME>DCSP-SR

PRODUCTS ▼

Product List	
Product Name	DCSP-SR
Status	Active
RoHS compliant	Yes
Series Name	D sub Series
Connector types	Accessory
EMI shielded	FALSE
Wire termination styles	
PCB mounting styles	
SMD flag	
Number of contacts	
Shell size	С
Contact types	
Connector styles	
Applicable wire size (mm²)	
Applicable wire size	
Rated current (A)	
Dielectric withstanding voltage (VACr.m.s. 1minute)	
Insulation resistance (megohms min.)	
Contact resistance (milliohms max.)	
Operating temperature range (Deg. C)	-55 to +105
Shell types	
Material of insulator	
Contact	
Mating side contact finish	
Mounting area contact finish	
Mounting method	
Screw lock assembly	
Existence of ferrite	
Applicable contacts	
Applicable product part numbers	DCSP-JB9*,DCSP-JB9*F
Use with accessories	
Accessory type	Strain relief
Remarks	
Related Documents	
Pair	

Notice:

- 1. The values specified in this web site are only for reference. The products and their specifications are subject to change without notice. Contact our sales staff for further information before considering or ordering any of our products.
 - For purchase, a product specification must be agreed upon.
- 2. Users are requested to provide protection circuits and redundancy circuits to ensure safety of the equipment, and sufficiently review the suitability of JAE's products to the equipment.
- 3. The products presented in this web site are designed for the uses recommended below.
 - We strongly suggest you contact our sales staff when considering use of any of the products in any other way than the recommended applications or for a specific use that requires an extremely high reliability.
 - (1) Applications that require consultation:

- (i) Please contact us if you are considering use involving a quality assurance program that you specify or that is peculiar to the industry, such as: Automotive electrical components, train control, telecommunications devices (mainline), traffic light control, electric power, combustion control, fire prevention or security systems, disaster evention equipment, etc.
- (ii) We may separately give you our support with a quality assurance program that you specify, when you think of a use such as: Aviation or space equipment, submarine repeaters, nuclear power control systems, medical equipment for life support, etc.
- (2) Recommended applications include: Computers, office appliances, telecommunications devices (terminals, mobile units), measuring equipment, audiovisual equipment, home electric appliances, factory automation equipment, etc

Products

- Connectors
- User Interface Solutions
- Motion Sensing

Application

- Home & Office 3D Data
- Infrastructure
- Transportation
- Industrial

Technical Resources

- Handheld Devices Upcoming Products

 - Literature
 - Order Samples
 - RoHS/REACH Certifications
 - Electrical Models

Global Network About JAE

- Asia
- North America
- Europe

- Corporate profile
- Corporate Mission
- Board of Directors and Auditors
- Investor Relations
- Environmental Activities of JAE

Our Company Site Map Privacy Policy Terms of Use JAE WEB for under IE7 Connector search for under IE7 沪ICP备14005883号

Copyright © 2015 Japan Aviation Electronics Industry, Ltd. All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Standard Connectors category:

Click to view products by JAE manufacturer:

Other Similar products are found below:

56F706-005-LI 56F711-015 LV242999-142T12 015-0341-000 015-0372-005 015-0372-008 015-8755-001 020419-0104 012-0467-000 012-9507-034 012-9507-114 020745-0008 609-25P CT2-18-11PCAU CT6-10SL-3SC CT6-10SL-4SC CT6-14S-2SC CT6E14SA7SC CT6N10SL-4SSA34 M83513/01-FC M83723/76W24619 L/C M85049/48-3-2F 6STD09PCM99B70X 6STD09SCM99B30X 6STD09SCT99S40X 6STD15PCT99S40X 6STD15SCT99S40X 6STF09PCM05B70X 7-135760-9 MC11E-10-6SN 747552-3 MD1-21PS MDM-15SCBRM7-F222 MDM96517-699 MDM96521-744 MDVB1-21SL1 MIK0-1-7SH003 MIKQ6-7SH076 MIKQ7-7PH077 MIKQ7-7PH11 MIKQ7-7PH32 MJSV-28SL61 MKJ4A1F14-55S 8-135760-3 8STD09PCM99B30X PG-KV/PV-16-GROM-SEALING GDA15P GDAY15PB 980-0000-170 980-0000-171