

THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PROP WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.



SPRING CONTACT TO ACCEPT .080 [2.03] DIA. PIN 312 [7.92]



RATINGS:

CURRENT: 10 AMPS

BREAKDOWN VOLTAGE: 5700 V RMS CONTACT RESISTANCE: 0.010 OHMS MAX.

CONTACT-TO-PANEL C: 2 pF NOMINAL

NOTES:

1 CONTACT.

MAT'L - PHOSPHOR BRONZE SILVER PLATE

BODY:

MAT'L - NYLON 6/6 PER ASTM D4066

2. SHELL, NUT: BRASS, NICKEL PLATE. HARDWARE SUPPLIED UNASSEMBLED.

3.01.16	ECN 16-034, ©1) WAS .395	С
9.26.11	CHANGE AS PER ECN 11-127	В
2.5.03	CHANGE AS PER ECN 03-012	Α
DATE	DATE DESCRIPTION	

COLOR
WHITE
RED
BLACK
GREEN
YELLOW
BLUE

KEYSTONE ELECTRONICS CORP.

www.keyelco.com • ASTORIA, N.Y. 11105-2017 • Tel (718) 956-8900

PART NAME

INSULATED METAL-CLAD TIP JACK

MATERIAL

	100 (12) (0.2)				
	AS NOTED				
FINISH		DRN BY BOONE DATE 12.7.82			
	AS NOTED	APP'D SCALE 2.5X			
	TOLERANCES INCH [MM] CODE	DWG NO.			
	DECIMAL ± .005 [± 0.13] ANGULAR ± 1° LINI ESS OTHERWISE SPECIFIED	6024-6029			

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Test Plugs & Test Jacks category:

Click to view products by Keystone manufacturer:

Other Similar products are found below:

01-2601-4-0210 01-2601-4-0212 01-2604-4-0212 01-2604-5-0210 01-2150-1-0312 01-2350-1-02 01-2352-1-02 01-2368-1-02 01-2604-4-0210 01-2604-5-0212 01-2606-5-0212 M39024/10-01G M39024/10-17G M39024/11-09G M39024/11-42 M39024/11-43 M39024/12-08 707-5311 707-5402-01-19 707-5410 923739-40-I R644543000 R948161000 R999351000 1408-4 1499-101 1533-1 1659559 1659567 1663921 1663939 1696-102 174-R825B-EX NYS508-BU NYS508-O 211-101 RS100GBL RS250GBL 251-102 25-2251-2-03 25-2259-2-03 923743-16-I 923743-24-I 923743-28-I 2854-BLU 2970-BLK 30-443G 1680