



Cat.6A S/FTP Patch Cable Extension

Technical Features

Cat.6A Class EA channel link, 10 G


RJ45 male to RJ45 female, shielded

Cable: S/FTP 4x2xAWG26/7

LSZH, low smoke zero halogen

Color: White

Technical Drawing




Length	White	EAN Code
1 m	CQX031S	4052792067873
2 m	CQX051S	4052792067880
3 m	CQX061S	4052792067897
5 m	CQX071S	4052792067903
10 m	CQX091S	4052792067910

Package Content

1x Cat.6A S/FTP Patch Cable Extension

Packaging Information

Art-No.	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
CQX031S	200 x 230 x 20 mm	0,05 kg	400 x 300 x 350 mm	200 pcs	12,2 kg
CQX051S	200 x 230 x 25 mm	0,084 kg	400 x 300 x 300 mm	100 pcs	10 kg
CQX061S	200 x 230 x 30 mm	0,117 kg	400 x 300 x 400 mm	100 pcs	13,2 kg
CQX071S	230 x 260 x 40 mm	0,184 kg	400 x 300 x 300 mm	50 pcs	10,8 kg
CQX091S	230 x 260 x 55 mm	0,35 kg	400 x 300 x 300 mm	30 pcs	11,4 kg



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) ***category:***

Click to view products by [Logilink](#) ***manufacturer:***

Other Similar products are found below :

[MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [1410147](#) [E16A06002M030](#) [E200102-009-S1](#) [AX105346-EW](#) [MT14-187L](#)
[MWDM2L-51GS-6J1-2.82B](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC1GRY](#) [NK5EPC4Y](#) [1969343-6](#) [ICD056GVP163D-C0](#)
[C5UMB3FBG](#) [2142758-2](#) [2168427-2](#) [21949-1](#) [2J1866A](#) [RJF SFTP 5E 0500](#) [AX100351](#) [UTPCH14GY](#) [45-5684](#) [09459711142](#) [100345-](#)
[1301](#) [MWDM2L-25P-8K1-.500B](#) [MWDM6L-31S-6C4-.375H](#) [73-7793-1](#) [74764-1101](#) [WHU18-3636-048](#) [RJF2SA2G05100BTX](#)
[1R4000A39M030](#) [190-038045-00-SP328](#) [UTPSP6GY](#) [UTPSP2GY](#) [UTPSP10GY](#) [UTPCH5GY](#) [UTP28SP15M](#) [UTP28CH100OR](#)
[ENSP2F5C305](#) [74764-2301](#) [SAC-5P-MS/ 1.0-920/FS SCO AR](#) [1-3636-601-5211](#) [1-3636-600-5212](#) [1-3636-461-5208](#) [1-3637-600-5212](#) [1-](#)
[3637-600-5206](#) [1-3636-618-5212](#)