










RECOMMENDED HOLE LAYOUT FOR
.070/(1.78) MAX. THICK P.C. BOARD



- NOTES::

- 1) HOUSING MATERIAL:
V-2 = NYLON 6/6, UNFILLED U.L. 94V-2, COLOR: NATURAL
V-0 = NYLON 6/6, UNFILLED U.L. 94V-0, COLOR: NATURAL
TERMINAL MATERIAL: COPPER ALLOY.
- 2) TERMINAL PLATING:
TIN = .000100/(.00254) MIN. MATTE TIN OVER .000050/(.00127)
MIN. NICKEL OVERALL
GOLD = .000030/(.00080) MIN. SELECT GOLD, .000100/(.00254) MIN.
MATTE TIN OVER .000050/(.00127) MIN. NICKEL OVERALL
- 3) PRODUCT SPECIFICATION: PS-45750-001
4) PACKAGING SPECIFICATION: PK-5566-001.
5) PART MATES WITH MINI-FIT RECEPTACLE NO. 5557
6) PART ARE NOT TO BE MATED OR UN-MATED WHILE CIRCUITS ARE LIVE
7) PARTS TO HAVE "HCS+" MARKING
8) PART CONFORMS TO CLASS B OF COSMETIC SPECIFICATION PS-45499-002
WITH THE EXCEPTION OF DISCOLORATION, FLASH, AND SINK MEET CLASS
"C" REQUIREMENTS.
9) PART IS NOT DESIGNED FOR CURRENT SHARING.
10) ANTI-SHINGLING RIB MAY OR MAY NOT APPEAR ON
HOUSINGS.
- 11) LOCATION OF .118/3.00 DIAMETER HOLES ON P.C. BOARD IS FOR OPTIONAL
PEGS.
- 12) TEXT ON PART IS FOR REFERENCE ONLY. TEXT AND TEXT LOCATION MAY
VARY DEPENDING ON PART NUMBER AND/OR TOOL.

QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
	= 0	OBsolete GW P/Ns EC NO: 102882 CS: LAFATER CHKD: JRELL REV APPR: FSMITH	2016/01/27 2016/10/27 2016/11/02	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE										
	= 0				IN/MM	4:1											
	= 0				DRWN BY	DATE											
	= 0					MM	INCH	TGREGORI		2006/04/27		VERTICAL HEADER ASSEMBLY DUAL ROW MINI-FIT PLUS HCS SERIES					
	= 0				4 PLACES	±	±	CHK'D BY		DATE							
	= 0				3 PLACES	±	± 0.01	JCOMERCI		DATE							
	= 0				2 PLACES	± 0.25	± 0.2	APPR BY		DATE							
	= 0					1 PLACES	± 0.5	±	FSMITH		2010/04/09		PRODUCT CUSTOMER DRAWING				
	= 0					0 PLACES	±	±	DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES	MATERIAL NUMBER		CUSTOMER	
	= 0					ANGULAR TOL ± 0.5				C		46015		SEE CHART		GENERAL MARKET	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			DOCUMENT NUMBER		SD-46015-001				DOC TYPE	DOC PART	SHEET NUMBER			
		C5									PSD	000	1 OF 2				

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) ***category:***

Click to view products by [Molex](#) ***manufacturer:***

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)