

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

1723164104

Status:


Active

Overview:

Ultra-Fit Power Connectors

Description:

Ultra-Fit Right-Angle Header with Solder Nail, 3.50mm Pitch, Dual Row, 4 Circuits, Matte Tin (Sn) Plating, Natural, Glow-Wire Capable



Documents:	
3D Model	Product Specification 1723231000-PS-SK-000 (PDF)
3D Model (PDF)	Product Specification PS-172323-0001-001 (PDF)
Drawing (PDF)	Packaging Specification 1723161114-PK-000 (PDF)
Product Specification 1723230001-TS-000 (PDF)	Datasheet (PDF)
Product Specification 1723231000-PS-CH-000 (PDF)	Symbol Footprint Data SYM-172316-3104-001 (PDF)
Product Specification 1723231000-PS-ES-000 (PDF)	RoHS Certificate of Compliance (PDF)
Product Specification 1723231000-PS-JP-000 (PDF)	

General		EU ELV	
Product Family		Not Relevant	
Series		EU RoHS	
Application		Compliant	
Comments		REACH SVHC	
Overview		Not Contained Per -	
Product Name		D(2020)9139-DC (19	
UPC		Jan 2021)	
Physical		Halogen-Free	
Breakaway		Status	
Circuits (Loaded)		Low-Halogen	
Circuits (maximum)		For more information, please visit	
Color - Resin		Contact US	
Durability (mating cycles max)		China ROHS	
First Mate / Last Break		Green Image	
Glow-Wire Capable		ELV	
Guide to Mating Part		RoHS Phthalates	
Keying to Mating Part		Not Relevant	
Lock to Mating Part		Not Contained	
Material - Metal		Search Parts in this Series	
Material - Plating Mating		172316 Series	
Material - Plating Termination		Mates With	
Material - Resin		Ultra-Fit Receptacle Housing	
Net Weight		1722584104	
Number of Rows			
Orientation			
PC Tail Length			
PCB Locator			
PCB Retention			
PCB Thickness - Recommended			
Packaging Type			
Pitch - Mating Interface			
Pitch - Termination Interface			
Plating min - Mating			
Plating min - Termination			
Polarized to Mating Part			
Polarized to PCB			
Shrouded			
Surface Mount Compatible (SMC)			
Temperature Range - Operating			

Termination Interface: Style	Through Hole
Electrical	
Current - Maximum per Contact	12.0A
Voltage - Maximum	600V AC (RMS)/DC
Material Info	
Reference - Drawing Numbers	
Packaging Specification	1723161114-PK-000
Product Specification	1723230001-TS-000, 1723231000-PS-CH-000, 1723231000-PS-ES-000, 1723231000-PS-JP-000, 1723231000-PS-SK-000, PS-172323-0001-001
Sales Drawing	1723162000-000
Symbol/Footprint Data	SYM-172316-3104-001

This document was generated on 10/05/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) ***category:***

Click to view products by [Molex](#) ***manufacturer:***

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)