

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

5016461804

Status:


Active

Overview:

iGrid Wire-to-Board Dual-Row System

Description:

2.00mm Pitch, iGrid Receptacle Crimp Housing, Dual Row, Positive Lock, 18 Circuits, Blue



|                                                               |                                                                |
|---------------------------------------------------------------|----------------------------------------------------------------|
| Documents:                                                    |                                                                |
| <a href="#">3D Model</a>                                      | <a href="#">Product Specification PS-501646-001-001 (PDF)</a>  |
| <a href="#">3D Model (PDF)</a>                                | <a href="#">Application Specification 5016460000-A00 (PDF)</a> |
| <a href="#">Drawing (PDF)</a>                                 | <a href="#">Application Specification 5016460000-A01 (PDF)</a> |
| <a href="#">Product Specification 5016460000-PS-000 (PDF)</a> | <a href="#">Packaging Specification 5016469200-200 (PDF)</a>   |
| <a href="#">Product Specification 5016461000-PS-000 (PDF)</a> | <a href="#">Datasheet (PDF)</a>                                |
| <a href="#">Product Specification 5016461001-PS-001 (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a>           |

|                               |                                                                            |
|-------------------------------|----------------------------------------------------------------------------|
| Agency Certification          |                                                                            |
| CSA                           | LR19980                                                                    |
| UL                            | E29179                                                                     |
| General                       |                                                                            |
| Product Family                | Crimp Housings                                                             |
| Series                        | 501646                                                                     |
| Application                   | Signal, Wire-to-Board                                                      |
| Overview                      | iGrid Wire-to-Board Dual-Row System                                        |
| Product Name                  | iGrid                                                                      |
| UPC                           | 822350100908                                                               |
| Physical                      |                                                                            |
| Circuits (maximum)            | 18                                                                         |
| Color - Resin                 | Blue                                                                       |
| Flammability                  | 94V-0                                                                      |
| Gender                        | Receptacle                                                                 |
| Glow-Wire Capable             | No                                                                         |
| Keying to Mating Part         | None                                                                       |
| Lock to Mating Part           | Yes                                                                        |
| Material - Resin              | Nylon                                                                      |
| Net Weight                    | 560.000/mg                                                                 |
| Number of Rows                | 1                                                                          |
| Packaging Type                | Bag                                                                        |
| Panel Mount                   | No                                                                         |
| Pitch - Mating Interface      | 2.00mm                                                                     |
| Pitch - Termination Interface | 2.00mm                                                                     |
| Polarized to Mating Part      | Yes                                                                        |
| Stackable                     | No                                                                         |
| Temperature Range - Operating | -40° to +105°C                                                             |
| Electrical                    |                                                                            |
| Current - Maximum per Contact | 2.0A                                                                       |
| Material Info                 |                                                                            |
| Cross-Plant Material Status   | LT                                                                         |
| Reference - Drawing Numbers   |                                                                            |
| Application Specification     | 5016460000-A00, 5016460000-A01                                             |
| Packaging Specification       | 5016469200-200                                                             |
| Product Specification         | 5016460000-PS-000, 5016461000-PS-000, 5016461001-PS-001, PS-501646-001-001 |
| Sales Drawing                 | SD-501646-001-001                                                          |

|                                                               |               |
|---------------------------------------------------------------|---------------|
| EU ELV                                                        |               |
| Not Relevant                                                  |               |
| EU RoHS                                                       | China RoHS    |
| Compliant                                                     |               |
| REACH SVHC                                                    |               |
| Not Contained Per - D(2021)4569-DC (8 July 2021)              |               |
| Halogen-Free                                                  |               |
| Status                                                        |               |
| Low-Halogen                                                   |               |
| For more information, please visit <a href="#">Contact US</a> |               |
| China ROHS                                                    | Not Relevant  |
| ELV                                                           | Not Relevant  |
| RoHS Phthalates                                               | Not Contained |

Search Parts in this Series

501646 Series

Mates With

iGrid Vertical Header (Tin) [501645](#) , (Gold) [503091](#) . iGrid Right-Angle Header (Tin) [501876](#) . iGrid Right-Angle Header (Gold) [208659](#)

Use With

iGrid Receptacle Terminal (Tin) 22-26 AWG [501647](#) , 26-28 AWG [501648](#) . iGrid Receptacle Terminal (Gold) [503095](#)

This document was generated on 10/22/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

***Click to view similar products for*** [Headers & Wire Housings](#) ***category:***

***Click to view products by*** [Molex](#) ***manufacturer:***

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)  
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)  
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)  
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)