








SECT. X-X

キャビティ番号
及び金型番号
CAVITY NO.
AND MOLD NO.



3~15極 側面図



NOTE

- 嵌合相手: 51382-****
MATE WITH: 51382-****
偶数極 (列) に適用。
APPLY EVEN CIRCUIT PRODUCTS.
- キンフは両外側の位置に付加。
KINK TO BE APPLIED BOTH ENDS.
- 材質: ハウジング: ポリエステル(PBT) UL94V-0
MATERIALS: HOUSING: POLYESER(PBT) UL94V-0
ピン: 黄銅
PIN: BRASS
- めっき: ビン: 鍍めつき, リフロー処理 (前めっき) めっき厚: 1.0 μm MIN.
ニッケル下地めっき: めっき厚: 0.5 μm MIN.
FINISHES: PIN: PRE-TIN PLATED, (HEAT TREATED MATTE TIN)
PLATING THICKNESS: 1.0 μm MIN.
NICKEL UNDERPLATE OVERALL
PLATING THICKNESS: 0.5 μm MIN.
- 製品番号 MATERIAL NO.
55935-****

極数 CIRCUIT SIZE

色 COLOR

10	自然色 (白) NATURAL (WHITE)
11	黒 BLACK
12	赤 RED
13	黄 YELLOW
14	青 BLUE
15	桃 PINK
16	緑 GREEN
17	茶 BROWN
18	橙 ORANGE
19	紫 VIOLET
41	灰 GRAY
43	蛍光黄 FLUORESCENCE YELLOW
44	水 PALE BLUE
46	黄緑 YELLOWISH GREEN

31	28	34	55935-15**	15
29	26	32	55935-14**	14
27	24	30	55935-13**	13
25	22	28	55935-12**	12
23	20	26	55935-11**	11
21	18	24	55935-10**	10
19	16	22	55935-09**	9
17	14	20	55935-08**	8
15	12	18	55935-07**	7
13	10	16	55935-06**	6
11	8	14	55935-05**	5
9	6	12	55935-04**	4
7	4	10	55935-03**	3
5	2	8	55935-02**	2
C	B	A	MATERIAL NO. CKT.	

MODEL NO.: 55935-****
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

2.0 W/B SINGLE CONN.
PLUG HOUSING ASS'Y R/A
-LEAD FREE-

molex

SD-55935-005

SHEET NO.
1 OF 2

SEE CHART

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



GENERAL TOLERANCES (UNLESS SPECIFIED)			
0.25 UNDER	UNDER	±0.03	
0.25 OVER	0.5 UNDER	±0.05	
0.5 OVER	1.0 UNDER	±0.1	
1.0 OVER	10 UNDER	±0.20	
10 OVER	30 UNDER	±0.25	
30 OVER		±0.30	
ANGULAR		±3 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
T.NIITSU	'02/05/15
CHECKED BY	DATE
K.ASAKAWA	'03/06/12
APPROVED BY	DATE
T.YAMAGUCHI	'03/06/12
MATERIAL NO.	




SCALE	

DESIGN UNITS	
METRIC	
THIRD ANGLE PROJECTION	
DOCUMENT NO.	
SD-55935-005	



10 9 8 7 6 5 4 3 2 1




2 CIRCUIT



3 CIRCUIT



4 CIRCUIT



嵌合断面图

MODEL NO.: 55935-****

REVISED EC NO: J2018-0106 DRWN:MIKEDA01 CHKD:AIDA APPR:KANEKO 2017/09/25 2017/09/25 2017/09/25	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		0.25 UNDER	UNDER	±0.03	DRAWN BY T.NIITSU	DATE '02/05/15	TITLE 2.0 W/B SINGLE CONN. PLUG HOUSING ASS'Y R/A -LEAD FREE-		
		0.25 OVER	0.5 UNDER	±0.05	CHECKED BY K.ASAKAWA	DATE '03/06/12			
		0.5 OVER	1.0 UNDER	±0.1	APPROVED BY T.YAMAGUCHI	DATE '03/06/12			
		1.0 OVER	10 UNDER	±0.20	MATERIAL NO.		DOCUMENT NO. SD-55935-005		
		10 OVER	30 UNDER	±0.25					
		30 OVER		±0.30	SEE CHART		SHEET NO. 2 OF 2		
		ANGULAR ±3 °							
	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

9 8 7 6 5 4 3 2 1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) ***category:***

Click to view products by [Molex](#) ***manufacturer:***

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)