

This document was generated on 02/27/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0621005110

Status: Active

Overview: Application Tooling

Description: Backplane Insertion Tool for Signal Contact Insertion

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series 207123

Comments See Tooling Specification (PDF) Above

Function Insertion
Geographic Area Global
Level of Automation Manual

More Detailed Tech Information applicationtooling@molex.com

Overview <u>Application Tooling</u>

Product Name N/A

Tool Type Insertion Hand Tool UPC 800756778679

Warranty Disclaimer CAUTION: Molex tooling crimp specifications are

valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is

modified.


Physical

Net Weight 51.873/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-621005110, TM-622018699, TM-622022099



EU ELV

Not Relevant

EU RoHS China RoHS

Not Reviewed REACH SVHC Not Reviewed Halogen-Free Status

Not Relevant

For more information, please visit Contact US

China ROHS Not Relevant
ELV Not Relevant
ROHS Phthalates Not Reviewed

Search Parts in this Series

207123 Series

Use With

GbX I-Trac Backplane <u>75705</u>, <u>76015</u>,

70000

Application Tooling | FAQ | Product #

GbX I-Trac Vertical 757051124

Header Module, 1.85mm by 3.70mm Pitch, Unguided, Dual End Walls, 11 Rows, 10 Columns, 220 Circuits, Mating Pin Length 5.70mm

GbX I-Trac Vertical 757051523

Header Module, 1.85mm by 3.70mm Pitch, Unguided, Dual End Wall, 11 Rows, 5 Columns, 110 Circuits, Mating Pin Length 4.70mm

GbX I-Trac Vertical 757051602

Header Module,

1.85mm by 3.70mm Pitch, Unguided, Open Ends, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 3.90mm GbX I-Trac Vertical 757051604 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 5.70mm GbX I-Trac Vertical 757051634 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Right End Wall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 5.70mm GbX I-Trac Vertical 757051804 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 11 Rows, 8 Columns, 176 Circuits, Mating Pin Length 5.70mm GbX I-Trac Vertical 757053103 Header Module, 1.85mm by 3.70mm Pitch, Left Guide, Right Open, 11 Rows, 10 Columns, 220 Circuits, Mating Pin Length 4.70mm GbX I-Trac Vertical 757053104 Header Module, 1.85mm by 3.70mm Pitch, Left Guide, Right Open, 11 Rows, 10 Columns, 220 Circuits, Mating Pin Length 5.70mm GbX I-Trac Vertical 757053824 Header Module, 1.85mm by 3.70mm Pitch, Left Guide, Right Open, 11 Rows, 8 Columns, 176 Circuits, Key Orientation B, Mating Pin Length 5.70mm GbX I-Trac Vertical 757055103 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 11 Rows, 10 Columns, 200 Circuits, Mating Pin Length 4.70mm GbX I-Trac Vertical 757055604 Header Module,

1.85mm by 3.70mm Pitch, Right Guide, Left Open, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 5.70mm GbX I-Trac Vertical 757055824 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 11 Rows, 8 Columns, 176 Circuits, Mating Pin Length 5.70mm, Key Orientation B GbX I-Trac Vertical 757057604 Header Module, 1.85mm by 3.70mm Pitch, Left Guide, Right Endwall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 5.70mm GbX I-Trac Vertical 757059605 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Endwall, 11 Rows, 6 Columns, 132 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm GbX I-Trac Vertical 760151102 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 3.90mm GbX I-Trac Vertical 760151103 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 4.70mm GbX I-Trac Vertical 760151104 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 5.70mm GbX I-Trac Vertical 760151403 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm

GbX I-Trac Vertical 760151404 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 5.70mm GbX I-Trac Vertical 760151602 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 3.90mm GbX I-Trac Vertical 760151605 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm, Lead-Free GbX I-Trac Vertical 760153103 Header Module, 1.85mm by 3.70mm Pitch, Left Guide, Right Open, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 4.70mm, Lead-Free GbX I-Trac Vertical 760153104 Header Module, 1.85mm by 3.70mm Pitch, Left Guide, Right Open, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 5.70mm, Lead-Free GbX I-Trac Vertical 760153402 Header Module, 1.85mm by 3.70mm Pitch, Left Guide, Right Open, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 3.90mm, Lead-Free GbX I-Trac Vertical 760153403 Header Module, 1.85mm by 3.70mm Pitch, Left Guide, Right Open, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm, Lead-Free GbX I-Trac Vertical 760155103 Header Module,

1.85mm by 3.70mm

Pitch, Right Guide, Left Open, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 4.70mm, Lead-Free GbX I-Trac Vertical 760155104 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 5.70mm, Lead-Free GbX I-Trac Vertical 760155402 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 3.90mm, Lead-Free GbX I-Trac Vertical 760155403 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 7 Rows, 4 Columns, 56 Circuits, Mating Pin Length 4.70mm, Lead-Free GbX I-Trac Vertical 760155605 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm, Lead-

Free

This document was generated on 02/27/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Extraction, Removal & Insertion Tools category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

M8196914-08 768211-2 809-131 844751-2 8-59558-2 91018-1 12014013 12093647 1-21048-0 R282867020 12093078 12180559 121048-6 12121897 DCF.91.405.5LT 1322 15314260 15350698 15350707 15430130 1643916-1 1-679532-0 1976593-3 OUTEXT-0321 21579008-3 2-1579008-4 229694-7 231106-1 241469 91040-3 91040-7 965004-000 965069-000 1738219-1 ET-JL05-16 FG 0300 146 3000
FIT-6 210S048 2-1579007-9 231879-1 CF-008025-000 312138-3 RJ11FODE 356-162 M8196914-10 4-1579018-0 483249-1 5-1579007-2
5-1579007-9 BPR10