

RT3MPR

3 pole male TINY xlr receptacle, rear mountable



Article Variations

Article Name	Details	Packaging
RT3MPR	Nickel plated housing, gold plated contacts, max. panel thickness: 3 mm	Plastic Bag
RT3MPR-D	Nickel plated housing, gold plated contacts, max. panel thickness: 3 mm	BULK

Technical Information

Product

Title	RT3MPR
Connection Type	XLR

Electrical

Contact Resistance	$\leq 10 \text{ m}\Omega$
Insulation Resistance	$> 1 \text{ G}\Omega$
Dielectric Strength	$> 500 \text{ V rms}$
Rated current per contact	$< 5 \text{ A}$

Mechanical

Lifetime	$> 1000 \text{ Mating Cycles}$
Wiresize	0.22 mm^2
Wiresize	24 AWG

Material	
Housing	Zinc
Nut	Brass
Washer	Steel
Plastic Body	PA66+30%GF
Pin	Brass
Housing	Nickel Plating
Nut	Nickel Plating
Washer	Nickel Plating
Pin	Gold Plating

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [XLR Connectors](#) category:

Click to view products by [Neutrik](#) manufacturer:

Other Similar products are found below :

[HA16PRQ-3SE\(71\)](#) [DE4MW](#) [E3MBAUSW](#) [99.265.0400.0](#) [AC4-FCP](#) [AQG4F](#) [3FD-V-I-B](#) [3MD-V-I-B](#) [TA01](#) [TA3MWX](#) [TA5MLWX](#)
[TRASM4M1X](#) [3FD-L-I\(O\)](#) [DHNF-BAG-O](#) [E3FSW](#) [TA4FLWX](#) [TA6FLWX](#) [TINICAPT](#) [WP2S4P](#) [WP1S1](#) [WP1B2](#) [NA3FP-UW](#)
[NC3FEZY-P](#) [NC3FG-V](#) [NC3FX-1-BAG](#) [NC6FD-LX-BAG](#) [NC6FSD-LX](#) [NC6MSD-LX](#) [NC6MSXX-BAG](#) [NCJ6FK-V](#) [NCXX-PROMO](#)
[NC3FX-1-D](#) [NC3MX-1-D](#) [NC3MXY-B](#) [NC5FDM3-V-BAG](#) [SL04](#) [AC3-FIC](#) [A3M06](#) [E3MBSW](#) [A3M03](#) [TRG4MX](#) [AC5MJ BULK](#)
[FC619304](#) [NC3MAH-S](#) [FC619223](#) [FC619208](#) [HA-3MXX](#) [CP299905](#) [CP299907](#) [CP3000](#)