## DESCRIPTION: 970 SERIES D-SUB BACKSHELL

## BACKSHELL KIT INCLUDES:

- (2) BACKSHELL HALVES
- (2) 4-40 THUMBSCREWS
- (2) HOUSING SCREWS/NUTS
- (1) SET OF COMPRESSION INSERTS VARIOUS SIZES Ø0.157 [4.0], Ø0.197 [5.0], Ø0.276 [7.0], Ø0.354 [9.0]

MATERIAL:

NICKEL PLATED ABS VH-0800

UL 94-HB

JACKSCREWS: M3 HOODSCREWS: ZINC PLATED STEEL ZINC PLATED STEEL

COMPRESSION INSERT:

ABS UL 94-HB


M3 NUT:

ZINC PLATED STEEL


OPERATING TEMP:

-55°C TO +110°C

\*\*NOTE: 3 in-lbs IS RECOMMENDED TORQUE FOR HOUSING SCREWS



DIMENSIONS (in/mm)				
No. OF PINS	Α	В	С	D
9	1.240	0.984	1.594	0.591
	31.50	24.99	40.50	15.00
15	1.575	1.312	1.594	0.591
	40.00	33.32	40.50	15.00
25	2.126	1.852	1.949	0.591
	54.00	47.04	49.50	15.00
37	2.776	2.500	2.146	0.630
	70.50	63.50	54.50	16.00



UNITS = INCHES [MM]



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

NorComp


DRAWN:
PAM JENKINS
6-09-05


SCALE
NTS
SHEET
1
2
REV
15

DWG NO.


970-YYY-020R121

RoHS COMPLIANT





## UNITS = INCHES [MM]



ROHS COMPLIANT

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Backshells category:

Click to view products by NorComp manufacturer:

Other Similar products are found below:

600X51137X 600X54009X 66241-12A M85049/6-38N M85049/86-12N03 M85049/90-13P03 70.350.0636.4 70.350.2435.1 72.350.1035.2 72.352.2435.1 73.359.4035.3 829472-1 PCS-E20W 970-015-040R011 971-009-030R121 971-009-040R011 971-015-040R011 DPH-B-003 1437013-9 1484402-8 156-3025-EX 16-500800 165X02659X 165X03329A 165X03399A 165X10259X 165X11359X 165X11759X 165X11889X 165X11899X 165X13019X 165X13029X 165X13169X 165X13199X 165X13239X 165X13389X 165X13489X 165X14219X 165X14429X 165X14449X 165X17409X 165X17439X 165X17569X 165X17599X 165X17609X 165X17889X 165X17979X L171373 971-025-030R121 300X10989X