



Rapid prototyping
platform for IoT and
industrial control
applications

TWR-LS1021A: Tower System Module

The QorIQ TWR-LS1021A Tower System module is the most feature-rich and high-performance Tower System we offer.

TARGET APPLICATIONS

- ▶ Secure access point
- ▶ Secure hot spot
- ▶ Secure IoT gateways
- ▶ HMI enabled Programmable Logic Controller
- ▶ Secure network attached storage (NAS)
- ▶ Asset management and tracking
- ▶ HMI enabled controller
- ▶ Robotics

It enables compatibility and interoperability with the growing list of Tower expansion modules, providing an easily accessible and interchangeable suite of capabilities and features to support rapid prototyping as well as software development programs. The TWR-LS1021A module is engineered to enable a wide range of applications, from IoT gateways to industrial controllers, secure access points and asset management systems. Customers benefit from the high level of integration, excellent balance of performance to power, and robust reliability.

Setting the TWR-LS1021A module apart is its outstanding level of performance delivered by the QorIQ LS1021A processor incorporating dual ARM® Cortex®-A7 cores running up to 1 GHz and delivering more than 5,000 Coremarks® of performance. The module offers higher integration levels than any prior

Tower System main processor board, which enables true single board designs to be supported. As a result, both design effort and complexity are reduced. In addition, the TWR-LS1021A module offers HDMI, SATA3 and USB3 connectors and a complete Linux® software developers package.

The TWR-LS1021A module provides a comprehensive level of security that includes support for secure boot, Trust Architecture and tamper detection, in both standby and active power modes. Together, these features safeguard the device from the point of manufacture to the point of deployment. This ensures the device is protected from malicious hacking and guarantees end products can support highly secure nodes.

READY-TO-USE DESIGN

The QorIQ TWR-LS1021A module, as well as the TWR-LCD and TWR-IND-IO expansion module, can be ordered directly from us or our authorized distributors. The kit includes a fully tested TWR-LS1021A main processor module, quick start guide, user manual, power cord and connector cables. Also available are the complete board design files including schematics, bill of materials and GERBER files at no charge.



KEY FEATURES

- ▶ QorIQ LS1021A processor, featuring dual ARM Cortex-A7 cores, 32 KB I/D L1 cache with ECC protection, 512 KB coherent L2 cache with ECC protection
- ▶ 1 Gbit parallel NOR flash
- ▶ 128 Mbit quad SPI flash
- ▶ 1 GB DDR3L
- ▶ Full-size SDHC slot-up to 32 GB
- ▶ 4 Kbit EEPROM
- ▶ 2 x 10/100/1000 Ethernet (SGMII)
- ▶ 1 x 10/100/1000 Ethernet (RGMII)
- ▶ 2 x mini PCIe® (x 1) connectors (802.11ac/n/g, combo 802.11/Bluetooth®, 802.15.4, 6LoWPAN as well as 4G/LTE cards)
- ▶ 1 x mSATA 3.0 slot
- ▶ Muxed LCD/QE interface
 - 24-bit LVDS LCD interface
 - 1 x HDMI connector
 - 2 x QE UART to TWR-ELEV for PROFIBUS or RS485 (external transceiver needed)
- ▶ Audio
 - Audio OUT via HDMI or jack plug
 - Audio IN via onboard mic
- ▶ USB 3.0
 - 2 x ports—USB-type A
 - 2 x ports to mini PCIe slots (LTE/4G cellular radios)
- ▶ 2 x SPI bus and 3 x I²C bus
- ▶ OpenSDA debug support
 - Run-control debug
 - Flash programmer
 - UART to USB converter
- ▶ Certification: FCC Class B and CE
- ▶ Expansion options:
 - Tower System boards supported via TWR-ELEV
 - TWR-IND-IO
 - 2 x CAN, RS485, RS232 (up to two boards supported)
 - TWR-LCD

- TWR-LCD-RGB
- TWR-ETHERCAT-SLV
- ▶ Included in Kit:
 - Linux and CodeWarrior ARM toolchain software included
 - Reference design (schematics, layout and BOM available)
 - Hardware quick start guide and user guide


ORDERING INFORMATION

| Orderable Part Number | Price (\$USD Suggested Resale) |
|-----------------------|--------------------------------|
| TWR-LS1021A | \$269 |



Figure 1. TWR-LS1021A module (TWR-LS1021A, TWR-SER-IO and TWR-ELEV)

QorIQ TWR-LS1021A BOARD



CODEWARRIOR DEVELOPMENT SUITES FOR NETWORKED APPLICATIONS

CodeWarrior Development Studio for QorIQ LS series featuring ARMv7 is a development software tool created by and is based on award-winning CodeWarrior IDE technology. This software is one of the first software tools used and developed in lockstep with the QorIQ LS series of communications processors. The software can be obtained by purchasing any of the CodeWarrior Development Suites for Networked Applications.

The Tower edition suite contains the complete CodeWarrior Development Studio for QorIQ LS Series for ARMv7 ISA. It is optimized to provide an economic development platform for the Tower System modules only. It is an easy upgrade to extend the Tower Edition to the Suite edition and works with any QorIQ LS series-based boards. For more information please visit www.nxp.com/CWARM7.

www.nxp.com/TowerSystem

© 2014-2015 Freescale Semiconductor, Inc.

CodeWarrior, QorIQ and Tower are trademarks of Freescale Semiconductor, Inc., Reg. U.S. Pat. & Tm. Off. Layerscape is a trademark of Freescale Semiconductor, Inc. All other product or service names are the property of their respective owners. ARM and Cortex are registered trademarks of ARM Limited (or its subsidiaries) in the EU and/or elsewhere.

Document Number:
TWRLS1021AF5 REV 1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Development Boards & Kits - ARM category](#):

Click to view products by [NXP manufacturer](#):

Other Similar products are found below :

[SAFETI-HSK-RM48](#) [PICOHOBBITFL](#) [CC-ACC-MMK-2443](#) [TWR-MC-FRDMKE02Z](#) [EVALSPEAR320CPU](#) [EVB-SCMIMX6SX](#)
[MAX32600-KIT#](#) [TMDX570LS04HDK](#) [TXSD-SV70](#) [OM13080UL](#) [EVAL-ADUC7120QSPZ](#) [OM13082UL](#) [TXSD-SV71](#)
[YGRPEACHNORMAL](#) [OM13076UL](#) [PICODWARFFL](#) [YR8A77450HA02BG](#) [3580](#) [32F3348DISCOVERY](#) [ATTINY1607](#) [CURIOSITY](#)
[NANO](#) [PIC16F15376](#) [CURIOSITY NANO BOARD](#) [PIC18F47Q10](#) [CURIOSITY NANO](#) [VISIONSTK-6ULL V.2.0](#) [80-001428](#) [DEV-17717](#)
[EAK00360](#) [YR0K77210B000BE](#) [RTK7EKA2L1S00001BE](#) [SLN-VIZN-IOT](#) [LV18F V6 DEVELOPMENT SYSTEM](#) [READY FOR AVR](#)
[BOARD](#) [READY FOR PIC BOARD](#) [READY FOR PIC \(DIP28\)](#) [AVRPLC16 V6 PLC SYSTEM](#) [MIKROLAB FOR AVR XL](#) [MIKROLAB](#)
[FOR PIC L](#) [MINI-AT BOARD - 5V](#) [MINI-M4 FOR STELLARIS](#) [MOD-09.Z](#) [BUGGY + CLICKER 2 FOR PIC32MX + BLUETOOT](#) [1410](#)
[LETS MAKE PROJECT PROGRAM. RELAY PIC](#) [LETS MAKE - VOICE CONTROLLED LIGHTS](#) [LPC-H2294](#) [DSPIC-READY2 BOARD](#)
[DSPIC-READY3 BOARD](#) [MIKROBOARD FOR ARM 64-PIN](#) [MIKROLAB FOR AVR](#) [MIKROLAB FOR AVR L](#) [MIKROLAB FOR](#)
[DSPIC](#)